

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
25 August 2005 (25.08.2005)

PCT

(10) International Publication Number
WO 2005/077345 A1

(51) International Patent Classification⁷: **A61K 31/00**,
A61P 1/00, 1/04, 11/00, 11/04, 11/06, 43/00

(74) Agents: BENT, Stephen A. et al.; Foley & Lardner LLP,
Washington Harbour, 3000 K Street, NW, Suite 500, Wash-
ington, DC 20007-5143 (US).

(21) International Application Number:
PCT/US2005/000336

(22) International Filing Date: 7 January 2005 (07.01.2005)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/541,056 3 February 2004 (03.02.2004) US

(71) Applicants (for all designated States except US): AS-
TRAZENECA AB [SE/SE]; SE-151, 85 Södertälje,
S-SE-151 Södertälje (SE). NPS PHARMACEUTICALS,
INC. [US/US]; 383 Colorow Drive, Salt Lake City, Utah
84108 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): LEHMANN, An-
ders [SE/SE]; c/o AstraZeneca R & D Molndal, SE-431,
83 Molndal, S-SE-431 Molndal (SE). MATTSSON, Jan
[SE/SE]; c/o AstraZeneca R & D Molndal, SE-431, 83
Molndal, S-SE-431 Molndal (SE). NILSSON, Karolina
[SE/SE]; c/o AstraZeneca R & D Molndal, SE-431, 83
Molndal, S-SE-431 Molndal (SE).

(81) Designated States (unless otherwise indicated, for every
kind of national protection available): AE, AG, AL, AM,
AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,
GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,
KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD,
MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG,
PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM,
TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM,
ZW.


(84) Designated States (unless otherwise indicated, for every
kind of regional protection available): ARIPO (BW, GH,
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,
ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI,
FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO,
SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN,
GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.

(54) Title: COMPOUNDS FOR THE TREATMENT OF GASTRO-ESOPHAGEAL REFLUX DISEASE



(57) Abstract: The present invention relates to the use of a compound of (formula: Ia); for the inhibition of transient lower esophageal sphincter relaxations. A further aspect of the invention is directed to the use of compounds of formula Ia for the treatment of gastro-esophageal reflux disease.

COMPOUNDS FOR THE TREATMENT OF GASTRO-ESOPHAGEAL REFLUX DISEASE

Field of the invention

5 The present invention relates to the use of certain compounds for the inhibition of transient lower esophageal sphincter relaxations. A further aspect of the invention is directed to the use of certain compounds for the treatment of gastro-esophageal reflux disease.

Background of the invention


10 The lower esophageal sphincter (LES) is prone to relaxing intermittently. As a consequence, fluid from the stomach can pass into the esophagus since the mechanical barrier is temporarily lost at such times, an event hereinafter referred to as "reflux".

15 Gastro-esophageal reflux disease (GERD) is the most prevalent upper gastrointestinal tract disease. Current pharmacotherapy aims at reducing gastric acid secretion, or at neutralizing acid in the esophagus. The major mechanism behind reflux has been considered to depend on a hypotonic lower esophageal sphincter. However, e.g. *Holloway & Dent (1990) Gastroenterol. Clin. N. Amer. 19, pp. 517-535*, has shown that most reflux episodes occur during transient lower
20 esophageal sphincter relaxations (TLESRs), i.e. relaxations not triggered by swallows. It has also been shown that gastric acid secretion usually is normal in patients with GERD.

25 The object of the present invention was to find a new way for the inhibition of transient lower esophageal sphincter relaxations (TLESRs), thereby preventing reflux. More particularly the object of the invention was to find a new way of treating gastro-esophageal reflux disease (GERD), as well as a new way for the treatment of regurgitation.

Outline of the invention

The present invention is directed to the use of compounds of formula Ia



wherein:

- 10 P is selected from the group consisting of hydrogen, C₃₋₇alkyl or a 3- to 8-membered ring containing one or more atoms independently selected from C, N, O and S, which ring may optionally be fused with a 5- or 6-membered ring containing one or more atoms independently selected from the group consisting of C, N, O and S;
- R¹ is selected from the group consisting of hydrogen, hydroxy, halo, nitro, C₁₋₆alkylhalo, OC₁₋₆alkylhalo, C₁₋₆alkyl, OC₁₋₆alkyl, C₂₋₆alkenyl, OC₂₋₆alkenyl, C₂₋₆alkynyl, OC₂₋₆alkynyl, C₀₋₆alkylC₃₋₆cycloalkyl, OC₀₋₆alkylC₃₋₆cycloalkyl, C₀₋₆alkylaryl, OC₀₋₆alkylaryl, CHO, (CO)R⁵, O(CO)R⁵, O(CO)OR⁵, O(CN)OR⁵, C₁₋₆alkylOR⁵, OC₂₋₆alkylOR⁵, C₁₋₆alkyl(CO)R⁵, OC₁₋₆alkyl(CO)R⁵, C₀₋₆alkylCO₂R⁵, OC₁₋₆alkylCO₂R⁵, C₀₋₆alkylcyano, OC₂₋₆alkylcyano, C₀₋₆alkylNR⁵R⁶, OC₂₋₆alkylNR⁵R⁶, C₁₋₆alkyl(CO)NR⁵R⁶, OC₁₋₆alkyl(CO)NR⁵R⁶, C₀₋₆alkylNR⁵(CO)R⁶, OC₂₋₆alkylNR⁵(CO)R⁶, C₀₋₆alkylNR⁵(CO)NR⁵R⁶, C₀₋₆alkylSR⁵, OC₂₋₆alkylSR⁵, C₀₋₆alkyl(SO)R⁵, OC₂₋₆alkyl(SO)R⁵, C₀₋₆alkylSO₂R⁵, OC₂₋₆alkylSO₂R⁵, C₀₋₆alkyl(SO₂)NR⁵R⁶, OC₂₋₆alkyl(SO₂)NR⁵R⁶, C₀₋₆alkylNR⁵(SO₂)R⁶, OC₂₋₆alkylNR⁵(SO₂)R⁶, C₀₋₆alkylNR⁵(SO₂)NR⁵R⁶, OC₂₋₆alkylNR⁵(SO₂)NR⁵R⁶, (CO)NR⁵R⁶, O(CO)NR⁵R⁶, NR⁵OR⁶, C₀₋₆alkylNR⁵(CO)OR⁶, OC₂₋₆alkylNR⁵(CO)OR⁶, SO₃R⁵ and a 5- or 6-membered ring containing one or more atoms
- 20 independently selected from the group consisting of C, N, O and S, wherein said ring may be substituted by one or more A;
- M¹ is selected from the group consisting of a bond, C₁₋₃alkyl, C₂₋₃alkenyl, C₂₋₃alkynyl, C₀₋₄alkyl(CO)C₀₋₄alkyl, C₀₋₃alkylOC₀₋₃alkyl, C₀₋₃alkyl(CO)NR⁵, C₀₋₃alkyl(CO)NR⁵C₀₋₃alkyl, C₀₋₄alkylNR⁵, C₀₋₃alkylSC₀₋₃alkyl, C₀₋₃alkyl(SO)C₀₋₃alkyl or C₀₋₃alkyl(SO₂)C₀₋₃alkyl;
- 30 R² is selected from the group consisting of hydrogen, hydroxy, C₀₋₆alkylcyano, oxo, =NR⁵, =NOR⁵, C₁₋₄alkylhalo, halo, C₁₋₄alkyl, O(CO)C₁₋₄alkyl, C₁₋₄alkyl(SO)C₀₋₄alkyl, C₁₋

$_4\text{alkyl}(\text{SO}_2)\text{C}_{0-4}\text{alkyl}$, $(\text{SO})\text{C}_{0-4}\text{alkyl}$, $(\text{SO}_2)\text{C}_{0-4}\text{alkyl}$, $\text{OC}_{1-4}\text{alkyl}$, $\text{C}_{1-4}\text{alkylOR}^5$ and $\text{C}_{0-4}\text{alkylNR}^5\text{R}^6$;

X^1 , X^2 and X^3 are independently selected from the group consisting of CR, CO, N, NR, O and S;

R is selected from the group consisting of hydrogen, $\text{C}_{0-3}\text{alkyl}$, halo, $\text{C}_{0-3}\text{alkylOR}^5$, $\text{C}_{0-3}\text{alkylNR}^5\text{R}^6$, $\text{C}_{0-3}\text{alkyl}(\text{CO})\text{OR}^5$, $\text{C}_{0-3}\text{alkylNR}^5\text{R}^6$ and $\text{C}_{0-3}\text{alkylaryl}$;

M^2 is selected from a group consisting of a bond, $\text{C}_{1-3}\text{alkyl}$, $\text{C}_{3-7}\text{cycloalkyl}$, $\text{C}_{2-3}\text{alkenyl}$, $\text{C}_{2-3}\text{alkynyl}$, $\text{C}_{0-4}\text{alkyl}(\text{CO})\text{C}_{0-4}\text{alkyl}$, $\text{C}_{0-3}\text{alkylOC}_{0-3}\text{alkyl}$, $\text{C}_{0-3}\text{alkylNR}^5\text{C}_{1-3}\text{alkyl}$, $\text{C}_{0-3}\text{alkyl}(\text{CO})\text{NR}^5$, $\text{C}_{0-4}\text{alkylNR}^5$, $\text{C}_{0-3}\text{alkylSC}_{0-3}\text{alkyl}$, $\text{C}_{0-3}\text{alkyl}(\text{SO})\text{C}_{0-3}\text{alkyl}$ and $\text{C}_{0-3}\text{alkyl}(\text{SO}_2)\text{C}_{0-3}\text{alkyl}$;

R^3 is selected from a group consisting of hydrogen, hydroxy, $\text{C}_{0-6}\text{alkylcyano}$, oxo, $=\text{NR}^5$, $=\text{NOR}^5$, $\text{C}_{1-4}\text{alkylhalo}$, halo, $\text{C}_{1-4}\text{alkyl}$, $\text{O}(\text{CO})\text{C}_{1-4}\text{alkyl}$, $\text{C}_{1-4}\text{alkyl}(\text{SO})\text{C}_{0-4}\text{alkyl}$, $\text{C}_{1-4}\text{alkyl}(\text{SO}_2)\text{C}_{0-4}\text{alkyl}$, $(\text{SO})\text{C}_{0-4}\text{alkyl}$, $(\text{SO}_2)\text{C}_{0-4}\text{alkyl}$, $\text{OC}_{1-4}\text{alkyl}$, $\text{C}_{1-4}\text{alkylOR}^5$ and $\text{C}_{0-4}\text{alkylNR}^5\text{R}^6$;

X^4 is selected from the group consisting of $\text{C}_{0-4}\text{alkylR}^5$, $\text{C}_{0-4}\text{alkyl}(\text{NR}^5\text{R}^6)$, $\text{C}_{0-4}\text{alkyl}(\text{NR}^5\text{R}^6)=\text{N}$, $\text{NR}^5\text{C}_{0-4}\text{alkyl}(\text{NR}^5\text{R}^6)=\text{N}$, $\text{NOC}_{0-4}\text{alkyl}$, $\text{C}_{1-4}\text{alkylhalo}$, C, O, SO, SO_2 and S;

Q is a 5- or 6-membered ring containing one or more atoms independently selected from the group consisting of C, N, O and S, which group may optionally be fused with a 5- or 6-membered ring containing one or more atoms independently selected from the group consisting of C, N, O and S and which fused ring may be substituted by one or more A;

R^4 is selected from the group consisting of hydrogen, hydroxy, $\text{C}_{0-6}\text{alkylcyano}$, oxo, $=\text{NR}^5$, $=\text{NOR}^5$, $\text{C}_{1-4}\text{alkylhalo}$, halo, $\text{C}_{1-4}\text{alkyl}$, $\text{OC}_{1-4}\text{alkyl}$, $\text{OC}_{0-6}\text{alkylaryl}$, $\text{O}(\text{CO})\text{C}_{1-4}\text{alkyl}$, $\text{C}_{0-4}\text{alkyl}(\text{S})\text{C}_{0-4}\text{alkyl}$, $\text{C}_{1-4}\text{alkyl}(\text{SO})\text{C}_{0-4}\text{alkyl}$, $\text{C}_{1-4}\text{alkyl}(\text{SO}_2)\text{C}_{0-4}\text{alkyl}$, $(\text{SO})\text{C}_{0-4}\text{alkyl}$, $(\text{SO}_2)\text{C}_{0-4}\text{alkyl}$, $\text{C}_{1-4}\text{alkylOR}^5$, $\text{C}_{0-4}\text{alkylNR}^5\text{R}^6$ and a 5- or 6-membered ring containing one or more atoms independently selected from C, N, O or S, wherein said ring may be substituted by one or more A;

R^5 and R^6 are independently selected from the group consisting of hydrogen, hydroxy, $\text{C}_{1-6}\text{alkyl}$, $\text{C}_{0-6}\text{alkylC}_{3-6}\text{cycloalkyl}$, $\text{C}_{0-6}\text{alkylaryl}$, $\text{C}_{0-6}\text{alkylheteroaryl}$ and a 5- or 6-membered ring containing one or more atoms independently selected from C, N, O and S, and wherein R^5 and R^6 may together form a 5- or 6-membered ring containing one or more atoms independently selected from the group consisting of C, N, O and S;

wherein any $\text{C}_{1-6}\text{alkyl}$, $\text{C}_{2-6}\text{alkenyl}$, $\text{C}_{2-6}\text{alkynyl}$, $\text{C}_{0-6}\text{alkylC}_{3-6}\text{cycloalkyl}$, $\text{C}_{0-6}\text{alkylaryl}$ and $\text{C}_{0-6}\text{alkylheteroaryl}$ defined under R^1 , R^2 , R^3 , R^4 , R^5 and R^6 may be substituted by one or more A;

A is selected from the group consisting of hydrogen, hydroxy, oxo, halo, nitro, $\text{C}_{0-6}\text{alkylcyano}$, $\text{C}_{1-4}\text{alkyl}$, $\text{C}_{0-4}\text{alkylC}_{3-6}\text{cycloalkyl}$, $\text{C}_{1-6}\text{alkylhalo}$, $\text{OC}_{1-6}\text{alkylhalo}$, $\text{C}_{2-6}\text{alkenyl}$, $\text{OC}_{1-6}\text{alkyl}$, $\text{C}_{0-3}\text{alkylaryl}$, $\text{C}_{0-6}\text{alkylOR}^5$, $\text{OC}_{2-6}\text{alkylOR}^5$, $\text{C}_{1-6}\text{alkylSR}^5$, $\text{OC}_{2-6}\text{alkylSR}^5$, $(\text{CO})\text{R}^5$, $\text{O}(\text{CO})\text{R}^5$, $\text{OC}_{2-6}\text{alkylcyano}$, $\text{C}_{0-6}\text{alkylCO}_2\text{R}^5$, $\text{OC}_{1-6}\text{alkylCO}_2\text{R}^5$, $\text{O}(\text{CO})\text{OR}^5$, $\text{OC}_{1-6}\text{alkyl}(\text{CO})\text{R}^5$, C_{1-}


$_{6\text{alkyl}}(\text{CO})\text{R}^5$, NR^5OR^6 , $\text{C}_{0-6}\text{alkylNR}^5\text{R}^6$, $\text{OC}_{2-6}\text{alkylNR}^5\text{R}^6$, $\text{C}_{0-6}\text{alkyl}(\text{CO})\text{NR}^5\text{R}^6$, $\text{OC}_{1-6}\text{alkyl}(\text{CO})\text{NR}^5\text{R}^6$, $\text{OC}_{2-6}\text{alkylNR}^5(\text{CO})\text{R}^6$, $\text{C}_{0-6}\text{alkylNR}^5(\text{CO})\text{R}^6$, $\text{C}_{0-6}\text{alkylNR}^5(\text{CO})\text{NR}^5\text{R}^6$, $\text{O}(\text{CO})\text{NR}^5\text{R}^6$, $\text{NR}^5(\text{CO})\text{OR}^6$, $\text{C}_{0-6}\text{alkyl}(\text{SO}_2)\text{NR}^5\text{R}^6$, $\text{OC}_{2-6}\text{alkyl}(\text{SO}_2)\text{NR}^5\text{R}^6$, $\text{C}_{0-6}\text{alkylNR}^5(\text{SO}_2)\text{R}^6$, $\text{OC}_{2-6}\text{alkylNR}^5(\text{SO}_2)\text{R}^6$, SO_3R^5 , $\text{C}_{1-6}\text{alkylNR}^5(\text{SO}_2)\text{NR}^5\text{R}^6$, $\text{OC}_{2-6}\text{alkyl}(\text{SO}_2)\text{R}^5$, $\text{C}_{0-6}\text{alkyl}(\text{SO}_2)\text{R}^5$, $\text{C}_{0-6}\text{alkyl}(\text{SO})\text{R}^5$, $\text{OC}_{2-6}\text{alkyl}(\text{SO})\text{R}^5$ and a 5- or 6-membered ring containing one or more atoms independently selected from the group consisting of C, N, O and S;

m is selected from 0, 1, 2, 3 and 4; and

n is selected from 0, 1, 2 and 3,

or a pharmaceutically acceptable salt or an optical isomer thereof, for the manufacture of a medicament for the inhibition of transient lower esophageal sphincter relaxations (TLESRs).

The present invention further provides the use of a compound of formula I



(I)

wherein:

P is selected from the group consisting of thiophene, pyridyl, thiazolyl, furyl, pyrrolyl and phenyl, whereby the phenyl ring is substituted on position 3 or disubstituted on positions 2 and 5;

R^1 is attached to P via a carbon atom on ring P and is selected from the group consisting of

hydrogen, hydroxy, halo, nitro, $\text{C}_{1-6}\text{alkylhalo}$, $\text{OC}_{1-6}\text{alkylhalo}$, $\text{C}_{1-6}\text{alkyl}$, $\text{OC}_{1-6}\text{alkyl}$, $\text{C}_{2-6}\text{alkenyl}$, $\text{OC}_{2-6}\text{alkenyl}$, $\text{C}_{2-6}\text{alkynyl}$, $\text{OC}_{2-6}\text{alkynyl}$, $\text{C}_{0-6}\text{alkylC}_{3-6}\text{cycloalkyl}$, $\text{OC}_{0-6}\text{alkylC}_{3-6}\text{cycloalkyl}$, $\text{C}_{0-6}\text{alkylaryl}$, $\text{OC}_{0-6}\text{alkylaryl}$, CHO , $(\text{CO})\text{R}^5$, $\text{O}(\text{CO})\text{R}^5$, $\text{O}(\text{CO})\text{OR}^5$, $\text{O}(\text{CN})\text{OR}^5$, $\text{C}_{1-6}\text{alkylOR}^5$, $\text{OC}_{2-6}\text{alkylOR}^5$, $\text{C}_{1-6}\text{alkyl}(\text{CO})\text{R}^5$, $\text{OC}_{1-6}\text{alkyl}(\text{CO})\text{R}^5$, $\text{C}_{0-6}\text{alkylCO}_2\text{R}^5$, $\text{OC}_{1-6}\text{alkylCO}_2\text{R}^5$, $\text{C}_{0-6}\text{alkylcyano}$, $\text{OC}_{2-6}\text{alkylcyano}$, $\text{C}_{0-6}\text{alkylNR}^5\text{R}^6$, $\text{OC}_{2-6}\text{alkylNR}^5\text{R}^6$, $\text{C}_{1-6}\text{alkyl}(\text{CO})\text{NR}^5\text{R}^6$, $\text{OC}_{1-6}\text{alkyl}(\text{CO})\text{NR}^5\text{R}^6$, $\text{C}_{0-6}\text{alkylNR}^5(\text{CO})\text{R}^6$, $\text{OC}_{2-6}\text{alkylNR}^5(\text{CO})\text{R}^6$, $\text{C}_{0-6}\text{alkylNR}^5(\text{CO})\text{NR}^5\text{R}^6$, $\text{C}_{0-6}\text{alkylSR}^5$, $\text{OC}_{2-6}\text{alkylSR}^5$, $\text{C}_{0-6}\text{alkyl}(\text{SO})\text{R}^5$, $\text{OC}_{2-6}\text{alkyl}(\text{SO})\text{R}^5$, $\text{C}_{0-6}\text{alkylSO}_2\text{R}^5$, $\text{OC}_{2-6}\text{alkylSO}_2\text{R}^5$, $\text{C}_{0-6}\text{alkyl}(\text{SO}_2)\text{NR}^5\text{R}^6$, $\text{OC}_{2-6}\text{alkyl}(\text{SO}_2)\text{NR}^5\text{R}^6$, $\text{C}_{0-6}\text{alkylNR}^5(\text{SO}_2)\text{R}^6$, $\text{OC}_{2-6}\text{alkylNR}^5(\text{SO}_2)\text{R}^6$, $\text{C}_{0-6}\text{alkylNR}^5(\text{SO}_2)\text{NR}^5\text{R}^6$, $\text{OC}_{2-6}\text{alkylNR}^5(\text{SO}_2)\text{NR}^5\text{R}^6$, $(\text{CO})\text{NR}^5\text{R}^6$, $\text{O}(\text{CO})\text{NR}^5\text{R}^6$, NR^5OR^6 , $\text{C}_{0-6}\text{alkylNR}^5(\text{CO})\text{OR}^6$, $\text{OC}_{2-6}\text{alkylNR}^5(\text{CO})\text{OR}^6$, SO_3R^5 and a 5- or 6-membered ring containing one

or more atoms independently selected from the group consisting of C, N, O and S;

M¹ is a bond;

X¹ selected from the group consisting of C, CO, N, O and S;

X² is selected from the group consisting of C, N, O and S;

5 X³ is i) selected from the group consisting of N, O and S, or

ii) selected from N, O, S, and C when X² is selected from N, O, or S, and when X³ is C the substituent R on X³ is H.;

R is selected from the group consisting of hydrogen, C₀₋₃alkyl, halo, C₀₋₃alkylOR⁵, C₀₋₃alkylNR⁵R⁶, C₀₋₃alkyl(CO)OR⁵ and C₀₋₃alkylaryl;

10 M² is selected from a group consisting of a bond, C₁₋₃alkyl, C₂₋₃alkynyl, C₀₋₄alkyl(CO)C₀₋₄alkyl, C₀₋₃alkylOC₀₋₃alkyl, C₀₋₃alkylNR⁵C₁₋₃alkyl, C₀₋₃alkyl(CO)NR⁵, C₀₋₄alkylNR⁵, C₀₋₃alkyl(SO)C₀₋₃alkyl and C₀₋₃alkyl(SO₂)C₀₋₃alkyl;

R³ is selected from a group consisting of hydroxy, C₀₋₆alkylcyano, oxo, =NR⁵, =NOR⁵, C₁₋₄alkylhalo, halo, C₁₋₄alkyl, O(CO)C₁₋₄alkyl, C₁₋₄alkyl(SO)C₀₋₄alkyl, C₁₋₄alkyl(SO₂)C₀₋₄alkyl, (SO)C₀₋₄alkyl, (SO₂)C₀₋₄alkyl, OC₁₋₄alkyl, C₁₋₄alkylOR⁵ and C₀₋₄alkylNR⁵R⁶;

X⁴ is selected from the group consisting of C₀₋₄alkylR⁵R⁶, C₃₋₇cycloalkyl, C₁₋₄alkyl(NR⁵R⁶), NR⁵, C₀₋₄alkyl(NR⁵R⁶)=N, NR⁵C₀₋₄alkyl(NR⁵R⁶)=N, NOC₀₋₄alkyl, C₁₋₄alkylhalo, O, SO, SO₂ and S, and wherein the bond between M² and X⁴ is a single bond;

Q is i) selected from the group consisting of triazolyl, imidazolyl, oxadiazolyl, imidazolonyl, oxazolonyl, thiazolonyl, tetrazolyl and thiadiazolyl, and wherein any substitutable nitrogen atom in the ring is substituted with R⁴ on such nitrogen atom and any suitable carbon atom is optionally substituted with R⁴; and

R⁴ is selected from the group consisting of C₀₋₆alkylcyano, =NC₁₋₄alkyl, =NOR⁵, C₁₋₄alkylhalo, halo, C₁₋₆alkyl, OC₁₋₄alkyl, C₂₋₄alkenyl, C₀₋₂alkylC₃₋₆cycloalkyl, C₀₋₆alkylaryl, C₀₋₆alkylheteroaryl, OC₀₋₆alkylaryl, OC₀₋₆alkylheteroaryl, NC₀₋₆alkylaryl, NC₀₋₆alkylheteroaryl, C₀₋₆alkylOaryl, C₀₋₆alkylOheteroaryl, C₀₋₆alkylNaryl, C₀₋₆alkylNheteroaryl, OC₀₋₆alkylOaryl, OC₀₋₆alkylOheteroaryl, OC₀₋₆alkylNaryl, OC₀₋₆alkylNheteroaryl, NC₀₋₆alkylOaryl, NC₀₋₆alkylOheteroaryl, NC₀₋₆alkylNaryl, NC₀₋₆alkylNheteroaryl, O(CO)C₁₋₄alkyl, C₀₋₄alkyl(CO)OC₁₋₄alkyl, C₁₋₄alkyl(S)C₀₋₄alkyl, C₁₋₄alkyl(SO)C₀₋₄alkyl, C₁₋₄alkyl(SO₂)C₀₋₄alkyl, (SO)C₀₋₄alkyl, (SO₂)C₀₋₄alkyl, C₁₋₄alkylOR⁵, C₀₋₄alkylN(C₁₋₄alkyl)₂ and a 3- or 6-membered non-aromatic ring containing one or more atoms independently selected from C, N, O and S, which ring may optionally be fused with a 5-membered ring containing one or more atoms independently selected from the group consisting of C, N and O and wherein said ring and said fused ring may be substituted by one or two A; or

35 ii) selected from the group consisting of benzoimidazolyl, benzooxazolyl,

tetrahydrotriazolopyridyl, tetrahydrotriazolopyrimidinyl, pyridonyl, pyridazinyl, imidazopyridyl, oxazolopyridyl, thiazolopyridyl, imidazopyridazinyl, oxazolopyridazinyl, thiazolopyridazinyl and purinyl; and

R^4 is selected from the group consisting of hydrogen, hydroxy, C_{0-6} alkylcyano, $=NR^5$, $=NOR^5$, C_{1-4} alkylhalo, halo, C_{1-6} alkyl, OC_{1-4} alkyl, OC_{0-6} alkylaryl, $O(CO)C_{1-4}$ alkyl, C_{0-4} alkyl(S) C_{0-4} alkyl, C_{1-4} alkyl(SO) C_{0-4} alkyl, C_{1-4} alkyl(SO₂) C_{0-4} alkyl, (SO) C_{0-4} alkyl, (SO₂) C_{0-4} alkyl, C_{1-4} alkylOR⁵, C_{0-4} alkylNR⁵R⁶ and a 5- or 6-membered ring containing one or more atoms independently selected from C, N, O and S, which ring may optionally be fused with a 5- or 6-membered ring containing one or more atoms independently selected from the group consisting of C, N and O and wherein said ring and said fused ring may be substituted by one or two A;

R^5 and R^6 are independently selected from the group consisting of hydrogen and C_{1-6} alkyl; wherein any C_{1-6} alkyl defined under R^1 , R^2 and R^4 may be substituted by one or more A;

A is selected from the group consisting of hydrogen, hydroxy, halo, nitro, oxo, C_{0-6} alkylcyano, C_{0-4} alkylC₃₋₆cycloalkyl, C_{1-6} alkyl, C_{1-6} alkylhalo, OC_{1-6} alkylhalo, C_{2-6} alkenyl, C_{0-3} alkylaryl, C_{0-6} alkylOR⁵, OC_{2-6} alkylOR⁵, C_{1-6} alkylSR⁵, OC_{2-6} alkylSR⁵, (CO)R⁵, O(CO)R⁵, OC_{2-6} alkylcyano, OC_{1-6} alkylCO₂R⁵, O(CO)OR⁵, OC_{1-6} alkyl(CO)R⁵, C_{1-6} alkyl(CO)R⁵, NR⁵OR⁶, OC_{2-6} alkylNR⁵R⁶, C_{0-6} alkyl(CO)NR⁵R⁶, OC_{1-6} alkyl(CO)NR⁵R⁶, OC_{2-6} alkylNR⁵(CO)R⁶, C_{0-6} alkylNR⁵(CO)R⁶, C_{0-6} alkylNR⁵(CO)NR⁵R⁶, O(CO)NR⁵R⁶, C_{0-6} alkyl(SO₂)NR⁵R⁶, OC_{2-6} alkyl(SO₂)NR⁵R⁶, C_{0-6} alkylNR⁵(SO₂)R⁶, OC_{2-6} alkylNR⁵(SO₂)R⁶, SO₃R⁵, C_{1-6} alkylNR⁵(SO₂)NR⁵R⁶, OC_{2-6} alkyl(SO₂)R⁵, C_{0-6} alkyl(SO₂)R⁵, C_{0-6} alkyl(SO)R⁵, OC_{2-6} alkyl(SO)R⁵ and a 5-membered ring containing one or more atoms independently selected from the group consisting of C, N, O and S;

m1 is selected from 0, 1, 2, 3 and 4;

m2 is selected from 0, 1, 2 and 3;


n is selected from 0, 1 and 2; and

t is 0 or 1,

or a pharmaceutically acceptable salt or an optical isomer thereof,

for the manufacture of a medicament for the inhibition of transient lower esophageal sphincter relaxations (TLESRs).

The present invention further provides the use of a compound of formula Ib



(Ib)

wherein:

P is selected from the group consisting of thiophene, pyridyl, thiazolyl, furyl, pyrrolyl and

phenyl, whereby the phenyl ring is substituted on position 3 or disubstituted on positions 2 and 5;

R^1 is attached to P via a carbon atom on ring P and is selected from the group consisting of

hydrogen, hydroxy, halo, nitro, C_{1-6} alkylhalo, OC_{1-6} alkylhalo, C_{1-6} alkyl, OC_{1-6} alkyl, C_{2-6} alkenyl,

OC_{2-6} alkenyl, C_{2-6} alkynyl, OC_{2-6} alkynyl, C_{0-6} alkyl C_{3-6} cycloalkyl, OC_{0-6} alkyl C_{3-6} cycloalkyl, C_{0-6}

alkylaryl, OC_{0-6} alkylaryl, CHO, $(CO)R^5$, $O(CO)R^5$, $O(CO)OR^5$, $O(CN)OR^5$, C_{1-6} alkyl OR^5 , OC_{2-6}

alkyl OR^5 , C_{1-6} alkyl $(CO)R^5$, OC_{1-6} alkyl $(CO)R^5$, C_{0-6} alkyl CO_2R^5 , OC_{1-6} alkyl CO_2R^5 , C_{0-6}

alkylcyano, OC_{2-6} alkylcyano, C_{0-6} alkyl NR^5R^6 , OC_{2-6} alkyl NR^5R^6 , C_{1-6} alkyl $(CO)NR^5R^6$, OC_{1-6}

alkyl $(CO)NR^5R^6$, C_{0-6} alkyl $NR^5(CO)R^6$, OC_{2-6} alkyl $NR^5(CO)R^6$, C_{0-6} alkyl $NR^5(CO)NR^5R^6$, C_{0-6}

alkyl SR^5 , OC_{2-6} alkyl SR^5 , C_{0-6} alkyl $(SO)R^5$, OC_{2-6} alkyl $(SO)R^5$, C_{0-6} alkyl SO_2R^5 , OC_{2-6} alkyl SO_2R^5 ,

C_{0-6} alkyl $(SO_2)NR^5R^6$, OC_{2-6} alkyl $(SO_2)NR^5R^6$, C_{0-6} alkyl $NR^5(SO_2)R^6$, OC_{2-6} alkyl $NR^5(SO_2)R^6$, C_{0-6}

alkyl $NR^5(SO_2)NR^5R^6$, OC_{2-6} alkyl $NR^5(SO_2)NR^5R^6$, $(CO)NR^5R^6$, $O(CO)NR^5R^6$, NR^5OR^6 , C_{0-6}

alkyl $NR^5(CO)OR^6$, OC_{2-6} alkyl $NR^5(CO)OR^6$, SO_3R^5 and a 5- or 6-membered ring containing one

or more atoms independently selected from the group consisting of C, N, O and S;

M^1 is a bond;

X^1 selected from the group consisting of C, CO, N, O and S;

X^2 is selected from the group consisting of C, N, O and S;

X^3 is selected from the group consisting of N, O and S, or X^3 is CH when X^2 is N, O or S;

R is selected from the group consisting of hydrogen, C_{0-3} alkyl, halo, C_{0-3} alkyl OR^5 , C_{0-3}

alkyl NR^5R^6 , C_{0-3} alkyl $(CO)OR^5$ and C_{0-3} alkylaryl;

M^2 is selected from a group consisting of a bond, C_{1-3} alkyl, C_{2-3} alkynyl, C_{0-4} alkyl $(CO)C_{0-4}$ alkyl,

C_{0-3} alkyl OC_{0-3} alkyl, C_{0-3} alkyl NR^5C_{1-3} alkyl, C_{0-3} alkyl $(CO)NR^5$, C_{0-4} alkyl NR^5 , C_{0-3} alkyl $(SO)C_{0-3}$

alkyl and C_{0-3} alkyl $(SO_2)C_{0-3}$ alkyl;

R^3 is selected from a group consisting of hydroxy, C_{0-6} alkylcyano, oxo, $=NR^5$, $=NOR^5$, C_{1-4}

alkylhalo, halo, C_{1-4} alkyl, $O(CO)C_{1-4}$ alkyl, C_{1-4} alkyl $(SO)C_{0-4}$ alkyl, C_{1-4} alkyl $(SO_2)C_{0-4}$ alkyl,

$(SO)C_{0-4}$ alkyl, $(SO_2)C_{0-4}$ alkyl, OC_{1-4} alkyl, C_{1-4} alkyl OR^5 and C_{0-4} alkyl NR^5R^6 ;

X^4 is selected from the group consisting of $C_{0-4}alkylR^5R^6$, $C_{3-7}cycloalkyl$, $C_{1-4}alkyl(NR^5R^6)$, NR^5 , $C_{0-4}alkyl(NR^5R^6)=N$, $NR^5C_{0-4}alkyl(NR^5R^6)=N$, $NOC_{0-4}alkyl$, $C_{1-4}alkylhalo$, O, SO, SO_2 and S, and wherein the bond between M^2 and X^4 is a single bond ;

Q is i) selected from the group consisting of triazolyl, imidazolyl, oxadiazolyl, imidazolonyl, oxazolonyl, thiazolonyl, tetrazolyl and thiadiazolyl, and wherein any substitutable nitrogen atom in the ring is substituted with R^4 on such nitrogen atom; and

R^4 is selected from the group consisting of $C_{0-6}alkylcyano$, $=NC_{1-4}alkyl$, $=NOR^5$, $C_{1-4}alkylhalo$, halo, $C_{1-6}alkyl$, $OC_{1-4}alkyl$, $C_{2-4}alkenyl$, $C_{0-2}alkylC_{3-6}cycloalkyl$, $C_{0-6}alkylaryl$, $C_{0-6}alkylheteroaryl$, $OC_{0-6}alkylaryl$, $OC_{0-6}alkylheteroaryl$, $NC_{0-6}alkylaryl$, $NC_{0-6}alkylheteroaryl$, $C_{0-6}alkylOaryl$, $C_{0-6}alkylOheteroaryl$, $C_{0-6}alkylNaryl$, $C_{0-6}alkylNheteroaryl$, $OC_{0-6}alkylOaryl$, $OC_{0-6}alkylOheteroaryl$, $OC_{0-6}alkylNaryl$, $OC_{0-6}alkylNheteroaryl$, $NC_{0-6}alkylOaryl$, $NC_{0-6}alkylOheteroaryl$, $NC_{0-6}alkylNaryl$, $NC_{0-6}alkylNheteroaryl$, $O(CO)C_{1-4}alkyl$, $C_{0-4}alkyl(CO)OC_{1-4}alkyl$, $C_{1-4}alkyl(S)C_{0-4}alkyl$, $C_{1-4}alkyl(SO)C_{0-4}alkyl$, $C_{1-4}alkyl(SO_2)C_{0-4}alkyl$, $(SO)C_{0-4}alkyl$, $(SO_2)C_{0-4}alkyl$, $C_{1-4}alkylOR^5$, $C_{0-4}alkylN(C_{1-4}alkyl)_2$ and a 3- or 6-membered non-aromatic ring containing one or more atoms independently selected from C, N, O and S, which ring may optionally be fused with a 5-membered ring containing one or more atoms independently selected from the group consisting of C, N and O and wherein said ring and said fused ring may be substituted by one or two A; or

ii) selected from the group consisting of benzoimidazolyl, benzooxazolyl, tetrahydrotriazolopyridyl, tetrahydrotriazolopyrimidinyl, pyridonyl, pyridazinyl, imidazopyridyl, oxazolopyridyl, thiazolopyridyl, imidazopyridazinyl, oxazolopyridazinyl, thiazolopyridazinyl and purinyl; and

R^4 is selected from the group consisting of hydrogen, hydroxy, $C_{0-6}alkylcyano$, $=NR^5$, $=NOR^5$, $C_{1-4}alkylhalo$, halo, $C_{1-6}alkyl$, $OC_{1-4}alkyl$, $OC_{0-6}alkylaryl$, $O(CO)C_{1-4}alkyl$, $C_{0-4}alkyl(S)C_{0-4}alkyl$, $C_{1-4}alkyl(SO)C_{0-4}alkyl$, $C_{1-4}alkyl(SO_2)C_{0-4}alkyl$, $(SO)C_{0-4}alkyl$, $(SO_2)C_{0-4}alkyl$, $C_{1-4}alkylOR^5$, $C_{0-4}alkylNR^5R^6$ and a 5- or 6-membered ring containing one or more atoms independently selected from C, N, O and S, which ring may optionally be fused with a 5- or 6-membered ring containing one or more atoms independently selected from the group consisting of C, N and O and wherein said ring and said fused ring may be substituted by one or two A;

R^5 and R^6 are independently selected from the group consisting of hydrogen and $C_{1-6}alkyl$; wherein any $C_{1-6}alkyl$ defined under R^1 , R^2 and R^4 may be substituted by one or more A ;

A is selected from the group consisting of hydrogen, hydroxy, halo, nitro, oxo, $C_{0-6}alkylcyano$, $C_{0-4}alkylC_{3-6}cycloalkyl$, $C_{1-6}alkyl$, $C_{1-6}alkylhalo$, $OC_{1-6}alkylhalo$, $C_{2-6}alkenyl$, $C_{0-3}alkylaryl$, $C_{0-6}alkylOR^5$, $OC_{2-6}alkylOR^5$, $C_{1-6}alkylSR^5$, $OC_{2-6}alkylSR^5$, $(CO)R^5$, $O(CO)R^5$, $OC_{2-6}alkylcyano$,

OC₁₋₆alkylCO₂R⁵, O(CO)OR⁵, OC₁₋₆alkyl(CO)R⁵, C₁₋₆alkyl(CO)R⁵, NR⁵OR⁶, OC₂₋₆alkylNR⁵R⁶,
C₀₋₆alkyl(CO)NR⁵R⁶, OC₁₋₆alkyl(CO)NR⁵R⁶, OC₂₋₆alkylNR⁵(CO)R⁶, C₀₋₆alkylNR⁵(CO)R⁶, C₀₋₆
alkylNR⁵(CO)NR⁵R⁶, O(CO)NR⁵R⁶, C₀₋₆alkyl(SO₂)NR⁵R⁶, OC₂₋₆alkyl(SO₂)NR⁵R⁶, C₀₋₆
alkylNR⁵(SO₂)R⁶, OC₂₋₆alkylNR⁵(SO₂)R⁶, SO₃R⁵, C₁₋₆alkylNR⁵(SO₂)NR⁵R⁶, OC₂₋₆
alkyl(SO₂)R⁵, C₀₋₆alkyl(SO₂)R⁵, C₀₋₆alkyl(SO)R⁵,

OC₂₋₆alkyl(SO)R⁵ and a 5-membered ring containing one or more atoms independently selected
from the group consisting of C, N, O and S;

m1 is selected from 0, 1, 2, 3 and 4;

m2 is selected from 0, 1, 2 and 3;

n is selected from 0, 1 and 2; and

t is 0 or 1,

or pharmaceutically acceptable salt or an optical isomer thereof;

for the manufacture of a medicament for the inhibition of transient lower esophageal sphincter
relaxations (TLESRs).

Listed below are definitions of various terms used in the specification and claims to describe the
present invention.

For the avoidance of doubt it is to be understood that in this specification 'C₁₋₆' means a carbon
group having 1, 2, 3, 4, 5 or 6 carbon atoms.

In this specification "C" means 1 carbon atom.

In this specification, unless stated otherwise, the term "alkyl" includes both straight and branched
chain alkyl groups and may be methyl, ethyl, n-propyl, i-propyl, n-butyl, i-butyl,
s-butyl, t-butyl, n-pentyl, i-pentyl, t-pentyl, neo-pentyl, n-hexyl or i-hexyl, t-hexyl. The term "C₁₋₃
alkyl" refers to an alkyl group having 1, 2 or 3 carbon atoms, and may be methyl, ethyl, n-
propyl and i-propyl.

In this specification, unless stated otherwise, the term "cycloalkyl" refers to an optionally
substituted, saturated cyclic hydrocarbon ring system. The term "C₃₋₇cycloalkyl" may be
cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl and cycloheptyl.

In this specification, unless stated otherwise, the term "alkenyl" includes both straight and
branched chain alkenyl groups. The term "C₂₋₆alkenyl" refers to an alkenyl group having 2 to 6

carbon atoms and one or two double bonds, and may be, but is not limited to vinyl, allyl, propenyl, i-propenyl, butenyl, i-butenyl, crotyl, pentenyl, i-pentenyl and hexenyl.

In this specification, unless stated otherwise, the term "alkynyl" includes both straight and branched chain alkynyl groups. The term C₂₋₆alkynyl having 2 to 6 carbon atoms and one or two triple bonds, and may be, but is not limited to ethynyl, propargyl, butynyl, i-butynyl, pentynyl, i-pentynyl and hexynyl.

The term "aryl" refers to an optionally substituted monocyclic or bicyclic hydrocarbon ring system containing at least one unsaturated aromatic ring. Examples and suitable values of the term "aryl" are phenyl, naphthyl, 1,2,3,4-tetrahydronaphthyl, indyl and indenyl.

In this specification, unless stated otherwise, the term "heteroaryl" refer to an optionally substituted monocyclic or bicyclic unsaturated, aromatic ring system containing at least one heteroatom selected independently from N, O or S. Examples of "heteroaryl" may be, but are not limited to thiophene, thienyl, pyridyl, thiazolyl, furyl, pyrrolyl, triazolyl, imidazolyl, oxadiazolyl, oxazolyl, isoxazolyl, pyrazolyl, imidazolonyl, oxazolonyl, thiazolonyl, tetrazolyl and thiadiazolyl, benzoimidazolyl, benzooxazolyl, tetrahydrotriazolopyridyl, tetrahydrotriazolopyrimidinyl, benzofuryl, indolyl, isoindolyl, pyridonyl, pyridazinyl, pyrimidinyl, imidazopyridyl, oxazolopyridyl, thiazolopyridyl, pyridyl, imidazopyridazinyl, oxazolopyridazinyl, thiazolopyridazinyl and purinyl.

In this specification, unless stated otherwise, the term "alkylaryl", "alkylheteroaryl" and "alkylcycloalkyl" refer to a substituent that is attached via the alkyl group to an aryl, heteroaryl and cycloalkyl group.

In this specification, unless stated otherwise, a 5- or 6-membered ring containing one or more atoms independently selected from C, N, O or S, includes aromatic and heteroaromatic rings as well as carbocyclic and heterocyclic rings which may be saturated or unsaturated. Examples of such rings may be, but are not limited to furyl, isoxazolyl, isothiazolyl, oxazolyl, pyrazinyl, pyrazolyl, pyridazinyl, pyridyl, pyrimidyl, pyrrolyl, thiazolyl, thienyl, imidazolyl, imidazolidinyl, imidazolinyl, triazolyl, morpholinyl, piperazinyl, piperidyl, piperidonyl, pyrazolidinyl, pyrazolinyl, pyrrolidinyl, pyrrolinyl, tetrahydropyranyl, thiomorpholinyl, phenyl, cyclohexyl, cyclopentyl and cyclohexenyl.

In this specification, unless stated otherwise, a 3- to 8-membered ring containing one or more atoms independently selected from C, N, O or S, includes aromatic and heteroaromatic rings as well as carbocyclic and heterocyclic rings which may be saturated or unsaturated. Examples of such rings may be, but are not limited to imidazolidinyl, imidazoliny, morpholiny, piperaziny, piperidyl, piperidonyl, pyrazolidiny, pyrazoliny, pyrrolidinyl, pyrroliny, tetrahydropyranyl or thiomorpholiny, tetrahydrothiopyranyl, furyl, pyrrolyl, isoxazolyl, isothiazolyl, oxazolyl, oxazolidinonyl, pyraziny, pyrazolyl, pyridaziny, pyridyl, pyrimidyl, pyrrolyl, thiazolyl, thienyl, imidazolyl, triazolyl, phenyl, cyclopropyl, aziridinyl, cyclobutyl, azetidiny, cyclopentyl, cyclopentenyl, cyclohexyl, cyclohexenyl, cycloheptyl, cycloheptenyl, cyclooctyl and cyclooctenyl.

In this specification, unless stated otherwise, a 3- to 8-membered ring containing one or more atoms independently selected from C, N, O or S, which group may optionally be fused with a 5- or 6-membered ring containing one or more atoms independently selected from C, N, O or S, includes aromatic and heteroaromatic rings as well as carbocyclic and heterocyclic rings which may be saturated or unsaturated. Examples of such rings may be, but are not limited to naphthyl, norcaryl, chromyl, isochromyl, indanyl, benzoimidazol or tetraliny, benzooxazolyl, benzothiazolyl, benzofuryl, benzothienyl, benzotriazolyl, indolyl, azaindolyl, indazolyl, indoliny, isoindoliny, benzimidazolyl, oxadiazolyl, thiadiazolyl, quinoliny, quinoxaliny and benzotriazolyl.

In this specification, unless stated otherwise, the term “=NR⁵” and “=NOR⁵” include imino- and oximogroups carrying an R⁵ substituent and may be, or be part of, groups including, but not limited to iminoalkyl, iminohydroxy, iminoalkoxy, amidine, hydroxyamidine and alkoxyamidine.

In the case where a subscript is the integer 0 (zero) the group to which the subscript refers, indicates that the group is absent, i.e. there is a direct bond between the groups.

In this specification, unless stated otherwise, the term “bond” is a saturated bond.

In this specification, unless stated otherwise, the term “halo” may be fluoro, chloro, bromo or iodo.

In this specification, unless stated otherwise, the term “alkylhalo” means an alkyl group as

defined above, substituted with one or more halo. The term "C₁₋₆alkylhalo" may include, but is not limited to fluoromethyl, difluoromethyl, trifluoromethyl, fluoroethyl, difluoroethyl and bromopropyl. The term "OC₁₋₆alkylhalo" may include, but is not limited to fluoromethoxy, difluoromethoxy, trifluoromethoxy, fluoroethoxy and difluoroethoxy.

5

Specific examples of compounds useful according to the present invention include

2-[5-(3-Methoxy-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-1*H*-benzoimidazole,

5-(3-Methoxy-phenyl)-3-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

10 3-[5-(1-Methyl-5-thiophen-2-yl-1*H*-imidazol-2-ylsulfanylmethyl)-[1,2,4]oxadiazol-3-yl]-benzonitrile,

3-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-phenyl-[1,2,4]oxadiazole,

2-[5-(3-Methoxy-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-5-methyl-1*H*-benzoimidazole,

3-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-*m*-tolyl-[1,2,4]oxadiazole,

15 3-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(3-trifluoromethyl-phenyl)-[1,2,4]oxadiazole,

3-(3-Methoxy-phenyl)-5-(4-methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-3-phenyl-[1,2,4]oxadiazole,

20 5-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-3-*m*-tolyl-[1,2,4]oxadiazole,
3-[3-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-benzonitrile,

3-[4-Methyl-5-(2-methyl-thiazol-4-yl)-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl]-5-*m*-tolyl-[1,2,4]oxadiazole,

25 3-[5-(2-Methyl-thiazol-4-yl)-[1,3,4]oxadiazol-2-ylsulfanylmethyl]-5-*m*-tolyl-[1,2,4]oxadiazole,
3-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-thiophen-2-yl-[1,2,4]oxadiazole,

3-[5-(2,4-Dimethyl-thiazol-5-yl)-4-methyl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl]-5-*m*-tolyl-[1,2,4]oxadiazole,

30 3-[4-Methyl-5-(5-nitro-furan-2-yl)-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl]-5-*m*-tolyl-[1,2,4]oxadiazole,

4-[4-Methyl-5-(5-*m*-tolyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4*H*-[1,2,4]triazol-3-yl]-pyridine,

3-[5-(4-*tert*-Butyl-phenyl)-4-methyl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl]-5-*m*-tolyl-[1,2,4]-oxadiazole,

35 2-Chloro-5-[4-methyl-5-(5-*m*-tolyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4*H*-[1,2,4]triazol-3-yl]-

pyridine,

2-[5-(3-Methoxy-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-benzooxazole,

3-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-thiophen-3-yl-
[1,2,4]oxadiazole,

5 3-(5-Furan-2-yl-4-methyl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-*m*-tolyl-[1,2,4]oxadiazole,
5-(3-Fluoro-phenyl)-3-(4-methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,

2-(5-*m*-Tolyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-pyridine,

2-[5-(3-Methoxy-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-1*H*-imidazo[4,5-*b*]pyridine,

10 5-(3-Fluoro-5-methyl-phenyl)-3-(4-methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-
ylsulfanylmethyl)-[1,2,4]oxadiazole,

3-Methyl-5-[3-(4-methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazol-5-yl]-pyridine,

3-(4-Methyl-5-phenyl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-*m*-tolyl-[1,2,4]oxadiazole,

15 2-[4-Methyl-5-(5-*m*-tolyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4*H*-[1,2,4]triazol-3-yl]-pyridine,
4-Benzyl-2-[4-methyl-5-(5-*m*-tolyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4*H*-[1,2,4]triazol-3-yl]-
morpholine,

4-[4-Methyl-5-(5-thiophen-3-yl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4*H*-[1,2,4]triazol-3-yl]-
pyridine,

20 3-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-thiazol-4-yl-
[1,2,4]oxadiazole,

3-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(3-nitro-phenyl)-
[1,2,4]oxadiazole,

2-Methyl-4-[3-(4-methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-
25 [1,2,4]oxadiazol-5-yl]-pyridine,

3-[4-Methyl-5-(5-*m*-tolyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4*H*-[1,2,4]triazol-3-yl]-pyridine,

3-(4-Methyl-5-thiophene-3-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-*m*-tolyl-
[1,2,4]oxadiazole,

3-(4-Methyl-5-thiazol-4-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-*m*-tolyl-[1,2,4]oxadiazole,

30 5-(3-Iodo-phenyl)-3-(4-methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,

5-(3-Ethyl-phenyl)-3-(4-methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,

2-[5-(2-Methyl-pyridin-4-yl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-1*H*-benzoimidazole,

35 2-[5-(3-Iodo-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-1*H*-benzoimidazole,

3-(4-Methyl-5-trifluoromethyl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-*m*-tolyl-

[1,2,4]oxadiazole,

2,6-Dichloro-4-[4-methyl-5-(5-*m*-tolyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4*H*-[1,2,4]triazol-3-yl]-pyridine,

5 3-(4-Methyl-5-*p*-tolyl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-*m*-tolyl-[1,2,4]oxadiazole,

Dimethyl-{3-[3-(4-methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]phenyl}-amine,

5-(3-Chloro-phenyl)-3-(4-methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

10 3-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(3-trifluoromethoxy-phenyl)[1,2,4]oxadiazole,

3-(5-Cyclohexyl-4-methyl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-*m*-tolyl-[1,2,4]oxadiazole,

3-(5-*tert*-Butyl-4-methyl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-*m*-tolyl-[1,2,4]oxadiazole,

5-(3-Bromo-phenyl)-3-(4-methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-

15 [1,2,4]oxadiazole,

2-[5-(3-Bromo-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-1*H*-benzoimidazole,

5-(3-Methoxymethyl-phenyl)-3-(4-methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

2-[5-(3-Methoxymethyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-1*H*-benzoimidazole,

20 4-[5-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-3-yl]-pyridine,

2-{1-[5-(3-Methoxy-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-1-methyl-1*H*-imidazo[4,5-*b*]pyridine,

2-[5-(3-Methoxy-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-1-methyl-1*H*-imidazo[4,5-*b*],

25 3-[1-Methyl-1-(4-methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanyl)-ethyl]-5-*m*-tolyl-[1,2,4]oxadiazole,

3-[1-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanyl)-ethyl]-5-*m*-tolyl-[1,2,4]oxadiazole,

3-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazole-3-sulfonylmethyl)-5-*m*-tolyl-[1,2,4]oxadiazole,

30 3-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazole-3-sulfinylmethyl)-5-*m*-tolyl-[1,2,4]oxadiazole,
or

5-(3-Furan-3-yl-phenyl)-3-(4-methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

4-(4-Cyclopropyl-5-{1-[5-(2,5-difluoro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4*H*-

35 [1,2,4]triazol-3-yl)-pyridine,

4-(5-{1-[5-(3-Methoxy-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-{4-Methyl-5-[1-(5-m-tolyl-[1,2,4]oxadiazol-3-yl)-ethylsulfanyl]-4H-[1,2,4]triazol-3-yl}-pyridine,

5 5-(4-Methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-3-o-tolyl-[1,2,4]oxadiazole,
5-(3-Chloro-phenyl)-3-(4-cyclopropyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

2-{3-[5-(2-Fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-5-thiophen-2-yl-[1,2,4]triazol-4-yl}-ethanol,

10 4-{4-Ethyl-5-[5-(2-fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4H-[1,2,4]triazol-3-yl}-pyrimidine,

3-(4-Ethyl-5-furan-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(2-fluoro-5-methyl-phenyl)-[1,2,4]oxadiazole,

{3-[5-(2-Fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-5-thiophen-2-yl-[1,2,4]triazol-4-yl}-acetic acid methyl ester,

15 5-(2-Fluoro-5-methyl-phenyl)-3-[5-furan-2-yl-4-(2-methoxy-ethyl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

3-(4-Cyclopropyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(2-fluoro-5-methyl-phenyl)-[1,2,4]oxadiazole,

20 3-(5-Chloro-2-fluoro-phenyl)-5-(4-cyclopropylmethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

4-{5-[3-(5-Chloro-2-fluoro-phenyl)-[1,2,4]oxadiazol-5-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-pyrimidine,

3-(5-Cyclopentyl-4-ethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-m-tolyl-[1,2,4]oxadiazole,

25 3-(3-Chloro-phenyl)-5-{4-ethyl-5-[2-(4-methoxy-phenyl)-ethyl]-4H-[1,2,4]triazol-3-ylsulfanylmethyl}-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-(4-ethyl-5-p-tolyloxymethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[4-(2-methoxy-ethyl)-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

30 3-(5-Chloro-2-fluoro-phenyl)-5-(4-ethyl-5-methoxymethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(5-Chloro-2-fluoro-phenyl)-3-(4-ethyl-5-methoxymethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

35 5-(3-Chloro-phenyl)-3-(4-ethyl-5-methoxymethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-

[1,2,4]oxadiazole,

3-(3-Chloro-phenyl)-5-(4-ethyl-5-methoxymethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-

[1,2,4]oxadiazole,

4-(5-{1-[3-(3-Chloro-phenyl)-isoxazol-5-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-

pyridine,

3-(4-Allyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(3-chloro-phenyl)-

[1,2,4]oxadiazole,

3-(4-Allyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-thiophen-3-yl-[1,2,4]oxadiazole,

5-(4-Allyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-3-furan-2-yl-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[4-ethyl-5-(4-methoxy-phenoxy-methyl)-4H-[1,2,4]triazol-3-

ylsulfanylmethyl]-[1,2,4]oxadiazole,

3-(3-Chloro-phenyl)-5-[4-ethyl-5-(4-methoxy-phenoxy-methyl)-4H-[1,2,4]triazol-3-

ylsulfanylmethyl]-[1,2,4]oxadiazole,

{5-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-

methanol,

3-(3-Chloro-phenyl)-5-[4-ethyl-5-(2-methoxy-ethyl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-

[1,2,4]oxadiazole,

3-(3-Chloro-phenyl)-5-(4-ethyl-5-methylsulfanylmethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-

[1,2,4]oxadiazole,

3-(3-Chloro-phenyl)-5-(5-ethoxymethyl-4-ethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-

[1,2,4]oxadiazole,

5-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazole-3-carboxylic acid methyl ester,

2-(5-Chloro-2-fluoro-phenyl)-5-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-

[1,3,4]oxadiazole,

2-(3-Chloro-phenyl)-5-(4-cyclopropyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-

[1,3,4]oxadiazole,

5-(3-Chloro-phenyl)-3-{1-[4-ethyl-5-(tetrahydro-furan-2-yl)-4H-[1,2,4]triazol-3-ylsulfanyl]-ethyl}-[1,2,4]oxadiazole,

4-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-pyridazine,

4-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-ylmethyl)-pyridine,

5-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-pyridin-2-ol,

4-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-phenol,

5-(3-Chloro-phenyl)-3-[5-(4-methoxy-phenoxy-methyl)-4-(tetrahydro-furan-2-ylmethyl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[4-cyclopropyl-5-(4-methoxy-phenoxy-methyl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

5-(5-Chloro-2-fluoro-phenyl)-3-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

3-(4-Ethyl-5-methoxymethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-m-tolyl-[1,2,4]oxadiazole,

3-[4-Ethyl-5-(tetrahydro-furan-2-yl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-5-m-tolyl-[1,2,4]oxadiazole,

2-(3-Chloro-phenyl)-5-{1-[4-ethyl-5-(4-methoxy-phenyl)-4H-[1,2,4]triazol-3-ylsulfanyl]-ethyl}-[1,3,4]oxadiazole,

4-{5-[3-(2,5-Difluoro-phenyl)-[1,2,4]oxadiazol-5-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-pyrimidine,

4-{5-[5-(5-Chloro-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyrimidine,

3-(3-Chloro-phenyl)-5-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(3-Methylsulfanyl-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

2-[5-(3-Methylsulfanyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-1H-benzoimidazole,

5-(2,5-Dimethyl-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(2-Fluoro-5-methyl-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(3-Cyclopropyl-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

4-{5-[2-(3-Chloro-phenyl)-oxazol-4-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

4-[4-Methyl-5-(5-thiophen-2-yl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4H-[1,2,4]triazol-3-yl]-pyridine,

4-{4-Methyl-5-[5-(3-methylsulfanyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4H-[1,2,4]triazol-3-yl}-pyridine,

4-{5-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-

yl}-pyridine,

2-Methyl-4-[3-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-pyridine,

1-{3-[3-(4-Methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-phenyl}-ethanone,

4-{5-[5-(2-Fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

2-Methyl-4-[4-methyl-5-(5-m-tolyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4H-[1,2,4]triazol-3-yl]-pyridine,

3-[5-(3-Chloro-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazole,

4-{5-[5-(3-Chloro-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

3-(4-Butyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(3-chloro-phenyl)-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[4-(3-methoxy-propyl)-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

3-(4-Benzyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(3-chloro-phenyl)-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-(4-furan-2-ylmethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

3-{5-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

5-(3-Chloro-phenyl)-3-(4-methyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

4-{5-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-2-methyl-pyridine,

5-(5-Chloro-2-fluoro-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

4-{5-[5-(5-Chloro-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

3-{5-[5-(2-Fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

5-(3-Chloro-phenyl)-3-(5-thiophen-2-yl-4-thiophen-2-ylmethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,
3-{5-[3-(2-Fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-5-ylmethylsulfanyl]-4-methyl-4H-
[1,2,4]triazol-3-yl}-pyridine,
5 4-{5-[3-(2-Fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-5-ylmethylsulfanyl]-4-methyl-4H-
[1,2,4]triazol-3-yl}-pyridine,
4-{5-[5-(5-Bromo-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-methyl-4H-
[1,2,4]triazol-3-yl}-pyridine,
3-{5-[5-(5-Bromo-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-methyl-4H-
10 [1,2,4]triazol-3-yl}-pyridine,
5-(5-Bromo-2-fluoro-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl)-[1,2,4]oxadiazole,
5-(4-Methyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-3-phenyl-[1,2,4]oxadiazole,
3-{5-[5-(3-Fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-
15 yl}-pyridine,
4-{5-[5-(3-Fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-
yl}-pyridine,
5-(3-Fluoro-phenyl)-3-(4-methyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,
20 3-[4-Methyl-5-(5-thiophen-3-yl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4H-[1,2,4]triazol-3-yl]-
pyridine,
3-(4-Methyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-thiophen-3-yl-
[1,2,4]oxadiazole,
2-Chloro-4-[3-(4-methyl-5-pyridin-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-
25 5-yl]-pyridine,
2-Chloro-4-[3-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-
5-yl]-pyridine,
2-Chloro-4-[3-(4-methyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazol-5-yl]-pyridine,
30 4-[4-Methyl-5-(5-phenyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4H-[1,2,4]triazol-3-yl]-pyridine,
3-(4-Methyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-phenyl-[1,2,4]oxadiazole,
5-(5-Bromo-2-fluoro-phenyl)-3-(4-methyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl)-[1,2,4]oxadiazole,
3-[5-(3-Chloro-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazole,
35 2-Chloro-4-[3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-

[1,2,4]oxadiazol-5-yl]-pyridine,

4-{5-[3-(3-Fluoro-phenyl)-[1,2,4]oxadiazol-5-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

3-(3-Fluoro-phenyl)-5-(4-methyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-

[1,2,4]oxadiazole,

3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-m-tolyl-[1,2,4]oxadiazole,

3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(2-fluoro-5-methyl-phenyl)-[1,2,4]oxadiazole,

4-{5-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-furan-2-ylmethyl-4H-

[1,2,4]triazol-3-yl}-pyridine,

4-{5-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-pyridine,

3-{5-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-pyridine,

5-(3-Chloro-phenyl)-3-(4-ethyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

3-{5-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-furan-2-ylmethyl-4H-[1,2,4]triazol-3-yl}-pyridine,

3-(4-Furan-2-ylmethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-m-tolyl-

[1,2,4]oxadiazole,

5-(5-Fluoro-2-methyl-phenyl)-3-(4-furan-2-ylmethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-(4-furan-2-ylmethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

3-[3-(4-Methyl-5-pyridin-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-benzonitrile,

3-[3-(4-Methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-benzonitrile,

3-[3-(4-Methyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-benzonitrile,

5-(5-Chloro-2-fluoro-phenyl)-3-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

2-Chloro-4-[3-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-pyridine,

3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-thiophen-3-yl-

[1,2,4]oxadiazole,

3-(4-Ethyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-m-tolyl-[1,2,4]oxadiazole,

4-[4-Ethyl-5-(5-m-tolyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4H-[1,2,4]triazol-3-yl]-pyridine,

3-[4-Ethyl-5-(5-m-tolyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4H-[1,2,4]triazol-3-yl]-pyridine,

5 3-(4-Ethyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(2-fluoro-5-methyl-phenyl)-
[1,2,4]oxadiazole,

4-{4-Ethyl-5-[5-(2-fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4H-
[1,2,4]triazol-3-yl}-pyridine,

3-{4-Ethyl-5-[5-(2-fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4H-

10 [1,2,4]triazol-3-yl}-pyridine,

3-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-5-pyridin-4-yl-[1,2,4]triazol-4-
ylamine,

4-{5-[5-(5-Bromo-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-ethyl-4H-
[1,2,4]triazol-3-yl}-pyridine,

15 5-(4-Methyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-3-thiophen-2-yl-
[1,2,4]oxadiazole,

3-[3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-
benzonitrile,

3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-phenyl-[1,2,4]oxadiazole,

20 4-[3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-2-
methoxy-pyridine,

3-(3-Chloro-phenyl)-5-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,

25 4-{5-[5-(3-Chloro-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-
pyridine,

2-Methyl-4-[3-(4-methyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazol-5-yl]-pyridine,

4-[3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-2-
methyl-pyridine,

30 5-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-3-thiophen-2-yl-
[1,2,4]oxadiazole,

4-{5-[5-(5-Chloro-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-ethyl-4H-
[1,2,4]triazol-3-yl}-pyridine,

4-[3-(4-Ethyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-2-
35 methyl-pyridine,

3-{5-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-benzonitrile,
5-(3-Chloro-phenyl)-3-[5-(3-chloro-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,
5-(3-Chloro-phenyl)-3-[5-(4-chloro-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,
4-{5-[5-(2,5-Dichloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-pyridine,
5-(2,5-Dichloro-phenyl)-3-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,
5-(2,5-Difluoro-phenyl)-3-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,
4-{5-[5-(2,5-Difluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-pyridine,
5-(2,5-Dichloro-phenyl)-3-(4-ethyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,
5-(2,5-Difluoro-phenyl)-3-(4-ethyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,
4-{5-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-propyl-4H-[1,2,4]triazol-3-yl}-pyridine,
4-{5-[5-(2-Fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-propyl-4H-[1,2,4]triazol-3-yl}-pyridine,
3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-thiophen-2-yl-[1,2,4]oxadiazole,
3-(4-Methyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-thiophen-2-yl-[1,2,4]oxadiazole,
4-[4-Methyl-5-(3-thiophen-3-yl-[1,2,4]oxadiazol-5-ylmethylsulfanyl)-4H-[1,2,4]triazol-3-yl]-pyridine,
5-(4-Methyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-3-thiophen-3-yl-[1,2,4]oxadiazole,
5-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-3-thiophen-3-yl-[1,2,4]oxadiazole,
5-[3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-thiophene-3-carbonitrile,
5-(3-Chloro-phenyl)-3-[5-(2-fluoro-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-

[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[5-(3-fluoro-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-

[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[5-(4-fluoro-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-

5 [1,2,4]oxadiazole,

3-(5-Benzo[b]thiophen-2-yl-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(3-chloro-phenyl)-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[5-(3-methoxy-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

10 5-(3-Chloro-phenyl)-3-[5-(4-methoxy-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

3-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(2-fluoro-5-methyl-phenyl)-[1,2,4]oxadiazole,

3-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-m-tolyl-[1,2,4]oxadiazole,

15 3-(4-Ethyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(2-fluoro-5-methyl-phenyl)-[1,2,4]oxadiazole,

3-[5-(2-Fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-5-pyridin-4-yl-[1,2,4]triazol-4-ylamine,

3-[5-(2-Fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-5-thiophen-2-yl-

20 [1,2,4]triazol-4-ylamine,

3-Pyridin-4-yl-5-(5-m-tolyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-[1,2,4]triazol-4-ylamine,

3-Thiophen-2-yl-5-(5-m-tolyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-[1,2,4]triazol-4-ylamine,

3-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-thiophen-3-yl-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-

25 [1,2,4]oxadiazole,

4-[3-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-2-methyl-pyridine,

5-(2,5-Difluoro-phenyl)-3-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

30 4-[4-Ethyl-5-(5-thiophen-3-yl-isoxazol-3-ylmethylsulfanyl)-4H-[1,2,4]triazol-3-yl]-pyridine,

4-Ethyl-3-furan-2-yl-5-(5-thiophen-3-yl-isoxazol-3-ylmethylsulfanyl)-4H-[1,2,4]triazole,

5-(3-Chloro-phenyl)-3-[5-(3,5-dichloro-phenyl)-4-ethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-(4-ethyl-5-p-tolyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-

35 [1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-(4-ethyl-5-m-tolyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,
5-(3-Chloro-phenyl)-3-[4-ethyl-5-(3-nitro-phenyl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-
[1,2,4]oxadiazole,
5 4-{5-[3-(3-Chloro-phenyl)-isoxazol-5-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-
pyridine,
5-(3-Chloro-phenyl)-3-[5-(2,5-difluoro-phenyl)-4-ethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-
[1,2,4]oxadiazole,
5-(3-Chloro-phenyl)-3-[5-(3-chloro-phenyl)-4-ethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-
10 [1,2,4]oxadiazole,
5-(3-Chloro-phenyl)-3-[5-(4-chloro-phenyl)-4-ethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-
[1,2,4]oxadiazole,
4-{5-[5-(3-Chloro-phenyl)-oxazol-2-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-pyridine,
3-[5-(3-Chloro-phenyl)-oxazol-2-ylmethylsulfanyl]-4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazole,
15 3-[5-(3-Chloro-phenyl)-oxazol-2-ylmethylsulfanyl]-4-ethyl-5-furan-2-yl-4H-[1,2,4]triazole,
5-(2-Chloro-5-methyl-phenyl)-3-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,
4-{5-[3-(3-Chloro-phenyl)-isoxazol-5-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-
pyridine,
20 3-[3-(3-Chloro-phenyl)-isoxazol-5-ylmethylsulfanyl]-4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazole,
3-[3-(3-Chloro-phenyl)-isoxazol-5-ylmethylsulfanyl]-4-ethyl-5-furan-2-yl-4H-[1,2,4]triazole,
4-{5-[5-(2-Fluoro-5-methyl-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-
yl}-pyridine,
5-(2,5-Dichloro-thiophen-3-yl)-3-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-
25 ylsulfanylmethyl)-[1,2,4]oxadiazole,
4-{5-[5-(2,5-Dichloro-thiophen-3-yl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-ethyl-4H-
[1,2,4]triazol-3-yl}-pyridine,
4-{4-Ethyl-5-[5-(2-fluoro-5-methyl-phenyl)-isoxazol-3-ylmethylsulfanyl]-4H-[1,2,4]triazol-3-
yl}-pyridine,
30 4-Ethyl-3-[5-(2-fluoro-5-methyl-phenyl)-isoxazol-3-ylmethylsulfanyl]-5-thiophen-2-yl-4H-
[1,2,4]triazole,
4-Ethyl-3-[5-(2-fluoro-5-methyl-phenyl)-isoxazol-3-ylmethylsulfanyl]-5-furan-2-yl-4H-
[1,2,4]triazole,
5-(3-Chloro-phenyl)-3-(4-ethyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
35 [1,2,4]oxadiazole,

3-(3-Chloro-phenyl)-5-(4-ethyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,

3-(4-Ethyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-thiophen-3-yl-
[1,2,4]oxadiazole,

5 5-(4-Ethyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-3-thiophen-3-yl-
[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[4-ethyl-5-(3-fluoro-phenyl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-
[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[4-ethyl-5-(4-fluoro-phenyl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-
10 [1,2,4]oxadiazole,

3-(4-Ethyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-thiophen-2-yl-
[1,2,4]oxadiazole,

3-{3-[5-(3-Chloro-thiophen-2-yl)-4-ethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-
[1,2,4]oxadiazol-5-yl}-benzonitrile,

15 4-{5-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-
pyridine,

2-(3-Chloro-phenyl)-5-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,3,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[4-ethyl-5-(4-methoxy-phenyl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-
20 [1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[5-(2-fluoro-5-methyl-phenyl)-4-furan-2-ylmethyl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl]-[1,2,4]oxadiazole,

4-[3-(4-Ethyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-2-
methyl-pyridine,

25 3-(4-Ethyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(3-methoxy-phenyl)-
[1,2,4]oxadiazole,

5-(4-Ethyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-3-(3-methoxy-phenyl)-
[1,2,4]oxadiazole,

5-(4-Ethyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-3-thiophen-2-yl-
30 [1,2,4]oxadiazole,

5-(5-Chloro-2-fluoro-phenyl)-3-(4-ethyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl)-[1,2,4]oxadiazole,

3-[3-(4-Ethyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-
benzonitrile,

35 3-[5-(3-Chloro-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-ethyl-5-trifluoromethyl-4H-

[1,2,4]triazole,

3-[5-(3-Chloro-phenyl)-oxazol-2-ylmethylsulfanyl]-4-ethyl-5-trifluoromethyl-4H-[1,2,4]triazole,

4-Ethyl-3-(5-thiophen-3-yl-isoxazol-3-ylmethylsulfanyl)-5-trifluoromethyl-4H-[1,2,4]triazole,

4-{3-[5-(3-Fluoro-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazol-5-

5 yl}-2-methyl-pyridine,

4-{3-[5-(3-Chloro-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazol-5-yl}-2-methyl-pyridine,

4-{3-[5-(4-Chloro-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazol-5-yl}-2-methyl-pyridine,

10 4-{3-[5-(4-Methoxy-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazol-5-yl}-2-methyl-pyridine,

4-[3-(4-Ethyl-5-p-tolyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-2-methyl-pyridine,

3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(3-fluoro-phenyl)-

15 [1,2,4]oxadiazole,

4-{4-Ethyl-5-[5-(3-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4H-[1,2,4]triazol-3-yl}-pyridine,

5-(3-Chloro-phenyl)-3-[5-(3,5-difluoro-phenyl)-4-ethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

20 5-(3-Chloro-phenyl)-3-[5-(2,6-difluoro-phenyl)-4-ethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

2-[3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-4-methyl-phenol,

3-{1-[5-(3-Chloro-phenyl)-isoxazol-3-yl]-ethylsulfanyl}-4-ethyl-5-furan-2-yl-4H-[1,2,4]triazole,

25 4-(5-{1-[5-(3-Chloro-phenyl)-isoxazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-pyridine,

3-[5-(4-Butoxy-phenyl)-4-ethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-5-(3-chloro-phenyl)-[1,2,4]oxadiazole,

3-(5-Benzo[1,3]dioxol-5-yl-4-ethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(3-chloro-phenyl)-[1,2,4]oxadiazole,

30 3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(2-methyl-thiazol-4-yl)-[1,2,4]oxadiazole,

3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(4-fluoro-phenyl)-[1,2,4]oxadiazole,

35 4-Ethyl-3-{1-[5-(2-fluoro-5-methyl-phenyl)-isoxazol-3-yl]-ethylsulfanyl}-5-furan-2-yl-4H-

[1,2,4]triazole,

4-(4-Ethyl-5-{1-[5-(2-fluoro-5-methyl-phenyl)-isoxazol-3-yl]-ethylsulfanyl}-4H-[1,2,4]triazol-3-yl)-pyridine,

5-(3-Chloro-phenyl)-3-[4-ethyl-5-(3-methyl-3H-imidazol-4-yl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[4-ethyl-5-(1-methyl-1H-imidazol-2-yl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[4-ethyl-5-(1-methyl-1H-imidazol-4-yl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

4-{5-[5-(3-Chloro-phenyl)-4-methyl-isoxazol-3-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-pyridine,

3-[5-(3-Chloro-phenyl)-4-methyl-isoxazol-3-ylmethylsulfanyl]-4-ethyl-5-furan-2-yl-4H-[1,2,4]triazole,

3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(4-methyl-thiophen-2-yl)-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[4-ethyl-5-(3-methyl-thiophen-2-yl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[4-ethyl-5-(5-methyl-thiophen-2-yl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

4-{5-[4-Chloro-5-(3-chloro-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-pyridine,

3-[4-Chloro-5-(3-chloro-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-ethyl-5-furan-2-yl-4H-[1,2,4]triazole,

2-Chloro-4-{5-[5-(3-chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-6-methyl-pyridine,

3-[5-(5-Bromo-furan-2-yl)-4-ethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-5-(3-chloro-phenyl)-[1,2,4]oxadiazole,

2-Chloro-4-{5-[5-(3-chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-pyridine,

2-Chloro-4-{5-[5-(3-chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-6-methoxy-pyridine,

2-[3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-4-methyl-benzonitrile,

5-(3-Chloro-phenyl)-3-[4-ethyl-5-(3-methoxy-thiophen-2-yl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

3-[5-(5-Chloro-thiophen-3-yl)-isoxazol-3-ylmethylsulfanyl]-4-ethyl-5-furan-2-yl-4H-[1,2,4]triazole,

3-[3-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-5-fluoro-benzonitrile,

4-Ethyl-3-(5-phenyl-isoxazol-3-ylmethylsulfanyl)-5-thiophen-2-yl-4H-[1,2,4]triazole,

4-Methyl-3-(5-phenyl-isoxazol-3-ylmethylsulfanyl)-5-thiophen-3-yl-4H-[1,2,4]triazole,

4-Ethyl-3-furan-2-yl-5-(5-phenyl-isoxazol-3-ylmethylsulfanyl)-4H-[1,2,4]triazole,

4-[4-Ethyl-5-(5-phenyl-isoxazol-3-ylmethylsulfanyl)-4H-[1,2,4]triazol-3-yl]-pyridine,

4-[4-Methyl-5-(5-phenyl-isoxazol-3-ylmethylsulfanyl)-4H-[1,2,4]triazol-3-yl]-pyridine,

2-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-m-tolyl-[1,3,4]oxadiazole,

4-[4-Methyl-5-(5-m-tolyl-[1,3,4]oxadiazol-2-ylmethylsulfanyl)-4H-[1,2,4]triazol-3-yl]-pyridine,

4-[4-Ethyl-5-(5-m-tolyl-[1,3,4]oxadiazol-2-ylmethylsulfanyl)-4H-[1,2,4]triazol-3-yl]-pyridine,

4-{5-[5-(5-Chloro-thiophen-3-yl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-ethyl-4H-

[1,2,4]triazol-3-yl}-pyridine,

3-[3-(4-Ethyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-4-fluoro-benzonitrile,

3-[3-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-4-fluoro-benzonitrile,

3-[3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-4-fluoro-benzonitrile,

3-[3-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-benzonitrile,

3-[5-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-3-yl]-benzonitrile,

3-[3-(4-Methyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-benzonitrile,

5-(5-Chloro-2-fluoro-phenyl)-3-(4-methyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

2-Chloro-4-[3-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-pyridine,

2-Chloro-4-[3-(5-furan-2-yl-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-pyridine,

2-(3-Chloro-phenyl)-5-[4-methyl-5-(2-methyl-thiazol-4-yl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,3,4]oxadiazole,

2-(3-Chloro-phenyl)-5-(4-methyl-5-thiazol-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-

[1,3,4]oxadiazole,
2-(3-Chloro-phenyl)-5-(5-furan-2-yl-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,3,4]oxadiazole,
2-(3-Chloro-phenyl)-5-(4-ethyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
5 [1,3,4]oxadiazole,
4-{4-Ethyl-5-[5-(4-methyl-thiophen-2-yl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4H-
[1,2,4]triazol-3-yl}-pyridine,
3-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(4-methyl-thiophen-2-yl)-
[1,2,4]oxadiazole,
10 3-(3-Chloro-phenyl)-5-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,
4-{5-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-
pyridine,
4-{4-Ethyl-5-[5-(3-nitro-phenyl)-[1,3,4]oxadiazol-2-ylmethylsulfanyl]-4H-[1,2,4]triazol-3-yl}-
15 pyridine,
2-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(3-nitro-phenyl)-
[1,3,4]oxadiazole,
4-{5-[5-(3-Chloro-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-cyclopropyl-4H-[1,2,4]triazol-3-yl}-
pyridine,
20 3-[5-(3-Chloro-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-ethyl-5-(4-methoxy-phenyl)-4H-
[1,2,4]triazole,
5-(3-Chloro-phenyl)-3-[1-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanyl)-ethyl]-
[1,2,4]oxadiazole,
5-(3-Chloro-phenyl)-3-[1-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanyl)-ethyl]-
25 [1,2,4]oxadiazole,
4-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-
3-yl)-pyridine,
4-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-
yl)-pyridine,
30 3-[5-(4-Ethyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,3,4]oxadiazol-2-yl]-
benzonitrile,
3-[5-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,3,4]oxadiazol-2-yl]-
benzonitrile,
3-[5-(4-Methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,3,4]oxadiazol-2-yl]-
35 benzonitrile,

3-[5-(4-Cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,3,4]oxadiazol-2-yl]-benzonitrile,

4-{5-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

5 4-{5-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-ylmethylsulfanyl]-4-cyclopropyl-4H-[1,2,4]triazol-3-yl}-pyridine,

4-{5-[5-(5-Chloro-2-fluoro-phenyl)-[1,3,4]oxadiazol-2-ylmethylsulfanyl]-4-cyclopropyl-4H-[1,2,4]triazol-3-yl}-pyridine,

10 2-(5-Chloro-2-fluoro-phenyl)-5-[4-ethyl-5-(4-methoxy-phenyl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,3,4]oxadiazole,

4-{5-[5-(5-Chloro-2-fluoro-phenyl)-[1,3,4]oxadiazol-2-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

4-{5-[5-(5-Chloro-2-fluoro-phenyl)-[1,3,4]oxadiazol-2-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-pyridine,

15 2-(3-Chloro-phenyl)-5-[4-ethyl-5-(4-methoxy-phenyl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,3,4]oxadiazole,

2-(3-Chloro-phenyl)-5-[1-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanyl)-ethyl]-[1,3,4]oxadiazole,

20 5-(5-Chloro-2-fluoro-phenyl)-3-[1-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanyl)-ethyl]-[1,2,4]oxadiazole,

4-(5-{1-[5-(5-Chloro-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{1-[5-(5-Chloro-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-pyridine,

25 2-Chloro-4-[3-(4-cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-pyridine,

4-{5-[5-(2-Fluoro-5-methyl-phenyl)-[1,3,4]oxadiazol-2-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

30 4-{4-Ethyl-5-[5-(2-fluoro-5-methyl-phenyl)-[1,3,4]oxadiazol-2-ylmethylsulfanyl]-4H-[1,2,4]triazol-3-yl}-pyridine,

4-{4-Cyclopropyl-5-[5-(2-fluoro-5-methyl-phenyl)-[1,3,4]oxadiazol-2-ylmethylsulfanyl]-4H-[1,2,4]triazol-3-yl}-pyridine,

2-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(2-fluoro-5-methyl-phenyl)-[1,3,4]oxadiazole,

35 2-[4-Ethyl-5-(4-methoxy-phenyl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-5-(2-fluoro-5-methyl-

phenyl)-[1,3,4]oxadiazole,

4-{5-[5-(5-Chloro-2-fluoro-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-pyridine,

4-(5-{1-[5-(5-Chloro-2-fluoro-phenyl)-isoxazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-{5-[5-(5-Chloro-2-fluoro-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

4-(5-{1-[5-(5-Chloro-2-fluoro-phenyl)-isoxazol-3-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-{5-[5-(5-Chloro-2-fluoro-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-cyclopropyl-4H-[1,2,4]triazol-3-yl}-pyridine,

4-(5-{1-[5-(5-Chloro-2-fluoro-phenyl)-isoxazol-3-yl]-ethylsulfanyl}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,

3-[5-(5-Chloro-2-fluoro-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-ethyl-5-furan-2-yl-4H-[1,2,4]triazole,

3-{1-[5-(5-Chloro-2-fluoro-phenyl)-isoxazol-3-yl]-ethylsulfanyl}-4-ethyl-5-furan-2-yl-4H-[1,2,4]triazole,

4-(5-{1-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{1-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{1-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,

5-(5-Chloro-2-fluoro-phenyl)-3-(5-furan-2-yl-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(5-Chloro-2-fluoro-phenyl)-3-(5-furan-3-yl-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

4-Chloro-2-[3-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-phenol,

2-Chloro-4-[5-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,3,4]oxadiazol-2-yl]-pyridine,

2-Chloro-4-[5-(4-ethyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,3,4]oxadiazol-2-yl]-pyridine,

2-Chloro-4-[5-(4-cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,3,4]oxadiazol-2-yl]-pyridine,

2-Chloro-4-[5-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,3,4]oxadiazol-2-yl]-pyridine,

2-Chloro-4-{5-[4-ethyl-5-(4-methoxy-phenyl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,3,4]oxadiazol-2-yl}-pyridine,

5 2-(3-Chloro-phenyl)-5-{1-[5-(4-methoxy-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanyl]-ethyl}-[1,3,4]oxadiazole,

4-(5-{1-[5-(5-Chloro-2-fluoro-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

10 5-(5-Bromo-2-fluoro-phenyl)-3-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

2-(3-Chloro-phenyl)-5-[5-(4-methoxy-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,3,4]oxadiazole,

4-{5-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-ylmethylsulfanyl]-4-cyclopropyl-4H-[1,2,4]triazol-3-yl}-pyridine,

15 4-{5-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-cyclopropyl-4H-[1,2,4]triazol-3-yl}-pyridine,

4-(5-{1-[5-(2-Fluoro-5-methyl-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

20 4-(4-Ethyl-5-{1-[5-(2-fluoro-5-methyl-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(4-Cyclopropyl-5-{1-[5-(2-fluoro-5-methyl-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(4-Cyclopropylmethyl-5-{1-[5-(2-fluoro-5-methyl-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-4H-[1,2,4]triazol-3-yl)-pyridine,

25 2-(2-Fluoro-5-methyl-phenyl)-5-{1-[4-methyl-5-(2-methyl-thiazol-4-yl)-4H-[1,2,4]triazol-3-ylsulfanyl]-ethyl}-[1,3,4]oxadiazole,

4-(5-{1-[5-(5-Chloro-2-fluoro-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-pyridine,

30 4-(5-{1-[5-(5-Chloro-2-fluoro-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,

2-(5-Chloro-2-fluoro-phenyl)-5-[1-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanyl)-ethyl]-[1,3,4]oxadiazole,

2-(5-Chloro-2-fluoro-phenyl)-5-{1-[4-methyl-5-(2-methyl-thiazol-4-yl)-4H-[1,2,4]triazol-3-ylsulfanyl]-ethyl}-[1,3,4]oxadiazole,

35 4-(4-Cyclopropylmethyl-5-{1-[5-(2-fluoro-5-methyl-phenyl)-isoxazol-3-yl]-ethylsulfanyl}-4H-

[1,2,4]triazol-3-yl)-pyridine,

4-(5-{1-[5-(3-Fluoro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(4-Cyclopropyl-5-{1-[5-(3-fluoro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4H-

[1,2,4]triazol-3-yl)-pyridine,

4-(5-{1-[5-(4-Methoxy-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanyl]-ethyl}-

[1,3,4]oxadiazol-2-yl)-2-methyl-pyridine,

4-(5-{1-[4-Ethyl-5-(4-methoxy-phenyl)-4H-[1,2,4]triazol-3-ylsulfanyl]-ethyl}-[1,3,4]oxadiazol-2-yl)-2-methyl-pyridine,

4-{5-[1-(4-Ethyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanyl)-ethyl]-[1,3,4]oxadiazol-2-yl}-2-methyl-pyridine,

4-{5-[1-(4-Cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanyl)-ethyl]-[1,3,4]oxadiazol-2-yl}-2-methyl-pyridine,

4-{5-[1-(5-Furan-2-yl-4-methyl-4H-[1,2,4]triazol-3-ylsulfanyl)-ethyl]-[1,3,4]oxadiazol-2-yl}-2-methyl-pyridine,

2-(3-Chloro-phenyl)-5-{1-[4-methyl-5-(2-methyl-thiazol-4-yl)-4H-[1,2,4]triazol-3-ylsulfanyl]-ethyl}-[1,3,4]oxadiazole,

3-(5-{1-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{1-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-2-methyl-pyridine,

4-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,

5-(3-Chloro-phenyl)-3-{1-[5-(4-methoxy-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanyl]-ethyl}-[1,2,4]oxadiazole,

4-(5-{1-[5-(5-Chloro-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,

5-(5-Chloro-2-fluoro-phenyl)-3-{1-[5-(4-methoxy-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanyl]-ethyl}-[1,2,4]oxadiazole,

4-[5-(4-Ethyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,3,4]oxadiazol-2-yl]-2-methyl-pyridine,

4-[5-(4-Cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,3,4]oxadiazol-2-yl]-2-methyl-pyridine,

4-{5-[5-(5-Chloro-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-cyclopropyl-4H-[1,2,4]triazol-3-yl}-pyridine,

4-[5-(5-Furan-2-yl-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,3,4]oxadiazol-2-yl]-2-methyl-pyridine,

4-(5-{1-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-4-cyclopropylmethyl-4H-[1,2,4]triazol-3-yl)-pyridine,

5 4-(5-{1-[5-(4-Fluoro-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanyl]-ethyl}-[1,3,4]oxadiazol-2-yl)-2-methyl-pyridine,

4-(5-{1-[5-(3-Fluoro-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanyl]-ethyl}-[1,3,4]oxadiazol-2-yl)-2-methyl-pyridine,

10 3-[3-(4-Cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-4-fluoro-benzonitrile,

4-Chloro-2-[3-(4-cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-phenol,

4-{4-Cyclopropyl-5-[5-(3-methoxy-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4H-[1,2,4]triazol-3-yl}-pyridine,

15 4-{4-Cyclopropyl-5-[5-(2-fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4H-[1,2,4]triazol-3-yl}-pyridine,

4-{4-Cyclopropyl-5-[5-(3-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4H-[1,2,4]triazol-3-yl}-pyridine,

20 4-[4-Cyclopropyl-5-(5-m-tolyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4H-[1,2,4]triazol-3-yl]-pyridine,

3-[3-(4-Cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-benzonitrile,

4-{4-Cyclopropyl-5-[5-(2,5-difluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4H-[1,2,4]triazol-3-yl}-pyridine,

25 4-{4-Cyclopropyl-5-[1-(5-m-tolyl-[1,2,4]oxadiazol-3-yl)-ethylsulfanyl]-4H-[1,2,4]triazol-3-yl}-pyridine,

4-(4-Cyclopropyl-5-{1-[5-(3-methoxy-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4H-[1,2,4]triazol-3-yl)-pyridine,

30 4-{5-[5-(2-Chloro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-cyclopropyl-4H-[1,2,4]triazol-3-yl}-pyridine,

2-[3-(4-Cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-4-methyl-phenol,

4-(5-{1-[5-(2-Chloro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,

35 {3-[3-(4-Methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-

phenyl}-methanol,

3-[5-(4-Methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-3-yl]-phenol,

5-(3-Chloro-phenyl)-3-[4-(tetrahydro-furan-2-ylmethyl)-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

(2-Chloro-phenyl)-{5-[5-(3-chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-isobutyl-4H-[1,2,4]triazol-3-yl}-methanol,

5-(2-Fluoro-5-methyl-phenyl)-3-[5-thiophen-2-yl-4-(2,2,2-trifluoro-ethyl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

3-(2,5-Difluoro-phenyl)-5-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-Furan-3-yl-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

3-(3-Chloro-phenyl)-5-(5-furan-2-yl-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

3-(3-Chloro-phenyl)-5-(5-furan-3-yl-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-(5-furan-2-yl-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-(5-furan-3-yl-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

4-{5-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyrimidine,

4-{5-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyrimidine,

3-(5-Chloro-2-fluoro-phenyl)-5-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

3-(5-Chloro-2-fluoro-phenyl)-5-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(5-Chloro-thiophen-2-yl)-3-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(5-Chloro-thiophen-2-yl)-3-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(5-Chloro-thiophen-3-yl)-3-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

4-{5-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-ylmethoxy}-phenol,

4-{5-[5-(5-Chloro-2-fluoro-phenyl)-[1,3,4]oxadiazol-2-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-ylmethoxy}-phenol,

5 3-(2,5-Difluoro-phenyl)-5-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

3-(2,5-Difluoro-phenyl)-5-(5-furan-2-yl-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

10 4-(5-{1-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-{5-[5-(5-Chloro-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-cyclopropyl-4H-[1,2,4]triazol-3-yl}-pyrimidine,

2-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-5-methoxy-pyrimidine,

15 2-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-pyrimidine,

4-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-2-methoxy-pyridine,

20 5-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-2-methoxy-pyridine,

2-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-5-methoxy-pyridine,

3-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-6-methoxy-pyridazine,

25 3-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-{5-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

30 5-(3-Chloro-phenyl)-3-(5-furan-2-yl-4-isobutyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[4-(3-methylsulfanyl-propyl)-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-(4-hexyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

35 5-(3-Chloro-phenyl)-3-(4-cyclopropylmethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-

ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[4-(3-fluoro-benzyl)-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[4-(3-methyl-benzyl)-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[4-(2-methyl-butyl)-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[4-(3-methyl-butyl)-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[4-(2-fluoro-benzyl)-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-yloxymethyl)-[1,2,4]oxadiazole,

4-{5-[5-(5-Chloro-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethoxy]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

4-(5-{1-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-yl]-ethoxy}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{1-[3-(3-Chloro-phenyl)-isoxazol-5-yl]-ethoxy}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

5-(2-Methoxy-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-Furan-2-yl-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

3-[3-(4-Methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-benzoic acid methyl ester,

5-(2-Fluoro-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(2,5-Difluoro-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

3-(4-Methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(3-vinyl-phenyl)-[1,2,4]oxadiazole,

5-(3-Difluoromethoxy-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(4-Methoxy-thiophen-3-yl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(2-Chloro-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-

[1,2,4]oxadiazole,

5-(4-Fluoro-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-

[1,2,4]oxadiazole,

3-(3-Chloro-phenyl)-5-[1-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanyl)-ethyl]-

[1,2,4]oxadiazole,

-(5-{1-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

3-(3-Chloro-phenyl)-5-[2-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-yl)-ethyl]-

[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-(5-furan-2-yl-4-methyl-4H-[1,2,4]triazol-3-ylmethyl)-[1,2,4]oxadiazole,

2-(3-Chloro-phenyl)-5-[2-(5-furan-2-yl-4-methyl-4H-[1,2,4]triazol-3-yl)-ethyl]-

[1,3,4]oxadiazole,

2-(3-Chloro-phenyl)-5-[2-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-yl)-ethyl]-[1,3,4]oxadiazole,

2-(3-Chloro-phenyl)-5-[2-(4-cyclopropyl-5-furan-2-yl-4H-[1,2,4]triazol-3-yl)-ethyl]-

[1,3,4]oxadiazole,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-ethyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-ethyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-ethyl}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-propyl}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-2-methyl-propyl}-4-cyclopropyl-4H-

[1,2,4]triazol-3-yl)-pyridine,

4-(5-{2-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-yl]-propyl}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,

8-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethyl]-3-pyridin-4-yl-5,6,7,8-tetrahydro-

[1,2,4]triazolo[4,3-a]pyridine,

8-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethyl]-3-thiophen-2-yl-5,6,7,8-tetrahydro-

[1,2,4]triazolo[4,3-a]pyridine,

8-[5-(5-Chloro-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethyl]-3-pyridin-4-yl-5,6,7,8-tetrahydro-[1,2,4]triazolo[4,3-a]pyridine,

5-(5-Bromo-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-3-(3-chloro-phenyl)-

[1,2,4]oxadiazole,

3-[3-(4-Methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-phenylamine,

5-(3-Chloro-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazole-3-sulfonylmethyl)-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazole-3-sulfinylmethyl)-[1,2,4]oxadiazole,

2-Methyl-6-[3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-pyridine,

4-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-pyridin-2-ol,

4-(5-{2-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-propyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethyl]-methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-amine,

8-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethyl]-3-pyridin-4-yl-5,6,7,8-tetrahydro-[1,2,4]triazolo[4,3-a]pyrimidine,

8-[5-(5-Chloro-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethyl]-3-pyridin-4-yl-5,6,7,8-tetrahydro-[1,2,4]triazolo[4,3-a]pyrimidine,

8-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-ylmethyl]-3-pyridin-4-yl-5,6,7,8-tetrahydro-[1,2,4]triazolo[4,3-a]pyrimidine,

8-{1-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-yl]-ethyl}-3-pyridin-4-yl-5,6,7,8-tetrahydro-[1,2,4]triazolo[4,3-a]pyrimidine,

8-[5-(5-Chloro-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethyl]-3-furan-2-yl-5,6,7,8-tetrahydro-[1,2,4]triazolo[4,3-a]pyrimidine,

8-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethyl}-3-pyridin-4-yl-5,6,7,8-tetrahydro-[1,2,4]triazolo[4,3-a]pyrimidine,

3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(1H-pyrrol-3-yl)-[1,2,4]oxadiazole,

4-{5-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine 1-oxide,

5-(3-Chloro-phenyl)-3-(2-furan-2-yl-3-methyl-3H-imidazol-4-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(5-Chloro-2-fluoro-phenyl)-3-[4-(2-fluoro-ethyl)-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

5-(5-Chloro-thiophen-3-yl)-3-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-

[1,2,4]oxadiazole,

3-[3-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-4-hydroxy-benzonitrile,

3-(3-Chloro-phenyl)-5-[2-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-yl)-ethyl]-

5 [1,2,4]oxadiazole,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-propyl}-[1,3,4]oxadiazol-2-yl)-pyridine,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-1-methyl-ethyl}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-cyclopropyl}-4-cyclopropyl-4H-

10 [1,2,4]triazol-3-yl)-pyridine, or

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-1,1-dimethyl-ethyl}-[1,3,4]oxadiazol-2-yl)-pyridine,

3-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethoxy}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,

15 4-(5-{1-[5-(2-Chloro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{1-[5-(2,5-Difluoro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{1-[5-(2-Fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-methyl-4H-
20 [1,2,4]triazol-3-yl)-pyridine,

4-(4-Cyclopropyl-5-{1-[5-(2-fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4H-[1,2,4]triazol-3-yl)-pyridine,

3-{3-[1-(4-Methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanyl)-ethyl]-[1,2,4]oxadiazol-5-yl}-benzonitrile,

25 3-{3-[1-(4-Cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanyl)-ethyl]-[1,2,4]oxadiazol-5-yl}-benzonitrile,

3-{1-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-5-pyridin-4-yl-[1,2,4]triazol-4-ylamine,

3-(3-Chloro-phenyl)-5-[2-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-yl)-ethyl]-

30 [1,2,4]oxadiazole,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-1-methyl-ethyl}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,

cis-4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-cyclopropyl}-4-cyclopropyl-4H-

[1,2,4]triazol-3-yl)-pyridine,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-1,1-dimethyl-ethyl}-[1,3,4]oxadiazol-2-yl)-pyridine,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-2-methyl-propyl}-[1,3,4]oxadiazol-2-yl)-pyridine,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-1-methyl-ethyl}-[1,3,4]oxadiazol-2-yl)-pyridine,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-cyclopropyl}-[1,3,4]oxadiazol-2-yl)-pyridine,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-cyclopropyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{2-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-yl]-propyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-propyl}-[1,3,4]oxadiazol-2-yl)-pyridine,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-propyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-propyl}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,

(S)-[1-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-2-(4-cyclopropyl-5-pyridin-4-yl-4H-

[1,2,4]triazol-3-yl)-ethyl]-carbamic acid tert-butyl ester,

(S)-1-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-2-(4-cyclopropyl-5-pyridin-4-yl-4H-

[1,2,4]triazol-3-yl)-ethylamine,

(S)-[1-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-2-(4-cyclopropyl-5-pyridin-4-yl-4H-

[1,2,4]triazol-3-yl)-ethyl]-dimethyl-amine,

or a salt thereof.

The compounds of formula I useful in accordance with the present invention, may also be used as pharmaceutically acceptable salts, but also other salts may be useful in accordance with the present invention.

Examples of pharmaceutically acceptable salts useful in accordance with the present invention

are, but are not limited to, hydrochloride, 4-aminobenzoate, anthranilate, 4-aminosalicylate, 4-hydroxybenzoate, 3,4-dihydroxybenzoate, 3-hydroxy-2-naphthoate, nitrate and trifluoroacetate.

Some compounds of formula I may have chiral centres and/or geometric isomeric centres (E-

and Z- isomers), and it is to be understood that the invention encompasses the use of all such optical, diastereoisomers and geometric isomers.

5 The invention also relates to the use of any and all tautomeric forms of the compounds of formula I, Ia or Ib.

A further aspect of the invention is the use of a compound formula I, Ia or Ib for the manufacture of a medicament for the prevention of reflux.

10 Still a further aspect of the invention is the use of a compound of formula I, Ia or Ib for the manufacture of a medicament for the treatment of gastro-esophageal reflux disease (GERD).

Effective prevention of regurgitation would be an important way of preventing, as well as curing lung disease due to aspiration of regurgitated gastric contents, and for managing failure to thrive.

15 Thus, a further aspect of the invention is the use of a compound of formula I, Ia or Ib for the manufacture of a medicament for the treatment of regurgitation.

Still a further aspect of the invention is the use of a compound of formula I, Ia or Ib for the manufacture of a medicament for the treatment or prevention of lung disease.

20 Another aspect of the invention is the use of a compound of formula I, Ia or Ib for the manufacture of a medicament for the management of failure to thrive.

Still a further aspect of the invention is the use of a compound of formula I, Ia or Ib for the manufacture of a medicament for the treatment or prevention of asthma, such as reflux-related asthma.

A further aspect of the invention is the use of a compound according to formula I, Ia or Ib for the manufacture of a medicament for the treatment or prevention of functional gastrointestinal disorders, such as functional dyspepsia (FD). Yet another aspect of the invention is the use of a compound according to formula I, Ia or Ib for the manufacture of a medicament for the treatment or prevention of irritable bowel syndrome (IBS), such as constipation predominant IBS, diarrhea predominant IBS or alternating bowel movement predominant IBS.

Another aspect of the invention is the use of a compound of formula I, Ia or Ib for the manufacture of a medicament for the treatment or prevention of chronic laryngitis.

A further aspect of the present invention is a method for the inhibition of transient lower esophageal sphincter relaxations (TLESRs), whereby a pharmaceutically and pharmacologically effective amount of a compound of formula I, Ia or Ib is administered to a subject in need of such inhibition.

Another aspect of the invention is a method for the prevention of reflux, whereby a pharmaceutically and pharmacologically effective amount of a compound of formula I, Ia or Ib is administered to a subject in need of such prevention.

Still a further aspect of the invention is a method for the treatment of gastro-esophageal reflux disease (GERD), whereby a pharmaceutically and pharmacologically effective amount of a compound of formula I, Ia or Ib is administered to a subject in need of such treatment.

Yet another aspect of the invention is a method for the treatment of regurgitation, whereby a pharmaceutically and pharmacologically effective amount of a compound of formula I, Ia or Ib is administered to a subject in need of such treatment.

Still a further aspect of the invention is a method for the treatment or prevention of asthma, such as reflux-related asthma, whereby a pharmaceutically and pharmacologically effective amount of a compound of formula I, Ia or Ib is administered to a subject in need of such treatment.

Yet another aspect of the invention is a method for the treatment of chronic laryngitis, whereby a pharmaceutically and pharmacologically effective amount of a compound of formula I, Ia or Ib is administered to a subject in need of such treatment.

Still a further aspect of the invention is a method for the treatment or inhibition of lung disease, whereby a pharmaceutically and pharmacologically effective amount of a compound of formula I, Ia or Ib is administered to a subject in need of such treatment.

Still a further aspect of the invention is a method for the management of failure to thrive,

whereby a pharmaceutically and pharmacologically effective amount of a compound of formula I, Ia or Ib is administered to a subject in need of such treatment.

The wording "TLESR", transient lower esophageal sphincter relaxations, is herein defined in accordance with *Mittal, R.K., Holloway, R.H., Penagini, R., Blackshaw, L.A., Dent, J., 1995; Transient lower esophageal sphincter relaxation. Gastroenterology 109, pp. 601-610.*

The wording "reflux" is defined as fluid from the stomach being able to pass into the esophagus, since the mechanical barrier is temporarily lost at such times.

The wording "GERD", gastro-esophageal reflux disease, is defined in accordance with *van Heerwarden, M.A., Smout A.J.P.M., 2000; Diagnosis of reflux disease. Baillière's Clin. Gastroenterol. 14, pp. 759-774.*

Pharmaceutical formulations

For clinical use, the compounds of formula I, Ia or Ib are in accordance with the present invention suitably formulated into pharmaceutical formulations for oral administration. Also rectal, parenteral or any other route of administration may be contemplated to the skilled man in the art of formulations. Thus, the compounds of formula I, Ia or Ib are formulated with at least one pharmaceutically and pharmacologically acceptable carrier or adjuvant. The carrier may be in the form of a solid, semi-solid or liquid diluent.

In the preparation of oral pharmaceutical formulations in accordance with the invention, the compound of formula I, Ia or Ib to be formulated is mixed with solid, powdered ingredients such as lactose, saccharose, sorbitol, mannitol, starch, amylopectin, cellulose derivatives, gelatin, or another suitable ingredient, as well as with disintegrating agents and lubricating agents such as magnesium stearate, calcium stearate, sodium stearyl fumarate and polyethylene glycol waxes. The mixture is then processed into granules or compressed into tablets.

Soft gelatine capsules may be prepared with capsules containing a mixture of the active

compound or compounds of the invention, vegetable oil, fat, or other suitable vehicle for soft gelatine capsules. Hard gelatine capsules may contain the active compound in combination with solid powdered ingredients such as lactose, saccharose, sorbitol, mannitol, potato starch, corn starch, amylopectin, cellulose derivatives or gelatine.

5 Dosage units for rectal administration may be prepared (i) in the form of suppositories which contain the active substance(s) mixed with a neutral fat base; (ii) in the form of a gelatine rectal capsule which contains the active substance in a mixture with a vegetable oil, paraffin oil, or other suitable vehicle for gelatine rectal capsules; (iii) in the form of a ready-made micro enema;
10 or (iv) in the form of a dry micro enema formulation to be reconstituted in a suitable solvent just prior to administration.

Liquid preparations for oral administration may be prepared in the form of syrups or suspensions, e.g. solutions or suspensions, containing the active compound and the remainder of
15 the formulation consisting of sugar or sugar alcohols, and a mixture of ethanol, water, glycerol, propylene glycol and polyethylene glycol. If desired, such liquid preparations may contain colouring agents, flavouring agents, saccharine and carboxymethyl cellulose or other thickening agent. Liquid preparations for oral administration may also be prepared in the form of a dry powder to be reconstituted with a suitable solvent prior to use.

20 Solutions for parenteral administration may be prepared as a solution of a compound of the invention in a pharmaceutically acceptable solvent. These solutions may also contain stabilizing ingredients and/or buffering ingredients and are dispensed into unit doses in the form of ampoules or vials. Solutions for parenteral administration may also be prepared as a dry
25 preparation to be reconstituted with a suitable solvent extemporaneously before use.

In one aspect of the present invention, the compound of formula I, Ia or Ib may be administered once or twice daily, depending on the severity of the patient's condition.

30 Methods of Preparation

The compounds in accordance with the present invention can be prepared as described in

Biological evaluation

5 *Screening for compounds active against TLESR*

Adult Labrador retrievers of both genders, trained to stand in a Pavlov sling, are used. Mucosa-to-skin esophagostomies are formed and the dogs are allowed to recover completely before any experiments are done.

10

Motility measurement

In brief, after fasting for approximately 17 h with free supply of water, a multilumen sleeve/sidehole assembly (Dentsleeve, Adelaide, South Australia) is introduced through the esophagostomy to measure gastric, lower esophageal sphincter (LES) and esophageal pressures. The assembly is perfused with water using a low-compliance manometric perfusion pump (Dentsleeve, Adelaide, South Australia). An air-perfused tube is passed in the oral direction to measure swallows, and an antimony electrode monitored pH, 3 cm above the LES. All signals are amplified and acquired on a personal computer at 10 Hz.

20

When a baseline measurement free from fasting gastric/LES phase III motor activity has been obtained, placebo (0.9% NaCl) or test compound is administered intravenously (i.v., 0.5 ml/kg) in a foreleg vein. Ten min after i.v. administration, a nutrient meal (10% peptone, 5% D-glucose, 5% Intralipid, pH 3.0) is infused into the stomach through the central lumen of the assembly at 100 ml/min to a final volume of 30 ml/kg. Immediately following the meal, air is insufflated at 40 ml/min. In an alternative model (Barostat model), the infusion of the nutrient meal is followed by air infusion at a rate of 500 ml/min until a intragastric pressure of 10 ± 1 mmHg is obtained. The pressure is then maintained at this level throughout the experiment using the infusion pump for further air infusion or for venting air from the stomach. The experimental time from start of nutrient infusion to end of air insufflation is 45 min. The procedure has been validated as a reliable means of triggering TLESRs.


30

TLESRs is defined as a decrease in lower esophageal sphincter pressure (with reference to intragastric pressure) at a rate of >1 mmHg/s. The relaxation should not be preceded by a

pharyngeal signal ≤ 2 s before its onset in which case the relaxation is classified as swallow-induced. The pressure difference between the LES and the stomach should be less than 2 mmHg, and the duration of the complete relaxation longer than 1 s.

Claims

1. Use of a compound formula Ia



wherein:

P is selected from the group consisting of hydrogen, C₃₋₇alkyl or a 3- to 8-membered ring containing one or more atoms independently selected from C, N, O and S, which ring may optionally be fused with a 5- or 6-membered ring containing one or more atoms independently selected from the group consisting of C, N, O and S;

R¹ is selected from the group consisting of hydrogen, hydroxy, halo, nitro, C₁₋₆alkylhalo, OC₁₋₆alkylhalo, C₁₋₆alkyl, OC₁₋₆alkyl, C₂₋₆alkenyl, OC₂₋₆alkenyl, C₂₋₆alkynyl, OC₂₋₆alkynyl, C₀₋₆alkylC₃₋₆cycloalkyl, OC₀₋₆alkylC₃₋₆cycloalkyl, C₀₋₆alkylaryl, OC₀₋₆alkylaryl, CHO, (CO)R⁵, O(CO)R⁵, O(CO)OR⁵, O(CN)OR⁵, C₁₋₆alkylOR⁵, OC₂₋₆alkylOR⁵, C₁₋₆alkyl(CO)R⁵, OC₁₋₆alkyl(CO)R⁵, C₀₋₆alkylCO₂R⁵, OC₁₋₆alkylCO₂R⁵, C₀₋₆alkylcyano, OC₂₋₆alkylcyano, C₀₋₆alkylNR⁵R⁶, OC₂₋₆alkylNR⁵R⁶, C₁₋₆alkyl(CO)NR⁵R⁶, OC₁₋₆alkyl(CO)NR⁵R⁶, C₀₋₆alkylNR⁵(CO)R⁶, OC₂₋₆alkylNR⁵(CO)R⁶, C₀₋₆alkylNR⁵(CO)NR⁵R⁶, C₀₋₆alkylSR⁵, OC₂₋₆alkylSR⁵, C₀₋₆alkyl(SO)R⁵, OC₂₋₆alkyl(SO)R⁵, C₀₋₆alkylSO₂R⁵, OC₂₋₆alkylSO₂R⁵, C₀₋₆alkyl(SO₂)NR⁵R⁶, OC₂₋₆alkyl(SO₂)NR⁵R⁶, C₀₋₆alkylNR⁵(SO₂)R⁶, OC₂₋₆alkylNR⁵(SO₂)R⁶, C₀₋₆alkylNR⁵(SO₂)NR⁵R⁶, OC₂₋₆alkylNR⁵(SO₂)NR⁵R⁶, (CO)NR⁵R⁶, O(CO)NR⁵R⁶, NR⁵OR⁶, C₀₋₆alkylNR⁵(CO)OR⁶, OC₂₋₆alkylNR⁵(CO)OR⁶, SO₃R⁵ and a 5- or 6-membered ring containing one or more atoms independently selected from the group consisting of C, N, O and S, wherein said ring may be substituted by one or more A;

M¹ is selected from the group consisting of a bond, C₁₋₃alkyl, C₂₋₃alkenyl, C₂₋₃alkynyl, C₀₋₄alkyl(CO)C₀₋₄alkyl, C₀₋₃alkylOC₀₋₃alkyl, C₀₋₃alkyl(CO)NR⁵, C₀₋₃alkyl(CO)NR⁵C₀₋₃alkyl, C₀₋₄alkylNR⁵, C₀₋₃alkylSC₀₋₃alkyl, C₀₋₃alkyl(SO)C₀₋₃alkyl or C₀₋₃alkyl(SO₂)C₀₋₃alkyl;

R² is selected from the group consisting of hydrogen, hydroxy, C₀₋₆alkylcyano, oxo, =NR⁵, =NOR⁵, C₁₋₄alkylhalo, halo, C₁₋₄alkyl, O(CO)C₁₋₄alkyl, C₁₋₄alkyl(SO)C₀₋₄alkyl, C₁₋₄alkyl(SO₂)C₀₋₄alkyl, (SO)C₀₋₄alkyl, (SO₂)C₀₋₄alkyl, OC₁₋₄alkyl, C₁₋₄alkylOR⁵ and C₀₋₄alkylNR⁵R⁶;

X^1 , X^2 and X^3 are independently selected from the group consisting of CR, CO, N, NR, O and S;

R is selected from the group consisting of hydrogen, C_{0-3} alkyl, halo, C_{0-3} alkylOR⁵, C_{0-3} alkylNR⁵R⁶, C_{0-3} alkyl(CO)OR⁵, C_{0-3} alkylNR⁵R⁶ and C_{0-3} alkylaryl;

M^2 is selected from a group consisting of a bond, C_{1-3} alkyl, C_{3-7} cycloalkyl, C_{2-3} alkenyl, C_{2-3} alkynyl, C_{0-4} alkyl(CO) C_{0-4} alkyl, C_{0-3} alkylOC C_{0-3} alkyl, C_{0-3} alkylNR⁵ C_{1-3} alkyl, C_{0-3} alkyl(CO)NR⁵, C_{0-4} alkylNR⁵, C_{0-3} alkylSC C_{0-3} alkyl, C_{0-3} alkyl(SO) C_{0-3} alkyl and C_{0-3} alkyl(SO₂) C_{0-3} alkyl;

R^3 is selected from a group consisting of hydrogen, hydroxy, C_{0-6} alkylcyano, oxo, =NR⁵, =NOR⁵, C_{1-4} alkylhalo, halo, C_{1-4} alkyl, O(CO) C_{1-4} alkyl, C_{1-4} alkyl(SO) C_{0-4} alkyl, C_{1-4} alkyl(SO₂) C_{0-4} alkyl, (SO) C_{0-4} alkyl, (SO₂) C_{0-4} alkyl, OC C_{1-4} alkyl, C_{1-4} alkylOR⁵ and C_{0-4} alkylNR⁵R⁶;

X^4 is selected from the group consisting of C_{0-4} alkylR⁵, C_{0-4} alkyl(NR⁵R⁶), C_{0-4} alkyl(NR⁵R⁶)=N, NR⁵ C_{0-4} alkyl(NR⁵R⁶)=N, NOC C_{0-4} alkyl, C_{1-4} alkylhalo, C, O, SO, SO₂ and S;

Q is a 5- or 6-membered ring containing one or more atoms independently selected from the group consisting of C, N, O and S, which group may optionally be fused with a 5- or 6-membered ring containing one or more atoms independently selected from the group consisting of C, N, O and S and which fused ring may be substituted by one or more A;

R^4 is selected from the group consisting of hydrogen, hydroxy, C_{0-6} alkylcyano, oxo, =NR⁵, =NOR⁵, C_{1-4} alkylhalo, halo, C_{1-4} alkyl, OC C_{1-4} alkyl, OC C_{0-6} alkylaryl, O(CO) C_{1-4} alkyl, C_{0-4} alkyl(S) C_{0-4} alkyl, C_{1-4} alkyl(SO) C_{0-4} alkyl, C_{1-4} alkyl(SO₂) C_{0-4} alkyl, (SO) C_{0-4} alkyl, (SO₂) C_{0-4} alkyl, C_{1-4} alkylOR⁵, C_{0-4} alkylNR⁵R⁶ and a 5- or 6-membered ring containing one or more atoms independently selected from C, N, O or S, wherein said ring may be substituted by one or more A;

R^5 and R^6 are independently selected from the group consisting of hydrogen, hydroxy, C_{1-6} alkyl, C_{0-6} alkylC₃₋₆cycloalkyl, C_{0-6} alkylaryl, C_{0-6} alkylheteroaryl and a 5- or 6-membered ring containing one or more atoms independently selected from C, N, O and S, and wherein R^5 and R^6 may together form a 5- or 6-membered ring containing one or more atoms independently selected from the group consisting of C, N, O and S;

wherein any C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{0-6} alkylC₃₋₆cycloalkyl, C_{0-6} alkylaryl and C_{0-6} alkylheteroaryl defined under R^1 , R^2 , R^3 , R^4 , R^5 and R^6 may be substituted by one or more A;

A is selected from the group consisting of hydrogen, hydroxy, oxo, halo, nitro, C_{0-6} alkylcyano, C_{1-4} alkyl, C_{0-4} alkylC₃₋₆cycloalkyl, C_{1-6} alkylhalo, OC C_{1-6} alkylhalo, C_{2-}

$_6$ alkenyl, OC_{1-6} alkyl, C_{0-3} alkylaryl, C_{0-6} alkylOR⁵, OC_{2-6} alkylOR⁵, C_{1-6} alkylSR⁵, OC_{2-6} alkylSR⁵, (CO)R⁵, O(CO)R⁵, OC_{2-6} alkylcyano, C_{0-6} alkylCO₂R⁵, OC_{1-6} alkylCO₂R⁵, O(CO)OR⁵, OC_{1-6} alkyl(CO)R⁵, C_{1-6} alkyl(CO)R⁵, NR⁵OR⁶, C_{0-6} alkylNR⁵R⁶, OC_{2-6} alkylNR⁵R⁶, C_{0-6} alkyl(CO)NR⁵R⁶, OC_{1-6} alkyl(CO)NR⁵R⁶, OC_{2-6} alkylNR⁵(CO)R⁶, C_{0-6} alkylNR⁵(CO)R⁶,

C_{0-6} alkylNR⁵(CO)NR⁵R⁶, O(CO)NR⁵R⁶, NR⁵(CO)OR⁶, C_{0-6} alkyl(SO₂)NR⁵R⁶, OC_{2-6} alkyl(SO₂)NR⁵R⁶, C_{0-6} alkylNR⁵(SO₂)R⁶, OC_{2-6} alkylNR⁵(SO₂)R⁶, SO₃R⁵, C_{1-6} alkylNR⁵(SO₂)NR⁵R⁶, OC_{2-6} alkyl(SO₂)R⁵, C_{0-6} alkyl(SO₂)R⁵, C_{0-6} alkyl(SO)R⁵, OC_{2-6} alkyl(SO)R⁵ and a 5- or 6-membered ring containing one or more atoms


independently selected from the group consisting of C, N, O and S;

m is selected from 0, 1, 2, 3 and 4; and

n is selected from 0, 1, 2 and 3,

or a pharmaceutically acceptable salt or an optical isomer thereof, for the manufacture of a medicament for the inhibition of transient lower esophageal sphincter relaxations (TLESRs).

2. Use of a compound of formula I



(I)

wherein:

P is selected from the group consisting of thiophene, pyridyl, thiazolyl, furyl, pyrrolyl and phenyl, whereby the phenyl ring is substituted on position 3 or disubstituted on positions 2 and 5;

R¹ is attached to P via a carbon atom on ring P and is selected from the group consisting of hydrogen, hydroxy, halo, nitro, C_{1-6} alkylhalo, OC_{1-6} alkylhalo, C_{1-6} alkyl, OC_{1-6} alkyl, C_{2-6} alkenyl, OC_{2-6} alkenyl, C_{2-6} alkynyl, OC_{2-6} alkynyl, C_{0-6} alkylC₃₋₆cycloalkyl, OC_{0-6} alkylC₃₋₆cycloalkyl, C_{0-6} alkylaryl, OC_{0-6} alkylaryl, CHO, (CO)R⁵, O(CO)R⁵, O(CO)OR⁵, O(CN)OR⁵, C_{1-6} alkylOR⁵, OC_{2-6} alkylOR⁵, C_{1-6} alkyl(CO)R⁵, OC_{1-6} alkyl(CO)R⁵, C_{0-}

$\text{C}_0\text{-}_6\text{alkylCO}_2\text{R}^5$, $\text{OC}_{1-6}\text{alkylCO}_2\text{R}^5$, $\text{C}_0\text{-}_6\text{alkylcyano}$, $\text{OC}_{2-6}\text{alkylcyano}$, $\text{C}_0\text{-}_6\text{alkylNR}^5\text{R}^6$, $\text{OC}_{2-6}\text{alkylNR}^5\text{R}^6$, $\text{C}_{1-6}\text{alkyl(CO)NR}^5\text{R}^6$, $\text{OC}_{1-6}\text{alkyl(CO)NR}^5\text{R}^6$, $\text{C}_0\text{-}_6\text{alkylNR}^5\text{(CO)R}^6$, $\text{OC}_{2-6}\text{alkylNR}^5\text{(CO)R}^6$, $\text{C}_0\text{-}_6\text{alkylNR}^5\text{(CO)NR}^5\text{R}^6$, $\text{C}_0\text{-}_6\text{alkylSR}^5$, $\text{OC}_{2-6}\text{alkylSR}^5$, $\text{C}_0\text{-}_6\text{alkyl(SO)R}^5$, $\text{OC}_{2-6}\text{alkyl(SO)R}^5$, $\text{C}_0\text{-}_6\text{alkylSO}_2\text{R}^5$, $\text{OC}_{2-6}\text{alkylSO}_2\text{R}^5$, $\text{C}_0\text{-}_6\text{alkyl(SO}_2\text{)NR}^5\text{R}^6$, $\text{OC}_{2-6}\text{alkyl(SO}_2\text{)NR}^5\text{R}^6$, $\text{C}_0\text{-}_6\text{alkylNR}^5\text{(SO}_2\text{)R}^6$, $\text{OC}_{2-6}\text{alkylNR}^5\text{(SO}_2\text{)R}^6$, $\text{C}_0\text{-}_6\text{alkylNR}^5\text{(SO}_2\text{)NR}^5\text{R}^6$, $\text{OC}_{2-6}\text{alkylNR}^5\text{(SO}_2\text{)NR}^5\text{R}^6$, $\text{(CO)NR}^5\text{R}^6$, $\text{O(CO)NR}^5\text{R}^6$, NR^5OR^6 , $\text{C}_0\text{-}_6\text{alkylNR}^5\text{(CO)OR}^6$, $\text{OC}_{2-6}\text{alkylNR}^5\text{(CO)OR}^6$, SO_3R^5 and a 5- or 6-membered ring containing one or more atoms independently selected from the group consisting of C, N, O and S;

M^1 is a bond;

X^1 selected from the group consisting of C, CO, N, O and S;

X^2 is selected from the group consisting of C, N, O and S;

X^3 is i) selected from the group consisting of N, O and S, or

ii) selected from N, O, S, and C when X^2 is selected from N, O, or S, and when X^3 is C the substituent R on X^3 is H. ;

R is selected from the group consisting of hydrogen, $\text{C}_{0-3}\text{alkyl}$, halo, $\text{C}_{0-3}\text{alkylOR}^5$, $\text{C}_{0-3}\text{alkylNR}^5\text{R}^6$, $\text{C}_{0-3}\text{alkyl(CO)OR}^5$ and $\text{C}_{0-3}\text{alkylaryl}$;

M^2 is selected from a group consisting of a bond, $\text{C}_{1-3}\text{alkyl}$, $\text{C}_{2-3}\text{alkynyl}$, $\text{C}_{0-4}\text{alkyl(CO)C}_{0-4}\text{alkyl}$, $\text{C}_{0-3}\text{alkylOC}_{0-3}\text{alkyl}$, $\text{C}_{0-3}\text{alkylNR}^5\text{C}_{1-3}\text{alkyl}$, $\text{C}_{0-3}\text{alkyl(CO)NR}^5$, $\text{C}_{0-4}\text{alkylNR}^5$, $\text{C}_{0-3}\text{alkyl(SO)C}_{0-3}\text{alkyl}$ and $\text{C}_{0-3}\text{alkyl(SO}_2\text{)C}_{0-3}\text{alkyl}$;

R^3 is selected from a group consisting of hydroxy, $\text{C}_0\text{-}_6\text{alkylcyano}$, oxo, $=\text{NR}^5$, $=\text{NOR}^5$, $\text{C}_{1-4}\text{alkylhalo}$, halo, $\text{C}_{1-4}\text{alkyl}$, $\text{O(CO)C}_{1-4}\text{alkyl}$, $\text{C}_{1-4}\text{alkyl(SO)C}_{0-4}\text{alkyl}$, $\text{C}_{1-4}\text{alkyl(SO}_2\text{)C}_{0-4}\text{alkyl}$, $\text{(SO)C}_{0-4}\text{alkyl}$, $\text{(SO}_2\text{)C}_{0-4}\text{alkyl}$, $\text{OC}_{1-4}\text{alkyl}$, $\text{C}_{1-4}\text{alkylOR}^5$ and $\text{C}_{0-4}\text{alkylNR}^5\text{R}^6$;

X^4 is selected from the group consisting of $\text{C}_{0-4}\text{alkylR}^5\text{R}^6$, $\text{C}_{3-7}\text{cycloalkyl}$, $\text{C}_{1-4}\text{alkyl(NR}^5\text{R}^6\text{)}$, NR^5 , $\text{C}_{0-4}\text{alkyl(NR}^5\text{R}^6\text{)=N}$, $\text{NR}^5\text{C}_{0-4}\text{alkyl(NR}^5\text{R}^6\text{)=N}$, $\text{NOC}_{0-4}\text{alkyl}$, $\text{C}_{1-4}\text{alkylhalo}$, O, SO, SO_2 and S, and wherein the bond between M^2 and X^4 is a single bond ;

Q is i) selected from the group consisting of triazolyl, imidazolyl, oxadiazolyl, imidazolonyl, oxazolonyl, thiazolonyl, tetrazolyl and thiadiazolyl, and wherein any substitutable nitrogen atom in the ring is substituted with R^4 on such nitrogen atom and any suitable carbon atom is optionally substituted with R^4 ; and

R^4 is selected from the group consisting of $\text{C}_0\text{-}_6\text{alkylcyano}$, $=\text{NC}_{1-4}\text{alkyl}$, $=\text{NOR}^5$, $\text{C}_{1-4}\text{alkylhalo}$, halo, $\text{C}_{1-6}\text{alkyl}$, $\text{OC}_{1-4}\text{alkyl}$, $\text{C}_{2-4}\text{alkenyl}$, $\text{C}_{0-2}\text{alkylC}_{3-6}\text{cycloalkyl}$, $\text{C}_0\text{-}_6\text{alkylaryl}$, $\text{C}_0\text{-}_6\text{alkylheteroaryl}$, $\text{OC}_0\text{-}_6\text{alkylaryl}$, $\text{OC}_0\text{-}_6\text{alkylheteroaryl}$, $\text{NC}_0\text{-}_6\text{alkylaryl}$, $\text{NC}_0\text{-}_6\text{alkylheteroaryl}$, $\text{C}_0\text{-}_6\text{alkylOaryl}$, $\text{C}_0\text{-}_6\text{alkylOheteroaryl}$, $\text{C}_0\text{-}_6\text{alkylNaryl}$, $\text{C}_0\text{-}_6\text{alkylNheteroaryl}$, $\text{OC}_0\text{-}_6\text{alkylOaryl}$, $\text{OC}_0\text{-}_6\text{alkylOheteroaryl}$, $\text{OC}_0\text{-}_6\text{alkylNaryl}$, $\text{OC}_0\text{-}_6\text{alkylNheteroaryl}$,

$_6\text{alkylNheteroaryl}$, $\text{NC}_{0-6}\text{alkylOaryl}$, $\text{NC}_{0-6}\text{alkylOheteroaryl}$, $\text{NC}_{0-6}\text{alkylNaryl}$, $\text{NC}_{0-6}\text{alkylNheteroaryl}$, $\text{O}(\text{CO})\text{C}_{1-4}\text{alkyl}$, $\text{C}_{0-4}\text{alkyl}(\text{CO})\text{OC}_{1-4}\text{alkyl}$, $\text{C}_{1-4}\text{alkyl}(\text{S})\text{C}_{0-4}\text{alkyl}$, $\text{C}_{1-4}\text{alkyl}(\text{SO})\text{C}_{0-4}\text{alkyl}$, $\text{C}_{1-4}\text{alkyl}(\text{SO}_2)\text{C}_{0-4}\text{alkyl}$, $(\text{SO})\text{C}_{0-4}\text{alkyl}$, $(\text{SO}_2)\text{C}_{0-4}\text{alkyl}$, $\text{C}_{1-4}\text{alkylOR}^5$, $\text{C}_{0-4}\text{alkylN}(\text{C}_{1-4}\text{alkyl})_2$ and a 3- or 6-membered non-aromatic ring

containing one or more atoms independently selected from C, N, O and S, which ring may optionally be fused with a 5-membered ring containing one or more atoms independently selected from the group consisting of C, N and O and wherein said ring and said fused ring may be substituted by one or two A; or

ii) selected from the group consisting of benzoimidazolyl, benzooxazolyl, tetrahydrotriazolopyridyl, tetrahydrotriazolopyrimidinyl, pyridonyl, pyridazinyl, imidazopyridyl, oxazolopyridyl, thiazolopyridyl, imidazopyridazinyl, oxazolopyridazinyl, thiazolopyridazinyl and purinyl; and

R^4 is selected from the group consisting of hydrogen, hydroxy, $\text{C}_{0-6}\text{alkylcyano}$, $=\text{NR}^5$, $=\text{NOR}^5$, $\text{C}_{1-6}\text{alkylhalo}$, halo, $\text{C}_{1-6}\text{alkyl}$, $\text{OC}_{1-4}\text{alkyl}$, $\text{OC}_{0-6}\text{alkylaryl}$, $\text{O}(\text{CO})\text{C}_{1-4}\text{alkyl}$, $\text{C}_{0-4}\text{alkyl}(\text{S})\text{C}_{0-4}\text{alkyl}$, $\text{C}_{1-4}\text{alkyl}(\text{SO})\text{C}_{0-4}\text{alkyl}$, $\text{C}_{1-4}\text{alkyl}(\text{SO}_2)\text{C}_{0-4}\text{alkyl}$, $(\text{SO})\text{C}_{0-4}\text{alkyl}$, $(\text{SO}_2)\text{C}_{0-4}\text{alkyl}$, $\text{C}_{1-4}\text{alkylOR}^5$, $\text{C}_{0-4}\text{alkylNR}^5\text{R}^6$ and a 5- or 6-membered ring containing one or more atoms independently selected from C, N, O and S, which ring may optionally be fused with a 5- or 6-membered ring containing one or more atoms independently selected from the group consisting of C, N and O and wherein said ring and said fused ring may be substituted by one or two A;

R^5 and R^6 are independently selected from the group consisting of hydrogen and $\text{C}_{1-6}\text{alkyl}$;

wherein any $\text{C}_{1-6}\text{alkyl}$ defined under R^1 , R^2 and R^4 may be substituted by one or more A;

A is selected from the group consisting of hydrogen, hydroxy, halo, nitro, oxo, $\text{C}_{0-6}\text{alkylcyano}$, $\text{C}_{0-4}\text{alkylC}_{3-6}\text{cycloalkyl}$, $\text{C}_{1-6}\text{alkyl}$, $\text{C}_{1-6}\text{alkylhalo}$, $\text{OC}_{1-6}\text{alkylhalo}$, $\text{C}_{2-6}\text{alkenyl}$, $\text{C}_{0-3}\text{alkylaryl}$, $\text{C}_{0-6}\text{alkylOR}^5$, $\text{OC}_{2-6}\text{alkylOR}^5$, $\text{C}_{1-6}\text{alkylSR}^5$, $\text{OC}_{2-6}\text{alkylSR}^5$, $(\text{CO})\text{R}^5$, $\text{O}(\text{CO})\text{R}^5$, $\text{OC}_{2-6}\text{alkylcyano}$, $\text{OC}_{1-6}\text{alkylCO}_2\text{R}^5$, $\text{O}(\text{CO})\text{OR}^5$, $\text{OC}_{1-6}\text{alkyl}(\text{CO})\text{R}^5$, $\text{C}_{1-6}\text{alkyl}(\text{CO})\text{R}^5$, NR^5OR^6 , $\text{OC}_{2-6}\text{alkylNR}^5\text{R}^6$, $\text{C}_{0-6}\text{alkyl}(\text{CO})\text{NR}^5\text{R}^6$, $\text{OC}_{1-6}\text{alkyl}(\text{CO})\text{NR}^5\text{R}^6$, $\text{OC}_{2-6}\text{alkylNR}^5(\text{CO})\text{R}^6$, $\text{C}_{0-6}\text{alkylNR}^5(\text{CO})\text{R}^6$, $\text{C}_{0-6}\text{alkylNR}^5(\text{CO})\text{NR}^5\text{R}^6$, $\text{O}(\text{CO})\text{NR}^5\text{R}^6$, $\text{C}_{0-6}\text{alkyl}(\text{SO}_2)\text{NR}^5\text{R}^6$, $\text{OC}_{2-6}\text{alkyl}(\text{SO}_2)\text{NR}^5\text{R}^6$, $\text{C}_{0-6}\text{alkylNR}^5(\text{SO}_2)\text{R}^6$, $\text{OC}_{2-6}\text{alkylNR}^5(\text{SO}_2)\text{R}^6$, SO_3R^5 , $\text{C}_{1-6}\text{alkylNR}^5(\text{SO}_2)\text{NR}^5\text{R}^6$, $\text{OC}_{2-6}\text{alkyl}(\text{SO}_2)\text{R}^5$, $\text{C}_{0-6}\text{alkyl}(\text{SO}_2)\text{R}^5$, $\text{C}_{0-6}\text{alkyl}(\text{SO})\text{R}^5$,

$\text{OC}_{2-6}\text{alkyl}(\text{SO})\text{R}^5$ and a 5-membered ring containing one or more atoms independently selected from the group consisting of C, N, O and S;

$m1$ is selected from 0, 1, 2, 3 and 4;

m2 is selected from 0, 1, 2 and 3;

n is selected from 0, 1 and 2; and

t is 0 or 1,

or a pharmaceutically acceptable salt or an optical isomer thereof, with the proviso that

the compound is not 5-(4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-3-thiophen-3-yl-

[1,2,4]oxadiazole, 1,2-di{2-(3-amino-phenyl)-[1,3,4]oxadiazole-yl}ethane, 1,2-di{5-[5-

(4-nitro-phenyl)furan-2-yl]-[1,3,4]oxadiazol-yl}ethane, 1,2-di{5-[5-(4-bromo-

phenyl)furan-2-yl]-[1,3,4]oxadiazol-yl}ethane, 1,2-di{5-[5-(4-chloro-phenyl)furan-2-yl]-

[1,3,4]oxadiazol-yl}ethane and 1,2-di{5-[5-(2,4-dibromo-phenyl)furan-2-yl]-

[1,3,4]oxadiazol-yl}ethane;

for the manufacture of a medicament for the inhibition of transient lower esophageal sphincter relaxations (TLESRs).

3. Use of a compound of formula Ia as defined in claim 1, or a pharmaceutically acceptable salt or an optical isomer thereof, for the manufacture of a medicament for the treatment of gastro-esophageal reflux disease (GERD).

4. Use of a compound of formula Ia as defined in claim 1, or a pharmaceutically acceptable salt or an optical isomer thereof, for the manufacture of a medicament for the prevention of reflux.

5. Use of a compound of formula Ia as defined in claim 1, or a pharmaceutically acceptable salt or an optical isomer thereof, for the manufacture of a medicament for the treatment of, or prevention of, regurgitation.

6. Use of a compound of formula Ia as defined in claim 1, or a pharmaceutically acceptable salt or an optical isomer thereof, for the manufacture of a medicament for the treatment of, or prevention of, asthma.

7. Use according to claim 6, wherein the asthma is reflux-related asthma.

8. Use of a compound of formula Ia as defined in claim 1, or a pharmaceutically acceptable salt or an optical isomer thereof, for the manufacture of a medicament for the treatment

of, or prevention of, laryngitis.

9. Use of a compound of formula Ia as defined in claim 1, or a pharmaceutically acceptable salt or an optical isomer thereof, for the manufacture of a medicament for the treatment of, or prevention of, lung disease.

10. Use of a compound of formula Ia as defined in claim 1, or a pharmaceutically acceptable salt or an optical isomer thereof, for the manufacture of a medicament for managing failure to thrive.

11. Use of a compound of formula I as defined in claim 2, or a pharmaceutically acceptable salt or an optical isomer thereof, for the manufacture of a medicament for the treatment of gastro-esophageal reflux disease (GERD).

12. Use of a compound of formula I as defined in claim 2, or a pharmaceutically acceptable salt or an optical isomer thereof, for the manufacture of a medicament for the prevention of reflux.

13. Use of a compound of formula I as defined in claim 2, or a pharmaceutically acceptable salt or an optical isomer thereof, for the manufacture of a medicament for the treatment of, or prevention of, regurgitation.

14. Use of a compound of formula I as defined in claim 2, or a pharmaceutically acceptable salt or an optical isomer thereof, for the manufacture of a medicament for the treatment of, or prevention of, asthma.

15. Use according to claim 14, wherein the asthma is reflux-related asthma.

16. Use of a compound of formula I as defined in claim 2, or a pharmaceutically acceptable salt or an optical isomer thereof, for the manufacture of a medicament for the treatment of, or prevention of, laryngitis.

17. Use of a compound of formula I as defined in claim 2, or a pharmaceutically acceptable salt or an optical isomer thereof, for the manufacture of a medicament for the treatment of, or prevention of, lung disease.

18. Use of a compound of formula I as defined in claim 2, or a pharmaceutically acceptable salt or an optical isomer thereof, for the manufacture of a medicament for managing failure to thrive.

19. Use according to any one of the preceding claims, wherein the compound is selected from the group of compounds consisting of

2-[5-(3-Methoxy-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-1*H*-benzoimidazole,
5-(3-Methoxy-phenyl)-3-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

3-[5-(1-Methyl-5-thiophen-2-yl-1*H*-imidazol-2-ylsulfanylmethyl)-[1,2,4]oxadiazol-3-yl]-benzonitrile,

3-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-phenyl-[1,2,4]oxadiazole,

2-[5-(3-Methoxy-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-5-methyl-1*H*-benzoimidazole,

3-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-*m*-tolyl-[1,2,4]oxadiazole,

3-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(3-trifluoromethyl-phenyl)-[1,2,4]oxadiazole,

3-(3-Methoxy-phenyl)-5-(4-methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-3-phenyl-[1,2,4]oxadiazole,

5-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-3-*m*-tolyl-[1,2,4]oxadiazole,

3-[3-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-benzonitrile,

3-[4-Methyl-5-(2-methyl-thiazol-4-yl)-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl]-5-*m*-tolyl-[1,2,4]oxadiazole,

3-[5-(2-Methyl-thiazol-4-yl)-[1,3,4]oxadiazol-2-ylsulfanylmethyl]-5-*m*-tolyl-

[1,2,4]oxadiazole,
3-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-thiophen-2-yl-
[1,2,4]oxadiazole,
3-[5-(2,4-Dimethyl-thiazol-5-yl)-4-methyl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl]-5-m-
5 tolyl-[1,2,4]oxadiazole,
3-[4-Methyl-5-(5-nitro-furan-2-yl)-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl]-5-m-tolyl-
[1,2,4]oxadiazole,
4-[4-Methyl-5-(5-m-tolyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4*H*-[1,2,4]triazol-3-yl]-
pyridine,
10 3-[5-(4-tert-Butyl-phenyl)-4-methyl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl]-5-m-tolyl-
[1,2,4]-oxadiazole,
2-Chloro-5-[4-methyl-5-(5-m-tolyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4*H*-
[1,2,4]triazol-3-yl]-pyridine,
2-[5-(3-Methoxy-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-benzooxazole,
15 3-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-thiophen-3-yl-
[1,2,4]oxadiazole,
3-(5-Furan-2-yl-4-methyl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-m-tolyl-
[1,2,4]oxadiazole,
5-(3-Fluoro-phenyl)-3-(4-methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-
20 [1,2,4]oxadiazole,
2-(5-m-Tolyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-pyridine,
2-[5-(3-Methoxy-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-1*H*-imidazo[4,5-
b]pyridine,
5-(3-Fluoro-5-methyl-phenyl)-3-(4-methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-
25 ylsulfanylmethyl)-[1,2,4]oxadiazole,
3-Methyl-5-[3-(4-methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazol-5-yl]-pyridine,
3-(4-Methyl-5-phenyl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-m-tolyl-[1,2,4]oxadiazole,
2-[4-Methyl-5-(5-m-tolyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4*H*-[1,2,4]triazol-3-yl]-
30 pyridine,
4-Benzyl-2-[4-methyl-5-(5-m-tolyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4*H*-
[1,2,4]triazol-3-yl]-morpholine,
4-[4-Methyl-5-(5-thiophen-3-yl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4*H*-[1,2,4]triazol-
3-yl]-pyridine,
35 3-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-thiazol-4-yl-

[1,2,4]oxadiazole,
3-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(3-nitro-phenyl)-
[1,2,4]oxadiazole,
2-Methyl-4-[3-(4-methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazol-5-yl]-pyridine,
5 3-[4-Methyl-5-(5-m-tolyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4*H*-[1,2,4]triazol-3-yl]-
pyridine,
3-(4-Methyl-5-thiophene-3-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-m-tolyl-
[1,2,4]oxadiazole,
10 3-(4-Methyl-5-thiazol-4-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-m-tolyl-
[1,2,4]oxadiazole,
5-(3-Iodo-phenyl)-3-(4-methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,
5-(3-Ethyl-phenyl)-3-(4-methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-
15 [1,2,4]oxadiazole,
2-[5-(2-Methyl-pyridin-4-yl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-1*H*-benzoimidazole,
2-[5-(3-Iodo-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-1*H*-benzoimidazole,
3-(4-Methyl-5-trifluoromethyl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-m-tolyl-
[1,2,4]oxadiazole,
20 2,6-Dichloro-4-[4-methyl-5-(5-m-tolyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4*H*-
[1,2,4]triazol-3-yl]-pyridine,
3-(4-Methyl-5-p-tolyl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-m-tolyl-[1,2,4]oxadiazole,
Dimethyl-{3-[3-(4-methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazol-5-yl]phenyl}-amine,
25 5-(3-Chloro-phenyl)-3-(4-methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,
3-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(3-
trifluoromethoxy-phenyl)[1,2,4]oxadiazole,
3-(5-Cyclohexyl-4-methyl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-m-tolyl-
30 [1,2,4]oxadiazole,
3-(5-tert-Butyl-4-methyl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-m-tolyl-
[1,2,4]oxadiazole,
5-(3-Bromo-phenyl)-3-(4-methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,
35 2-[5-(3-Bromo-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-1*H*-benzoimidazole,

5-(3-Methoxymethyl-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-
lsulfanylmethyl)-[1,2,4]oxadiazole,

2-[5-(3-Methoxymethyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-1H-
benzoimidazole,

4-[5-(4-Methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-
3-yl]-pyridine,

2-{1-[5-(3-Methoxy-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-1-methyl-1H-
imidazo[4,5-b]pyridine,

2-[5-(3-Methoxy-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-1-methyl-1H-
imidazo[4,5-b],

3-[1-Methyl-1-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanyl)-ethyl]-5-m-
tolyl-[1,2,4]oxadiazole,

3-[1-(4-Methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanyl)-ethyl]-5-m-tolyl-
[1,2,4]oxadiazole,

3-(4-Methyl-5-thiophen-2-yl-4H-[1,2,4]triazole-3-sulfonylmethyl)-5-m-tolyl-
[1,2,4]oxadiazole,

3-(4-Methyl-5-thiophen-2-yl-4H-[1,2,4]triazole-3-sulfinylmethyl)-5-m-tolyl-
[1,2,4]oxadiazole, or

5-(3-Furan-3-yl-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl)-[1,2,4]oxadiazole,

4-(4-Cyclopropyl-5-{1-[5-(2,5-difluoro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-
4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{1-[5-(3-Methoxy-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-methyl-4H-
[1,2,4]triazol-3-yl)-pyridine,

4-{4-Methyl-5-[1-(5-m-tolyl-[1,2,4]oxadiazol-3-yl)-ethylsulfanyl]-4H-[1,2,4]triazol-3-
yl}-pyridine,

5-(4-Methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-3-o-tolyl-
[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-(4-cyclopropyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl)-[1,2,4]oxadiazole,

2-{3-[5-(2-Fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-5-thiophen-2-
yl-[1,2,4]triazol-4-yl}-ethanol,

4-{4-Ethyl-5-[5-(2-fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4H-
[1,2,4]triazol-3-yl}-pyrimidine,

3-(4-Ethyl-5-furan-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(2-fluoro-5-methyl-

phenyl)-[1,2,4]oxadiazole,
{3-[5-(2-Fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-5-thiophen-2-yl-
[1,2,4]triazol-4-yl}-acetic acid methyl ester,
5-(2-Fluoro-5-methyl-phenyl)-3-[5-furan-2-yl-4-(2-methoxy-ethyl)-4H-[1,2,4]triazol-3-
5 ylsulfanylmethyl]-[1,2,4]oxadiazole,
3-(4-Cyclopropyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(2-fluoro-5-
methyl-phenyl)-[1,2,4]oxadiazole,
3-(5-Chloro-2-fluoro-phenyl)-5-(4-cyclopropylmethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-
3-ylsulfanylmethyl)-[1,2,4]oxadiazole,
10 4-{5-[3-(5-Chloro-2-fluoro-phenyl)-[1,2,4]oxadiazol-5-ylmethylsulfanyl]-4-ethyl-4H-
[1,2,4]triazol-3-yl}-pyrimidine,
3-(5-Cyclopentyl-4-ethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-m-tolyl-
[1,2,4]oxadiazole,
3-(3-Chloro-phenyl)-5-{4-ethyl-5-[2-(4-methoxy-phenyl)-ethyl]-4H-[1,2,4]triazol-3-
15 ylsulfanylmethyl}-[1,2,4]oxadiazole,
5-(3-Chloro-phenyl)-3-(4-ethyl-5-p-tolylloxymethyl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl)-[1,2,4]oxadiazole,
5-(3-Chloro-phenyl)-3-[4-(2-methoxy-ethyl)-5-thiophen-2-yl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl]-[1,2,4]oxadiazole,
20 3-(5-Chloro-2-fluoro-phenyl)-5-(4-ethyl-5-methoxymethyl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl)-[1,2,4]oxadiazole,
5-(5-Chloro-2-fluoro-phenyl)-3-(4-ethyl-5-methoxymethyl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl)-[1,2,4]oxadiazole,
5-(3-Chloro-phenyl)-3-(4-ethyl-5-methoxymethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
25 [1,2,4]oxadiazole,
3-(3-Chloro-phenyl)-5-(4-ethyl-5-methoxymethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,
4-(5-{1-[3-(3-Chloro-phenyl)-isoxazol-5-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-
yl)-pyridine,
30 3-(4-Allyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(3-chloro-phenyl)-
[1,2,4]oxadiazole,
3-(4-Allyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-thiophen-3-yl-
[1,2,4]oxadiazole,
5-(4-Allyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-3-furan-2-yl-
35 [1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[4-ethyl-5-(4-methoxy-phenoxy-methyl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

3-(3-Chloro-phenyl)-5-[4-ethyl-5-(4-methoxy-phenoxy-methyl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

{5-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-methanol,

3-(3-Chloro-phenyl)-5-[4-ethyl-5-(2-methoxy-ethyl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

3-(3-Chloro-phenyl)-5-(4-ethyl-5-methylsulfanylmethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

3-(3-Chloro-phenyl)-5-(5-ethoxymethyl-4-ethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazole-3-carboxylic acid methyl ester,

2-(5-Chloro-2-fluoro-phenyl)-5-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,3,4]oxadiazole,

2-(3-Chloro-phenyl)-5-(4-cyclopropyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,3,4]oxadiazole,

5-(3-Chloro-phenyl)-3-{1-[4-ethyl-5-(tetrahydro-furan-2-yl)-4H-[1,2,4]triazol-3-ylsulfanyl]-ethyl}-[1,2,4]oxadiazole,

4-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-pyridazine,

4-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-ylmethyl)-pyridine,

5-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-pyridin-2-ol,

4-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-phenol,

5-(3-Chloro-phenyl)-3-[5-(4-methoxy-phenoxy-methyl)-4-(tetrahydro-furan-2-ylmethyl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[4-cyclopropyl-5-(4-methoxy-phenoxy-methyl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

5-(5-Chloro-2-fluoro-phenyl)-3-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

3-(4-Ethyl-5-methoxymethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-m-tolyl-

[1,2,4]oxadiazole,

3-[4-Ethyl-5-(tetrahydro-furan-2-yl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-5-m-tolyl-
[1,2,4]oxadiazole,

2-(3-Chloro-phenyl)-5-{1-[4-ethyl-5-(4-methoxy-phenyl)-4H-[1,2,4]triazol-3-ylsulfanyl]-
ethyl}-[1,3,4]oxadiazole,

4-{5-[3-(2,5-Difluoro-phenyl)-[1,2,4]oxadiazol-5-ylmethysulfanyl]-4-ethyl-4H-
[1,2,4]triazol-3-yl}-pyrimidine,

4-{5-[5-(5-Chloro-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethysulfanyl]-4-methyl-4H-
[1,2,4]triazol-3-yl}-pyrimidine,

3-(3-Chloro-phenyl)-5-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,

5-(3-Methylsulfanyl-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl)-[1,2,4]oxadiazole,

2-[5-(3-Methylsulfanyl-phenyl)-[1,2,4]oxadiazol-3-ylmethysulfanyl]-1H-
benzoimidazole,

5-(2,5-Dimethyl-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(2-Fluoro-5-methyl-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(3-Cyclopropyl-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl)-[1,2,4]oxadiazole,

4-{5-[2-(3-Chloro-phenyl)-oxazol-4-ylmethysulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-
pyridine,

4-[4-Methyl-5-(5-thiophen-2-yl-[1,2,4]oxadiazol-3-ylmethysulfanyl)-4H-[1,2,4]triazol-
3-yl]-pyridine,

4-{4-Methyl-5-[5-(3-methylsulfanyl-phenyl)-[1,2,4]oxadiazol-3-ylmethysulfanyl]-4H-
[1,2,4]triazol-3-yl}-pyridine,

4-{5-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethysulfanyl]-4-methyl-4H-
[1,2,4]triazol-3-yl}-pyridine,

2-Methyl-4-[3-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazol-5-yl]-pyridine,

1-{3-[3-(4-Methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazol-5-yl]-phenyl}-ethanone,

4-{5-[5-(2-Fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-ylmethysulfanyl]-4-methyl-4H-
[1,2,4]triazol-3-yl}-pyridine,

2-Methyl-4-[4-methyl-5-(5-m-tolyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4H-

[1,2,4]triazol-3-yl]-pyridine,

3-[5-(3-Chloro-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-methyl-5-thiophen-2-yl-4H-

[1,2,4]triazole,

4-{5-[5-(3-Chloro-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

3-(4-Butyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(3-chloro-phenyl)-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[4-(3-methoxy-propyl)-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

3-(4-Benzyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(3-chloro-phenyl)-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-(4-furan-2-ylmethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

3-{5-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

5-(3-Chloro-phenyl)-3-(4-methyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

4-{5-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-2-methyl-pyridine,

5-(5-Chloro-2-fluoro-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

4-{5-[5-(5-Chloro-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

3-{5-[5-(2-Fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

5-(3-Chloro-phenyl)-3-(5-thiophen-2-yl-4-thiophen-2-ylmethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

3-{5-[3-(2-Fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-5-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

4-{5-[3-(2-Fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-5-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

4-{5-[5-(5-Bromo-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-methyl-4H-

[1,2,4]triazol-3-yl}-pyridine,

3-{5-[5-(5-Bromo-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-methyl-4H-

[1,2,4]triazol-3-yl}-pyridine,

5-(5-Bromo-2-fluoro-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-

5 ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(4-Methyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-3-phenyl-

[1,2,4]oxadiazole,

3-{5-[5-(3-Fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-methyl-4H-

[1,2,4]triazol-3-yl}-pyridine,

10 4-{5-[5-(3-Fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-methyl-4H-

[1,2,4]triazol-3-yl}-pyridine,

5-(3-Fluoro-phenyl)-3-(4-methyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-

[1,2,4]oxadiazole,

3-[4-Methyl-5-(5-thiophen-3-yl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4H-[1,2,4]triazol-

15 3-yl]-pyridine,

3-(4-Methyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-thiophen-3-yl-

[1,2,4]oxadiazole,

2-Chloro-4-[3-(4-methyl-5-pyridin-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-

[1,2,4]oxadiazol-5-yl]-pyridine,

20 2-Chloro-4-[3-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-

[1,2,4]oxadiazol-5-yl]-pyridine,

2-Chloro-4-[3-(4-methyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-

[1,2,4]oxadiazol-5-yl]-pyridine,

4-[4-Methyl-5-(5-phenyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4H-[1,2,4]triazol-3-yl]-

25 pyridine,

3-(4-Methyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-phenyl-

[1,2,4]oxadiazole,

5-(5-Bromo-2-fluoro-phenyl)-3-(4-methyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-

ylsulfanylmethyl)-[1,2,4]oxadiazole,

30 3-[5-(3-Chloro-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-ethyl-5-thiophen-2-yl-4H-

[1,2,4]triazole,

2-Chloro-4-[3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-

[1,2,4]oxadiazol-5-yl]-pyridine,

4-{5-[3-(3-Fluoro-phenyl)-[1,2,4]oxadiazol-5-ylmethylsulfanyl]-4-methyl-4H-

35 [1,2,4]triazol-3-yl}-pyridine,

3-(3-Fluoro-phenyl)-5-(4-methyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,
3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-m-tolyl-
[1,2,4]oxadiazole,
5 3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(2-fluoro-5-methyl-
phenyl)-[1,2,4]oxadiazole,
4-{5-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-furan-2-ylmethyl-4H-
[1,2,4]triazol-3-yl}-pyridine,
4-{5-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-ethyl-4H-
10 [1,2,4]triazol-3-yl}-pyridine,
3-{5-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-ethyl-4H-
[1,2,4]triazol-3-yl}-pyridine,
5-(3-Chloro-phenyl)-3-(4-ethyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,
15 3-{5-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-furan-2-ylmethyl-4H-
[1,2,4]triazol-3-yl}-pyridine,
3-(4-Furan-2-ylmethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-m-tolyl-
[1,2,4]oxadiazole,
5-(5-Fluoro-2-methyl-phenyl)-3-(4-furan-2-ylmethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-
20 3-ylsulfanylmethyl)-[1,2,4]oxadiazole,
5-(3-Chloro-phenyl)-3-(4-furan-2-ylmethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,
3-[3-(4-Methyl-5-pyridin-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-
yl]-benzonitrile,
25 3-[3-(4-Methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-
yl]-benzonitrile,
3-[3-(4-Methyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-
5-yl]-benzonitrile,
5-(5-Chloro-2-fluoro-phenyl)-3-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-
30 ylsulfanylmethyl)-[1,2,4]oxadiazole,
2-Chloro-4-[3-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazol-5-yl]-pyridine,
3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-thiophen-3-yl-
[1,2,4]oxadiazole,
35 3-(4-Ethyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-m-tolyl-

[1,2,4]oxadiazole,

4-[4-Ethyl-5-(5-m-tolyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4H-[1,2,4]triazol-3-yl]-pyridine,

3-[4-Ethyl-5-(5-m-tolyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4H-[1,2,4]triazol-3-yl]-pyridine,

3-(4-Ethyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(2-fluoro-5-methyl-phenyl)-[1,2,4]oxadiazole,

4-{4-Ethyl-5-[5-(2-fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4H-[1,2,4]triazol-3-yl}-pyridine,

3-{4-Ethyl-5-[5-(2-fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4H-[1,2,4]triazol-3-yl}-pyridine,

3-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-5-pyridin-4-yl-[1,2,4]triazol-4-ylamine,

4-{5-[5-(5-Bromo-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-pyridine,

5-(4-Methyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-3-thiophen-2-yl-[1,2,4]oxadiazole,

3-[3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-benzonitrile,

3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-phenyl-[1,2,4]oxadiazole,

4-[3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-2-methoxy-pyridine,

3-(3-Chloro-phenyl)-5-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

4-{5-[5-(3-Chloro-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-pyridine,

2-Methyl-4-[3-(4-methyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-pyridine,

4-[3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-2-methyl-pyridine,

5-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-3-thiophen-2-yl-[1,2,4]oxadiazole,

4-{5-[5-(5-Chloro-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-pyridine,

4-[3-(4-Ethyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-2-methyl-pyridine,

3-{5-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-benzonitrile,

5-(3-Chloro-phenyl)-3-[5-(3-chloro-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[5-(4-chloro-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

4-{5-[5-(2,5-Dichloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-pyridine,

5-(2,5-Dichloro-phenyl)-3-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(2,5-Difluoro-phenyl)-3-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

4-{5-[5-(2,5-Difluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-pyridine,

5-(2,5-Dichloro-phenyl)-3-(4-ethyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(2,5-Difluoro-phenyl)-3-(4-ethyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

4-{5-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-propyl-4H-[1,2,4]triazol-3-yl}-pyridine,

4-{5-[5-(2-Fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-propyl-4H-[1,2,4]triazol-3-yl}-pyridine,

3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-thiophen-2-yl-[1,2,4]oxadiazole,

3-(4-Methyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-thiophen-2-yl-[1,2,4]oxadiazole,

4-[4-Methyl-5-(3-thiophen-3-yl-[1,2,4]oxadiazol-5-ylmethylsulfanyl)-4H-[1,2,4]triazol-3-yl]-pyridine,

5-(4-Methyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-3-thiophen-3-yl-[1,2,4]oxadiazole,

5-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-3-thiophen-3-yl-[1,2,4]oxadiazole,

5-[3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-

yl]-thiophene-3-carbonitrile,

5-(3-Chloro-phenyl)-3-[5-(2-fluoro-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[5-(3-fluoro-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[5-(4-fluoro-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

3-(5-Benzo[b]thiophen-2-yl-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(3-chloro-phenyl)-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[5-(3-methoxy-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[5-(4-methoxy-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

3-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(2-fluoro-5-methyl-phenyl)-[1,2,4]oxadiazole,

3-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-m-tolyl-[1,2,4]oxadiazole,

3-(4-Ethyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(2-fluoro-5-methyl-phenyl)-[1,2,4]oxadiazole,

3-[5-(2-Fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-5-pyridin-4-yl-[1,2,4]triazol-4-ylamine,

3-[5-(2-Fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-5-thiophen-2-yl-[1,2,4]triazol-4-ylamine,

3-Pyridin-4-yl-5-(5-m-tolyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-[1,2,4]triazol-4-ylamine,

3-Thiophen-2-yl-5-(5-m-tolyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-[1,2,4]triazol-4-ylamine,

3-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-thiophen-3-yl-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

4-[3-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-2-methyl-pyridine,

5-(2,5-Difluoro-phenyl)-3-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

4-[4-Ethyl-5-(5-thiophen-3-yl-isoxazol-3-ylmethylsulfanyl)-4H-[1,2,4]triazol-3-yl]-pyridine,

4-Ethyl-3-furan-2-yl-5-(5-thiophen-3-yl-isoxazol-3-ylmethylsulfanyl)-4H-[1,2,4]triazole,

5-(3-Chloro-phenyl)-3-[5-(3,5-dichloro-phenyl)-4-ethyl-4H-[1,2,4]triazol-3-

5 ylsulfanylmethyl]-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-(4-ethyl-5-p-tolyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-(4-ethyl-5-m-tolyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

10 5-(3-Chloro-phenyl)-3-[4-ethyl-5-(3-nitro-phenyl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

4-{5-[3-(3-Chloro-phenyl)-isoxazol-5-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

15 5-(3-Chloro-phenyl)-3-[5-(2,5-difluoro-phenyl)-4-ethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[5-(3-chloro-phenyl)-4-ethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[5-(4-chloro-phenyl)-4-ethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

20 4-{5-[5-(3-Chloro-phenyl)-oxazol-2-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-pyridine,

3-[5-(3-Chloro-phenyl)-oxazol-2-ylmethylsulfanyl]-4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazole,

25 3-[5-(3-Chloro-phenyl)-oxazol-2-ylmethylsulfanyl]-4-ethyl-5-furan-2-yl-4H-[1,2,4]triazole,

5-(2-Chloro-5-methyl-phenyl)-3-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

4-{5-[3-(3-Chloro-phenyl)-isoxazol-5-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-pyridine,

30 3-[3-(3-Chloro-phenyl)-isoxazol-5-ylmethylsulfanyl]-4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazole,

3-[3-(3-Chloro-phenyl)-isoxazol-5-ylmethylsulfanyl]-4-ethyl-5-furan-2-yl-4H-[1,2,4]triazole,

35 4-{5-[5-(2-Fluoro-5-methyl-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

5-(2,5-Dichloro-thiophen-3-yl)-3-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,
4-{5-[5-(2,5-Dichloro-thiophen-3-yl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-pyridine,
5 4-{4-Ethyl-5-[5-(2-fluoro-5-methyl-phenyl)-isoxazol-3-ylmethylsulfanyl]-4H-[1,2,4]triazol-3-yl}-pyridine,
4-Ethyl-3-[5-(2-fluoro-5-methyl-phenyl)-isoxazol-3-ylmethylsulfanyl]-5-thiophen-2-yl-4H-[1,2,4]triazole,
4-Ethyl-3-[5-(2-fluoro-5-methyl-phenyl)-isoxazol-3-ylmethylsulfanyl]-5-furan-2-yl-4H-[1,2,4]triazole,
10 5-(3-Chloro-phenyl)-3-(4-ethyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,
3-(3-Chloro-phenyl)-5-(4-ethyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,
15 3-(4-Ethyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-thiophen-3-yl-[1,2,4]oxadiazole,
5-(4-Ethyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-3-thiophen-3-yl-[1,2,4]oxadiazole,
5-(3-Chloro-phenyl)-3-[4-ethyl-5-(3-fluoro-phenyl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,
20 5-(3-Chloro-phenyl)-3-[4-ethyl-5-(4-fluoro-phenyl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,
3-(4-Ethyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-thiophen-2-yl-[1,2,4]oxadiazole,
25 3-{3-[5-(3-Chloro-thiophen-2-yl)-4-ethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazol-5-yl}-benzonitrile,
4-{5-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-pyridine,
2-(3-Chloro-phenyl)-5-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,3,4]oxadiazole,
30 5-(3-Chloro-phenyl)-3-[4-ethyl-5-(4-methoxy-phenyl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,
5-(3-Chloro-phenyl)-3-[5-(2-fluoro-5-methyl-phenyl)-4-furan-2-ylmethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,
35 4-[3-(4-Ethyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-

5-yl]-2-methyl-pyridine,

3-(4-Ethyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(3-methoxy-phenyl)-[1,2,4]oxadiazole,

5-(4-Ethyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-3-(3-methoxy-phenyl)-[1,2,4]oxadiazole,

5-(4-Ethyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-3-thiophen-2-yl-[1,2,4]oxadiazole,

5-(5-Chloro-2-fluoro-phenyl)-3-(4-ethyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

3-[3-(4-Ethyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-benzonitrile,

3-[5-(3-Chloro-phenyl)-isoxazol-3-ylmethysulfanyl]-4-ethyl-5-trifluoromethyl-4H-[1,2,4]triazole,

3-[5-(3-Chloro-phenyl)-oxazol-2-ylmethysulfanyl]-4-ethyl-5-trifluoromethyl-4H-[1,2,4]triazole,

4-Ethyl-3-(5-thiophen-3-yl-isoxazol-3-ylmethysulfanyl)-5-trifluoromethyl-4H-[1,2,4]triazole,

4-{3-[5-(3-Fluoro-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazol-5-yl}-2-methyl-pyridine,

4-{3-[5-(3-Chloro-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazol-5-yl}-2-methyl-pyridine,

4-{3-[5-(4-Chloro-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazol-5-yl}-2-methyl-pyridine,

4-{3-[5-(4-Methoxy-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazol-5-yl}-2-methyl-pyridine,

4-[3-(4-Ethyl-5-p-tolyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-2-methyl-pyridine,

3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(3-fluoro-phenyl)-[1,2,4]oxadiazole,

4-{4-Ethyl-5-[5-(3-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethysulfanyl]-4H-[1,2,4]triazol-3-yl}-pyridine,

5-(3-Chloro-phenyl)-3-[5-(3,5-difluoro-phenyl)-4-ethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[5-(2,6-difluoro-phenyl)-4-ethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

2-[3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-4-methyl-phenol,

3-{1-[5-(3-Chloro-phenyl)-isoxazol-3-yl]-ethylsulfanyl}-4-ethyl-5-furan-2-yl-4H-[1,2,4]triazole,

4-(5-{1-[5-(3-Chloro-phenyl)-isoxazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-pyridine,

3-[5-(4-Butoxy-phenyl)-4-ethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-5-(3-chloro-phenyl)-[1,2,4]oxadiazole,

3-(5-Benzo[1,3]dioxol-5-yl-4-ethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(3-chloro-phenyl)-[1,2,4]oxadiazole,

3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(2-methyl-thiazol-4-yl)-[1,2,4]oxadiazole,

3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(4-fluoro-phenyl)-[1,2,4]oxadiazole,

4-Ethyl-3-{1-[5-(2-fluoro-5-methyl-phenyl)-isoxazol-3-yl]-ethylsulfanyl}-5-furan-2-yl-4H-[1,2,4]triazole,

4-(4-Ethyl-5-{1-[5-(2-fluoro-5-methyl-phenyl)-isoxazol-3-yl]-ethylsulfanyl}-4H-[1,2,4]triazol-3-yl)-pyridine,

5-(3-Chloro-phenyl)-3-[4-ethyl-5-(3-methyl-3H-imidazol-4-yl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[4-ethyl-5-(1-methyl-1H-imidazol-2-yl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[4-ethyl-5-(1-methyl-1H-imidazol-4-yl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

4-{5-[5-(3-Chloro-phenyl)-4-methyl-isoxazol-3-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-pyridine,

3-[5-(3-Chloro-phenyl)-4-methyl-isoxazol-3-ylmethylsulfanyl]-4-ethyl-5-furan-2-yl-4H-[1,2,4]triazole,

3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(4-methyl-thiophen-2-yl)-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[4-ethyl-5-(3-methyl-thiophen-2-yl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[4-ethyl-5-(5-methyl-thiophen-2-yl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

4-{5-[4-Chloro-5-(3-chloro-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-ethyl-4H-

[1,2,4]triazol-3-yl}-pyridine,
3-[4-Chloro-5-(3-chloro-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-ethyl-5-furan-2-yl-4H-
[1,2,4]triazole,
2-Chloro-4-{5-[5-(3-chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-ethyl-4H-
[1,2,4]triazol-3-yl}-6-methyl-pyridine,
3-[5-(5-Bromo-furan-2-yl)-4-ethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-5-(3-chloro-
phenyl)-[1,2,4]oxadiazole,
2-Chloro-4-{5-[5-(3-chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-ethyl-4H-
[1,2,4]triazol-3-yl}-pyridine,
2-Chloro-4-{5-[5-(3-chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-ethyl-4H-
[1,2,4]triazol-3-yl}-6-methoxy-pyridine,
2-[3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-
yl]-4-methyl-benzonitrile,
5-(3-Chloro-phenyl)-3-[4-ethyl-5-(3-methoxy-thiophen-2-yl)-4H-[1,2,4]triazol-3-
ylsulfanylmethyl]-[1,2,4]oxadiazole,
3-[5-(5-Chloro-thiophen-3-yl)-isoxazol-3-ylmethylsulfanyl]-4-ethyl-5-furan-2-yl-4H-
[1,2,4]triazole,
3-[3-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-
5-fluoro-benzonitrile,
4-Ethyl-3-(5-phenyl-isoxazol-3-ylmethylsulfanyl)-5-thiophen-2-yl-4H-[1,2,4]triazole,
4-Methyl-3-(5-phenyl-isoxazol-3-ylmethylsulfanyl)-5-thiophen-3-yl-4H-[1,2,4]triazole,
4-Ethyl-3-furan-2-yl-5-(5-phenyl-isoxazol-3-ylmethylsulfanyl)-4H-[1,2,4]triazole,
4-[4-Ethyl-5-(5-phenyl-isoxazol-3-ylmethylsulfanyl)-4H-[1,2,4]triazol-3-yl]-pyridine,
4-[4-Methyl-5-(5-phenyl-isoxazol-3-ylmethylsulfanyl)-4H-[1,2,4]triazol-3-yl]-pyridine,
2-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-m-tolyl-
[1,3,4]oxadiazole,
4-[4-Methyl-5-(5-m-tolyl-[1,3,4]oxadiazol-2-ylmethylsulfanyl)-4H-[1,2,4]triazol-3-yl]-
pyridine,
4-[4-Ethyl-5-(5-m-tolyl-[1,3,4]oxadiazol-2-ylmethylsulfanyl)-4H-[1,2,4]triazol-3-yl]-
pyridine,
4-{5-[5-(5-Chloro-thiophen-3-yl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-ethyl-4H-
[1,2,4]triazol-3-yl}-pyridine,
3-[3-(4-Ethyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-
yl]-4-fluoro-benzonitrile,
3-[3-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-

4-fluoro-benzonitrile,

3-[3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-4-fluoro-benzonitrile,

3-[3-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-benzonitrile,

3-[5-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-3-yl]-benzonitrile,

3-[3-(4-Methyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-benzonitrile,

5-(5-Chloro-2-fluoro-phenyl)-3-(4-methyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

2-Chloro-4-[3-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-pyridine,

2-Chloro-4-[3-(5-furan-2-yl-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-pyridine,

2-(3-Chloro-phenyl)-5-[4-methyl-5-(2-methyl-thiazol-4-yl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,3,4]oxadiazole,

2-(3-Chloro-phenyl)-5-(4-methyl-5-thiazol-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,3,4]oxadiazole,

2-(3-Chloro-phenyl)-5-(5-furan-2-yl-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,3,4]oxadiazole,

2-(3-Chloro-phenyl)-5-(4-ethyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,3,4]oxadiazole,

4-{4-Ethyl-5-[5-(4-methyl-thiophen-2-yl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4H-[1,2,4]triazol-3-yl}-pyridine,

3-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(4-methyl-thiophen-2-yl)-[1,2,4]oxadiazole,

3-(3-Chloro-phenyl)-5-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

4-{5-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-pyridine,

4-{4-Ethyl-5-[5-(3-nitro-phenyl)-[1,3,4]oxadiazol-2-ylmethylsulfanyl]-4H-[1,2,4]triazol-3-yl}-pyridine,

2-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(3-nitro-phenyl)-[1,3,4]oxadiazole,

4-{5-[5-(3-Chloro-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-cyclopropyl-4H-[1,2,4]triazol-3-yl}-pyridine,
3-[5-(3-Chloro-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-ethyl-5-(4-methoxy-phenyl)-4H-[1,2,4]triazole,
5-(3-Chloro-phenyl)-3-[1-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanyl)-ethyl]-[1,2,4]oxadiazole,
5-(3-Chloro-phenyl)-3-[1-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanyl)-ethyl]-[1,2,4]oxadiazole,
4-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,
4-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-pyridine,
3-[5-(4-Ethyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,3,4]oxadiazol-2-yl]-benzonitrile,
3-[5-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,3,4]oxadiazol-2-yl]-benzonitrile,
3-[5-(4-Methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,3,4]oxadiazol-2-yl]-benzonitrile,
3-[5-(4-Cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,3,4]oxadiazol-2-yl]-benzonitrile,
4-{5-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,
4-{5-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-ylmethylsulfanyl]-4-cyclopropyl-4H-[1,2,4]triazol-3-yl}-pyridine,
4-{5-[5-(5-Chloro-2-fluoro-phenyl)-[1,3,4]oxadiazol-2-ylmethylsulfanyl]-4-cyclopropyl-4H-[1,2,4]triazol-3-yl}-pyridine,
2-(5-Chloro-2-fluoro-phenyl)-5-[4-ethyl-5-(4-methoxy-phenyl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,3,4]oxadiazole,
4-{5-[5-(5-Chloro-2-fluoro-phenyl)-[1,3,4]oxadiazol-2-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,
4-{5-[5-(5-Chloro-2-fluoro-phenyl)-[1,3,4]oxadiazol-2-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-pyridine,
2-(3-Chloro-phenyl)-5-[4-ethyl-5-(4-methoxy-phenyl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,3,4]oxadiazole,
2-(3-Chloro-phenyl)-5-[1-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanyl)-ethyl]-

[1,3,4]oxadiazole,

5-(5-Chloro-2-fluoro-phenyl)-3-[1-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanyl)-ethyl]-[1,2,4]oxadiazole,

4-(5-{1-[5-(5-Chloro-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{1-[5-(5-Chloro-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-pyridine,

2-Chloro-4-[3-(4-cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-pyridine,

4-{5-[5-(2-Fluoro-5-methyl-phenyl)-[1,3,4]oxadiazol-2-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

4-{4-Ethyl-5-[5-(2-fluoro-5-methyl-phenyl)-[1,3,4]oxadiazol-2-ylmethylsulfanyl]-4H-[1,2,4]triazol-3-yl}-pyridine,

4-{4-Cyclopropyl-5-[5-(2-fluoro-5-methyl-phenyl)-[1,3,4]oxadiazol-2-ylmethylsulfanyl]-4H-[1,2,4]triazol-3-yl}-pyridine,

2-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(2-fluoro-5-methyl-phenyl)-[1,3,4]oxadiazole,

2-[4-Ethyl-5-(4-methoxy-phenyl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-5-(2-fluoro-5-methyl-phenyl)-[1,3,4]oxadiazole,

4-{5-[5-(5-Chloro-2-fluoro-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-pyridine,

4-(5-{1-[5-(5-Chloro-2-fluoro-phenyl)-isoxazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-{5-[5-(5-Chloro-2-fluoro-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

4-(5-{1-[5-(5-Chloro-2-fluoro-phenyl)-isoxazol-3-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-{5-[5-(5-Chloro-2-fluoro-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-cyclopropyl-4H-[1,2,4]triazol-3-yl}-pyridine,

4-(5-{1-[5-(5-Chloro-2-fluoro-phenyl)-isoxazol-3-yl]-ethylsulfanyl}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,

3-[5-(5-Chloro-2-fluoro-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-ethyl-5-furan-2-yl-4H-[1,2,4]triazole,

3-{1-[5-(5-Chloro-2-fluoro-phenyl)-isoxazol-3-yl]-ethylsulfanyl}-4-ethyl-5-furan-2-yl-4H-[1,2,4]triazole,

4-(5-{1-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{1-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{1-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,

5-(5-Chloro-2-fluoro-phenyl)-3-(5-furan-2-yl-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(5-Chloro-2-fluoro-phenyl)-3-(5-furan-3-yl-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

4-Chloro-2-[3-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-phenol,

2-Chloro-4-[5-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,3,4]oxadiazol-2-yl]-pyridine,

2-Chloro-4-[5-(4-ethyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,3,4]oxadiazol-2-yl]-pyridine,

2-Chloro-4-[5-(4-cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,3,4]oxadiazol-2-yl]-pyridine,

2-Chloro-4-[5-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,3,4]oxadiazol-2-yl]-pyridine,

2-Chloro-4-{5-[4-ethyl-5-(4-methoxy-phenyl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,3,4]oxadiazol-2-yl}-pyridine,

2-(3-Chloro-phenyl)-5-{1-[5-(4-methoxy-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanyl]-ethyl}-[1,3,4]oxadiazole,

4-(5-{1-[5-(5-Chloro-2-fluoro-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

5-(5-Bromo-2-fluoro-phenyl)-3-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

2-(3-Chloro-phenyl)-5-[5-(4-methoxy-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,3,4]oxadiazole,

4-{5-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-ylmethylsulfanyl]-4-cyclopropyl-4H-[1,2,4]triazol-3-yl}-pyridine,

4-{5-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-cyclopropyl-4H-[1,2,4]triazol-3-yl}-pyridine,

4-(5-{1-[5-(2-Fluoro-5-methyl-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-4-methyl-

4H-[1,2,4]triazol-3-yl)-pyridine,
4-(4-Ethyl-5-{1-[5-(2-fluoro-5-methyl-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-4H-[1,2,4]triazol-3-yl)-pyridine,
4-(4-Cyclopropyl-5-{1-[5-(2-fluoro-5-methyl-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-4H-[1,2,4]triazol-3-yl)-pyridine,
5 4-(4-Cyclopropylmethyl-5-{1-[5-(2-fluoro-5-methyl-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-4H-[1,2,4]triazol-3-yl)-pyridine,
2-(2-Fluoro-5-methyl-phenyl)-5-{1-[4-methyl-5-(2-methyl-thiazol-4-yl)-4H-[1,2,4]triazol-3-ylsulfanyl]-ethyl}-[1,3,4]oxadiazole,
10 4-(5-{1-[5-(5-Chloro-2-fluoro-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-pyridine,
4-(5-{1-[5-(5-Chloro-2-fluoro-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,
2-(5-Chloro-2-fluoro-phenyl)-5-[1-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanyl)-ethyl]-[1,3,4]oxadiazole,
15 2-(5-Chloro-2-fluoro-phenyl)-5-{1-[4-methyl-5-(2-methyl-thiazol-4-yl)-4H-[1,2,4]triazol-3-ylsulfanyl]-ethyl}-[1,3,4]oxadiazole,
4-(4-Cyclopropylmethyl-5-{1-[5-(2-fluoro-5-methyl-phenyl)-isoxazol-3-yl]-ethylsulfanyl}-4H-[1,2,4]triazol-3-yl)-pyridine,
20 4-(5-{1-[5-(3-Fluoro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,
4-(4-Cyclopropyl-5-{1-[5-(3-fluoro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4H-[1,2,4]triazol-3-yl)-pyridine,
4-(5-{1-[5-(4-Methoxy-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanyl]-ethyl}-[1,3,4]oxadiazol-2-yl)-2-methyl-pyridine,
25 4-(5-{1-[4-Ethyl-5-(4-methoxy-phenyl)-4H-[1,2,4]triazol-3-ylsulfanyl]-ethyl}-[1,3,4]oxadiazol-2-yl)-2-methyl-pyridine,
4-{5-[1-(4-Ethyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanyl)-ethyl]-[1,3,4]oxadiazol-2-yl}-2-methyl-pyridine,
30 4-{5-[1-(4-Cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanyl)-ethyl]-[1,3,4]oxadiazol-2-yl}-2-methyl-pyridine,
4-{5-[1-(5-Furan-2-yl-4-methyl-4H-[1,2,4]triazol-3-ylsulfanyl)-ethyl]-[1,3,4]oxadiazol-2-yl}-2-methyl-pyridine,
2-(3-Chloro-phenyl)-5-{1-[4-methyl-5-(2-methyl-thiazol-4-yl)-4H-[1,2,4]triazol-3-ylsulfanyl]-ethyl}-[1,3,4]oxadiazole,
35

3-(5-{1-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{1-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-2-methyl-pyridine,

4-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,

5-(3-Chloro-phenyl)-3-{1-[5-(4-methoxy-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanyl]-ethyl}-[1,2,4]oxadiazole,

4-(5-{1-[5-(5-Chloro-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,

5-(5-Chloro-2-fluoro-phenyl)-3-{1-[5-(4-methoxy-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanyl]-ethyl}-[1,2,4]oxadiazole,

4-[5-(4-Ethyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,3,4]oxadiazol-2-yl]-2-methyl-pyridine,

4-[5-(4-Cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,3,4]oxadiazol-2-yl]-2-methyl-pyridine,

4-{5-[5-(5-Chloro-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethysulfanyl]-4-cyclopropyl-4H-[1,2,4]triazol-3-yl}-pyridine,

4-[5-(5-Furan-2-yl-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,3,4]oxadiazol-2-yl]-2-methyl-pyridine,

4-(5-{1-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-4-cyclopropylmethyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{1-[5-(4-Fluoro-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanyl]-ethyl}-[1,3,4]oxadiazol-2-yl)-2-methyl-pyridine,

4-(5-{1-[5-(3-Fluoro-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanyl]-ethyl}-[1,3,4]oxadiazol-2-yl)-2-methyl-pyridine,

3-[3-(4-Cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-4-fluoro-benzonitrile,

4-Chloro-2-[3-(4-cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-phenol,

4-{4-Cyclopropyl-5-[5-(3-methoxy-phenyl)-[1,2,4]oxadiazol-3-ylmethysulfanyl]-4H-[1,2,4]triazol-3-yl}-pyridine,

4-{4-Cyclopropyl-5-[5-(2-fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-ylmethysulfanyl]-4H-[1,2,4]triazol-3-yl}-pyridine,

4-{4-Cyclopropyl-5-[5-(3-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethysulfanyl]-4H-

[1,2,4]triazol-3-yl}-pyridine,
4-[4-Cyclopropyl-5-(5-m-tolyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4H-[1,2,4]triazol-3-yl]-pyridine,
3-[3-(4-Cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-benzonitrile,
4-{4-Cyclopropyl-5-[5-(2,5-difluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4H-[1,2,4]triazol-3-yl}-pyridine,
4-{4-Cyclopropyl-5-[1-(5-m-tolyl-[1,2,4]oxadiazol-3-yl)-ethylsulfanyl]-4H-[1,2,4]triazol-3-yl}-pyridine,
4-(4-Cyclopropyl-5-{1-[5-(3-methoxy-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4H-[1,2,4]triazol-3-yl)-pyridine,
4-{5-[5-(2-Chloro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-cyclopropyl-4H-[1,2,4]triazol-3-yl}-pyridine,
2-[3-(4-Cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-4-methyl-phenol,
4-(5-{1-[5-(2-Chloro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,
{3-[3-(4-Methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-phenyl}-methanol,
3-[5-(4-Methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-3-yl]-phenol,
5-(3-Chloro-phenyl)-3-[4-(tetrahydro-furan-2-ylmethyl)-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,
(2-Chloro-phenyl)-{5-[5-(3-chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-isobutyl-4H-[1,2,4]triazol-3-yl}-methanol,
5-(2-Fluoro-5-methyl-phenyl)-3-[5-thiophen-2-yl-4-(2,2,2-trifluoro-ethyl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,
3-(2,5-Difluoro-phenyl)-5-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,
5-Furan-3-yl-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,
3-(3-Chloro-phenyl)-5-(5-furan-2-yl-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,
3-(3-Chloro-phenyl)-5-(5-furan-3-yl-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-(5-furan-2-yl-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-(5-furan-3-yl-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,

4-{5-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-methyl-4H-
[1,2,4]triazol-3-yl}-pyrimidine,

4-{5-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-ylmethylsulfanyl]-4-methyl-4H-
[1,2,4]triazol-3-yl}-pyrimidine,

3-(5-Chloro-2-fluoro-phenyl)-5-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl)-[1,2,4]oxadiazole,

3-(5-Chloro-2-fluoro-phenyl)-5-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(5-Chloro-thiophen-2-yl)-3-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(5-Chloro-thiophen-2-yl)-3-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(5-Chloro-thiophen-3-yl)-3-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl)-[1,2,4]oxadiazole,

4-{5-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-ethyl-4H-
[1,2,4]triazol-3-ylmethoxy}-phenol,

4-{5-[5-(5-Chloro-2-fluoro-phenyl)-[1,3,4]oxadiazol-2-ylmethylsulfanyl]-4-ethyl-4H-
[1,2,4]triazol-3-ylmethoxy}-phenol,

3-(2,5-Difluoro-phenyl)-5-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,

3-(2,5-Difluoro-phenyl)-5-(5-furan-2-yl-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,

4-(5-{1-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-ethylsulfanyl}-4-methyl-4H-
[1,2,4]triazol-3-yl)-pyridine,

4-{5-[5-(5-Chloro-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-cyclopropyl-
4H-[1,2,4]triazol-3-yl}-pyrimidine,

2-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-
[1,2,4]triazol-3-yl)-5-methoxy-pyrimidine,

2-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-
[1,2,4]triazol-3-yl)-pyrimidine,

4-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-

[1,2,4]triazol-3-yl)-2-methoxy-pyridine,
5-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-
[1,2,4]triazol-3-yl)-2-methoxy-pyridine,
2-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-
5 [1,2,4]triazol-3-yl)-5-methoxy-pyridine,
3-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-
[1,2,4]triazol-3-yl)-6-methoxy-pyridazine,
3-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-cyclopropyl-4H-
[1,2,4]triazol-3-yl)-pyridine,
10 4-{5-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-ylmethylsulfanyl]-4-methyl-4H-
[1,2,4]triazol-3-yl}-pyridine,
5-(3-Chloro-phenyl)-3-(5-furan-2-yl-4-isobutyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,
5-(3-Chloro-phenyl)-3-[4-(3-methylsulfanyl-propyl)-5-thiophen-2-yl-4H-[1,2,4]triazol-3-
15 ylsulfanylmethyl]-[1,2,4]oxadiazole,
5-(3-Chloro-phenyl)-3-(4-hexyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,
5-(3-Chloro-phenyl)-3-(4-cyclopropylmethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl)-[1,2,4]oxadiazole,
20 5-(3-Chloro-phenyl)-3-[4-(3-fluoro-benzyl)-5-thiophen-2-yl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl]-[1,2,4]oxadiazole,
5-(3-Chloro-phenyl)-3-[4-(3-methyl-benzyl)-5-thiophen-2-yl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl]-[1,2,4]oxadiazole,
5-(3-Chloro-phenyl)-3-[4-(2-methyl-butyl)-5-thiophen-2-yl-4H-[1,2,4]triazol-3-
25 ylsulfanylmethyl]-[1,2,4]oxadiazole,
5-(3-Chloro-phenyl)-3-[4-(3-methyl-butyl)-5-thiophen-2-yl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl]-[1,2,4]oxadiazole,
5-(3-Chloro-phenyl)-3-[4-(2-fluoro-benzyl)-5-thiophen-2-yl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl]-[1,2,4]oxadiazole,
30 5-(3-Chloro-phenyl)-3-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-yloxymethyl)-
[1,2,4]oxadiazole,
4-{5-[5-(5-Chloro-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethoxy]-4-methyl-4H-
[1,2,4]triazol-3-yl}-pyridine,
4-(5-{1-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-yl]-ethoxy}-4-methyl-4H-[1,2,4]triazol-
35 3-yl)-pyridine,

4-(5-{1-[3-(3-Chloro-phenyl)-isoxazol-5-yl]-ethoxy}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,
5-(2-Methoxy-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,
5-Furan-2-yl-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,
3-[3-(4-Methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-benzoic acid methyl ester,
5-(2-Fluoro-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,
5-(2,5-Difluoro-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,
3-(4-Methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(3-vinyl-phenyl)-[1,2,4]oxadiazole,
5-(3-Difluoromethoxy-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,
5-(4-Methoxy-thiophen-3-yl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,
5-(2-Chloro-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,
5-(4-Fluoro-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,
3-(3-Chloro-phenyl)-5-[1-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanyl)-ethyl]-[1,2,4]oxadiazole,
-(5-{1-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,
3-(3-Chloro-phenyl)-5-[2-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-yl)-ethyl]-[1,2,4]oxadiazole,
5-(3-Chloro-phenyl)-3-(5-furan-2-yl-4-methyl-4H-[1,2,4]triazol-3-ylmethyl)-[1,2,4]oxadiazole,
2-(3-Chloro-phenyl)-5-[2-(5-furan-2-yl-4-methyl-4H-[1,2,4]triazol-3-yl)-ethyl]-[1,3,4]oxadiazole,
2-(3-Chloro-phenyl)-5-[2-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-yl)-ethyl]-[1,3,4]oxadiazole,
2-(3-Chloro-phenyl)-5-[2-(4-cyclopropyl-5-furan-2-yl-4H-[1,2,4]triazol-3-yl)-ethyl]-

[1,3,4]oxadiazole,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-ethyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-ethyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-ethyl}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-propyl}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-2-methyl-propyl}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{2-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-yl]-propyl}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,

8-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethyl]-3-pyridin-4-yl-5,6,7,8-tetrahydro-[1,2,4]triazolo[4,3-a]pyridine,

8-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethyl]-3-thiophen-2-yl-5,6,7,8-tetrahydro-[1,2,4]triazolo[4,3-a]pyridine,

8-[5-(5-Chloro-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethyl]-3-pyridin-4-yl-5,6,7,8-tetrahydro-[1,2,4]triazolo[4,3-a]pyridine,

5-(5-Bromo-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-3-(3-chloro-phenyl)-[1,2,4]oxadiazole,

3-[3-(4-Methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-phenylamine,

5-(3-Chloro-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazole-3-sulfonylmethyl)-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazole-3-sulfinylmethyl)-[1,2,4]oxadiazole,

2-Methyl-6-[3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-pyridine,

4-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-pyridin-2-ol,

4-(5-{2-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-propyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethyl]-methyl-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-amine,

8-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethyl]-3-pyridin-4-yl-5,6,7,8-tetrahydro-[1,2,4]triazolo[4,3-a]pyrimidine,

8-[5-(5-Chloro-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethyl]-3-pyridin-4-yl-5,6,7,8-tetrahydro-[1,2,4]triazolo[4,3-a]pyrimidine,

8-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-ylmethyl]-3-pyridin-4-yl-5,6,7,8-tetrahydro-[1,2,4]triazolo[4,3-a]pyrimidine,

8-{1-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-yl]-ethyl}-3-pyridin-4-yl-5,6,7,8-tetrahydro-[1,2,4]triazolo[4,3-a]pyrimidine,

8-[5-(5-Chloro-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethyl]-3-furan-2-yl-5,6,7,8-tetrahydro-[1,2,4]triazolo[4,3-a]pyrimidine,

8-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethyl}-3-pyridin-4-yl-5,6,7,8-tetrahydro-[1,2,4]triazolo[4,3-a]pyrimidine,

3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(1H-pyrrol-3-yl)-[1,2,4]oxadiazole,

4-{5-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine 1-oxide,

5-(3-Chloro-phenyl)-3-(2-furan-2-yl-3-methyl-3H-imidazol-4-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(5-Chloro-2-fluoro-phenyl)-3-[4-(2-fluoro-ethyl)-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

5-(5-Chloro-thiophen-3-yl)-3-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

3-[3-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-4-hydroxy-benzonitrile,

3-(3-Chloro-phenyl)-5-[2-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-yl)-ethyl]-[1,2,4]oxadiazole,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-propyl}-[1,3,4]oxadiazol-2-yl)-pyridine,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-1-methyl-ethyl}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-cyclopropyl}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine, or

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-1,1-dimethyl-ethyl}-[1,3,4]oxadiazol-2-yl)-pyridine,

3-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethoxy}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,
4-(5-{1-[5-(2-Chloro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,
5 4-(5-{1-[5-(2,5-Difluoro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,
4-(5-{1-[5-(2-Fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,
4-(4-Cyclopropyl-5-{1-[5-(2-fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4H-[1,2,4]triazol-3-yl)-pyridine,
10 3-{3-[1-(4-Methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)sulfanyl]-ethyl}-[1,2,4]oxadiazol-5-yl}-benzonitrile,
3-{3-[1-(4-Cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)sulfanyl]-ethyl}-[1,2,4]oxadiazol-5-yl}-benzonitrile,
15 3-{1-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-5-pyridin-4-yl-[1,2,4]triazol-4-ylamine,
3-(3-Chloro-phenyl)-5-[2-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-yl)-ethyl]-[1,2,4]oxadiazole,
4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-1-methyl-ethyl}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,
20 cis-4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-cyclopropyl}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,
4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-1,1-dimethyl-ethyl}-[1,3,4]oxadiazol-2-yl)-pyridine,
25 4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-2-methyl-propyl}-[1,3,4]oxadiazol-2-yl)-pyridine,
4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-1-methyl-ethyl}-[1,3,4]oxadiazol-2-yl)-pyridine,
4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-cyclopropyl}-[1,3,4]oxadiazol-2-yl)-pyridine,
30 4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-cyclopropyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{2-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-yl]-propyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-propyl}-[1,3,4]oxadiazol-2-yl)-pyridine,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-propyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-propyl}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,


(S)-[1-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-2-(4-cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-ethyl]-carbamic acid tert-butyl ester,

(S)-1-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-2-(4-cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-ethylamine,

(S)-[1-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-2-(4-cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-ethyl]-dimethyl-amine,

or a pharmaceutically acceptable salt or an optical isomer thereof.

20. A method for the inhibition of transient lower esophageal sphincter relaxations (TLESRs), whereby a pharmaceutically and pharmacologically effective amount of a compound of formula Ia



wherein:

P is selected from the group consisting of hydrogen, C₃₋₇alkyl or a 3- to 8-membered ring containing one or more atoms independently selected from C, N, O and S, which ring may optionally be fused with a 5- or 6-membered ring containing one or more atoms independently selected from the group consisting of C, N, O and S;

R¹ is selected from the group consisting of hydrogen, hydroxy, halo, nitro, C₁₋₆alkylhalo, OC₁₋₆alkylhalo, C₁₋₆alkyl, OC₁₋₆alkyl, C₂₋₆alkenyl, OC₂₋₆alkenyl, C₂₋₆alkynyl, OC₂₋₆alkynyl, C₀₋₆alkylC₃₋₆cycloalkyl, OC₀₋₆alkylC₃₋₆cycloalkyl, C₀₋₆alkylaryl, OC₀₋₆alkylaryl,

CHO, (CO)R³, O(CO)R⁵, O(CO)OR⁵, O(CN)OR⁵, C₁₋₆alkylOR⁵, OC₂₋₆alkylOR⁵, C₁₋₆alkyl(CO)R⁵, OC₁₋₆alkyl(CO)R⁵, C₀₋₆alkylCO₂R⁵, OC₁₋₆alkylCO₂R⁵, C₀₋₆alkylcyano, OC₂₋₆alkylcyano, C₀₋₆alkylNR⁵R⁶, OC₂₋₆alkylNR⁵R⁶, C₁₋₆alkyl(CO)NR⁵R⁶, OC₁₋₆alkyl(CO)NR⁵R⁶, C₀₋₆alkylNR⁵(CO)R⁶, OC₂₋₆alkylNR⁵(CO)R⁶, C₀₋₆alkylNR⁵(CO)NR⁵R⁶, C₀₋₆alkylSR⁵, OC₂₋₆alkylSR⁵, C₀₋₆alkyl(SO)R⁵, OC₂₋₆alkyl(SO)R⁵, C₀₋₆alkylSO₂R⁵, OC₂₋₆alkylSO₂R⁵, C₀₋₆alkyl(SO₂)NR⁵R⁶, OC₂₋₆alkyl(SO₂)NR⁵R⁶, C₀₋₆alkylNR⁵(SO₂)R⁶, OC₂₋₆alkylNR⁵(SO₂)R⁶, C₀₋₆alkylNR⁵(SO₂)NR⁵R⁶, OC₂₋₆alkylNR⁵(SO₂)NR⁵R⁶, (CO)NR⁵R⁶, O(CO)NR⁵R⁶, NR⁵OR⁶, C₀₋₆alkylNR⁵(CO)OR⁶, OC₂₋₆alkylNR⁵(CO)OR⁶, SO₃R⁵ and a 5- or 6-membered ring containing one or more atoms independently selected from the group consisting of C, N, O and S, wherein said ring may be substituted by one or more A;

M¹ is selected from the group consisting of a bond, C₁₋₃alkyl, C₂₋₃alkenyl, C₂₋₃alkynyl, C₀₋₄alkyl(CO)C₀₋₄alkyl, C₀₋₃alkylOC₀₋₃alkyl, C₀₋₃alkyl(CO)NR⁵, C₀₋₃alkyl(CO)NR⁵C₀₋₃alkyl, C₀₋₄alkylNR⁵, C₀₋₃alkylSC₀₋₃alkyl, C₀₋₃alkyl(SO)C₀₋₃alkyl or C₀₋₃alkyl(SO₂)C₀₋₃alkyl;

R² is selected from the group consisting of hydrogen, hydroxy, C₀₋₆alkylcyano, oxo, =NR⁵, =NOR⁵, C₁₋₄alkylhalo, halo, C₁₋₄alkyl, O(CO)C₁₋₄alkyl, C₁₋₄alkyl(SO)C₀₋₄alkyl, C₁₋₄alkyl(SO₂)C₀₋₄alkyl, (SO)C₀₋₄alkyl, (SO₂)C₀₋₄alkyl, OC₁₋₄alkyl, C₁₋₄alkylOR⁵ and C₀₋₄alkylNR⁵R⁶;

X¹, X² and X³ are independently selected from the group consisting of CR, CO, N, NR, O and S;

R is selected from the group consisting of hydrogen, C₀₋₃alkyl, halo, C₀₋₃alkylOR⁵, C₀₋₃alkylNR⁵R⁶, C₀₋₃alkyl(CO)OR⁵, C₀₋₃alkylNR⁵R⁶ and C₀₋₃alkylaryl;

M² is selected from a group consisting of a bond, C₁₋₃alkyl, C₃₋₇cycloalkyl, C₂₋₃alkenyl, C₂₋₃alkynyl, C₀₋₄alkyl(CO)C₀₋₄alkyl, C₀₋₃alkylOC₀₋₃alkyl, C₀₋₃alkylNR⁵C₁₋₃alkyl, C₀₋₃alkyl(CO)NR⁵, C₀₋₄alkylNR⁵, C₀₋₃alkylSC₀₋₃alkyl, C₀₋₃alkyl(SO)C₀₋₃alkyl and C₀₋₃alkyl(SO₂)C₀₋₃alkyl;

R³ is selected from a group consisting of hydrogen, hydroxy, C₀₋₆alkylcyano, oxo, =NR⁵, =NOR⁵, C₁₋₄alkylhalo, halo, C₁₋₄alkyl, O(CO)C₁₋₄alkyl, C₁₋₄alkyl(SO)C₀₋₄alkyl, C₁₋₄alkyl(SO₂)C₀₋₄alkyl, (SO)C₀₋₄alkyl, (SO₂)C₀₋₄alkyl, OC₁₋₄alkyl, C₁₋₄alkylOR⁵ and C₀₋₄alkylNR⁵R⁶;

X⁴ is selected from the group consisting of C₀₋₄alkylR⁵, C₀₋₄alkyl(NR⁵R⁶), C₀₋₄alkyl(NR⁵R⁶)=N, NR⁵C₀₋₄alkyl(NR⁵R⁶)=N, NOC₀₋₄alkyl, C₁₋₄alkylhalo, C, O, SO, SO₂ and S;

Q is a 5- or 6-membered ring containing one or more atoms independently selected from the group consisting of C, N, O and S, which group may optionally be fused with a 5- or 6-membered ring containing one or more atoms independently selected from the group

consisting of C, N, O and S and which fused ring may be substituted by one or more A;

R^4 is selected from the group consisting of hydrogen, hydroxy, C_{0-6} alkylcyano, oxo, $=NR^5$, $=NOR^5$, C_{1-4} alkylhalo, halo, C_{1-4} alkyl, OC_{1-4} alkyl, OC_{0-6} alkylaryl, $O(CO)C_{1-4}$ alkyl, C_{0-4} alkyl(S) C_{0-4} alkyl, C_{1-4} alkyl(SO) C_{0-4} alkyl, C_{1-4} alkyl(SO₂) C_{0-4} alkyl, (SO) C_{0-4} alkyl, (SO₂) C_{0-4} alkyl, C_{1-4} alkylOR⁵, C_{0-4} alkylNR⁵R⁶ and a 5- or 6-membered ring containing one or more atoms independently selected from C, N, O or S, wherein said ring may be substituted by one or more A;

R^5 and R^6 are independently selected from the group consisting of hydrogen, hydroxy, C_{1-6} alkyl, C_{0-6} alkylC₃₋₆cycloalkyl, C_{0-6} alkylaryl, C_{0-6} alkylheteroaryl and a 5- or 6-membered ring containing one or more atoms independently selected from C, N, O and S, and wherein R^5 and R^6 may together form a 5- or 6-membered ring containing one or more atoms independently selected from the group consisting of C, N, O and S;

wherein any C_{1-6} alkyl, C_{2-6} alkenyl, C_{2-6} alkynyl, C_{0-6} alkylC₃₋₆cycloalkyl, C_{0-6} alkylaryl and C_{0-6} alkylheteroaryl defined under R^1 , R^2 , R^3 , R^4 , R^5 and R^6 may be substituted by one or more A;

A is selected from the group consisting of hydrogen, hydroxy, oxo, halo, nitro, C_{0-6} alkylcyano, C_{1-4} alkyl, C_{0-4} alkylC₃₋₆cycloalkyl, C_{1-6} alkylhalo, OC_{1-6} alkylhalo, C_{2-6} alkenyl, OC_{1-6} alkyl, C_{0-3} alkylaryl, C_{0-6} alkylOR⁵, OC_{2-6} alkylOR⁵, C_{1-6} alkylSR⁵, OC_{2-6} alkylSR⁵, (CO)R⁵, O(CO)R⁵, OC_{2-6} alkylcyano, C_{0-6} alkylCO₂R⁵, OC_{1-6} alkylCO₂R⁵, O(CO)OR⁵, OC_{1-6} alkyl(CO)R⁵, C_{1-6} alkyl(CO)R⁵, NR⁵OR⁶, C_{0-6} alkylNR⁵R⁶, OC_{2-6} alkylNR⁵R⁶, C_{0-6} alkyl(CO)NR⁵R⁶, OC_{1-6} alkyl(CO)NR⁵R⁶, OC_{2-6} alkylNR⁵(CO)R⁶, C_{0-6} alkylNR⁵(CO)R⁶,

C_{0-6} alkylNR⁵(CO)NR⁵R⁶, O(CO)NR⁵R⁶, NR⁵(CO)OR⁶, C_{0-6} alkyl(SO₂)NR⁵R⁶, OC_{2-6} alkyl(SO₂)NR⁵R⁶, C_{0-6} alkylNR⁵(SO₂)R⁶, OC_{2-6} alkylNR⁵(SO₂)R⁶, SO₃R⁵, C_{1-6} alkylNR⁵(SO₂)NR⁵R⁶, OC_{2-6} alkyl(SO₂)R⁵, C_{0-6} alkyl(SO₂)R⁵, C_{0-6} alkyl(SO)R⁵, OC_{2-6} alkyl(SO)R⁵ and a 5- or 6-membered ring containing one or more atoms independently selected from the group consisting of C, N, O and S;


m is selected from 0, 1, 2, 3 and 4; and

n is selected from 0, 1, 2 and 3,

or a pharmaceutically acceptable salt or an optical isomer thereof, is administered to a subject in need of such inhibition.

21. A method for the inhibition of transient lower esophageal sphincter relaxations

(TLESRs), whereby a pharmaceutically and pharmacologically effective amount of a compound of formula



wherein:

P is selected from the group consisting of thiophene, pyridyl, thiazolyl, furyl, pyrrolyl and phenyl, whereby the phenyl ring is substituted on position 3 or disubstituted on positions 2 and 5;

R^1 is attached to P via a carbon atom on ring P and is selected from the group consisting of hydrogen, hydroxy, halo, nitro, C_{1-6} alkylhalo, OC_{1-6} alkylhalo, C_{1-6} alkyl, OC_{1-6} alkyl, C_{2-6} alkenyl, OC_{2-6} alkenyl, C_{2-6} alkynyl, OC_{2-6} alkynyl, C_{0-6} alkyl C_{3-6} cycloalkyl, OC_{0-6} alkyl C_{3-6} cycloalkyl, C_{0-6} alkylaryl, OC_{0-6} alkylaryl, CHO, $(CO)R^5$, $O(CO)R^5$, $O(CO)OR^5$, $O(CN)OR^5$, C_{1-6} alkyl OR^5 , OC_{2-6} alkyl OR^5 , C_{1-6} alkyl $(CO)R^5$, OC_{1-6} alkyl $(CO)R^5$, C_{0-6} alkyl CO_2R^5 , OC_{1-6} alkyl CO_2R^5 , C_{0-6} alkylcyano, OC_{2-6} alkylcyano, C_{0-6} alkyl NR^5R^6 , OC_{2-6} alkyl NR^5R^6 , C_{1-6} alkyl $(CO)NR^5R^6$, OC_{1-6} alkyl $(CO)NR^5R^6$, C_{0-6} alkyl $NR^5(CO)R^6$, OC_{2-6} alkyl $NR^5(CO)R^6$, C_{0-6} alkyl $NR^5(CO)NR^5R^6$, C_{0-6} alkyl SR^5 , OC_{2-6} alkyl SR^5 , C_{0-6} alkyl $(SO)R^5$, OC_{2-6} alkyl $(SO)R^5$, C_{0-6} alkyl SO_2R^5 , OC_{2-6} alkyl SO_2R^5 , C_{0-6} alkyl $(SO_2)NR^5R^6$, OC_{2-6} alkyl $(SO_2)NR^5R^6$, C_{0-6} alkyl $NR^5(SO_2)R^6$, OC_{2-6} alkyl $NR^5(SO_2)R^6$, C_{0-6} alkyl $NR^5(SO_2)NR^5R^6$, OC_{2-6} alkyl $NR^5(SO_2)NR^5R^6$, $(CO)NR^5R^6$, $O(CO)NR^5R^6$, NR^5OR^6 , C_{0-6} alkyl $NR^5(CO)OR^6$, OC_{2-6} alkyl $NR^5(CO)OR^6$, SO_3R^5 and a 5- or 6-membered ring containing one or more atoms independently selected from the group consisting of C, N, O and S;

M^1 is a bond;

X^1 selected from the group consisting of C, CO, N, O and S;

X^2 is selected from the group consisting of C, N, O and S;

X^3 is i) selected from the group consisting of N, O and S, or

ii) selected from N, O, S, and C when X^2 is selected from N, O, or S, and when X^3 is C the substituent R on X^3 is H.;

R is selected from the group consisting of hydrogen, C_{0-3} alkyl, halo, C_{0-3} alkyl OR^5 , C_{0-3} alkyl NR^5R^6 , C_{0-3} alkyl $(CO)OR^5$ and C_{0-3} alkylaryl;

M^2 is selected from a group consisting of a bond, C_{1-3} alkyl, C_{2-3} alkynyl, C_{0-4} alkyl $(CO)C_{0-4}$

$_4$ alkyl, C_{0-3} alkylOC $_{0-3}$ alkyl, C_{0-3} alkylNR 5 C $_{1-3}$ alkyl, C_{0-3} alkyl(CO)NR 5 , C_{0-4} alkylNR 5 , C_{0-3} alkyl(SO)C $_{0-3}$ alkyl and C_{0-3} alkyl(SO $_2$)C $_{0-3}$ alkyl;

R 3 is selected from a group consisting of hydroxy, C_{0-6} alkylcyano, oxo, =NR 5 , =NOR 5 , C_{1-4} alkylhalo, halo, C_{1-4} alkyl, O(CO)C $_{1-4}$ alkyl, C_{1-4} alkyl(SO)C $_{0-4}$ alkyl, C_{1-4} alkyl(SO $_2$)C $_{0-4}$ alkyl, (SO)C $_{0-4}$ alkyl, (SO $_2$)C $_{0-4}$ alkyl, OC $_{1-4}$ alkyl, C_{1-4} alkylOR 5 and C_{0-4} alkylNR 5 R 6 ;

X 4 is selected from the group consisting of C_{0-4} alkylR 5 R 6 , C_{3-7} cycloalkyl, C_{1-4} alkyl(NR 5 R 6), NR 5 , C_{0-4} alkyl(NR 5 R 6)=N, NR 5 C $_{0-4}$ alkyl(NR 5 R 6)=N, NOC $_{0-4}$ alkyl, C_{1-4} alkylhalo, O, SO, SO $_2$ and S, and wherein the bond between M 2 and X 4 is a single bond ;

Q is i) selected from the group consisting of triazolyl, imidazolyl, oxadiazolyl,

imidazolonyl, oxazolonyl, thiazolonyl, tetrazolyl and thiadiazolyl, and wherein any substitutable nitrogen atom in the ring is substituted with R 4 on such nitrogen atom and any suitable carbon atom is optionally substituted with R 4 ; and

R 4 is selected from the group consisting of C_{0-6} alkylcyano, =NC $_{1-4}$ alkyl, =NOR 5 , C_{1-4} alkylhalo, halo, C_{1-6} alkyl, OC $_{1-4}$ alkyl, C_{2-4} alkenyl, C_{0-2} alkylC $_{3-6}$ cycloalkyl, C_{0-6} alkylaryl, C_{0-6} alkylheteroaryl, OC $_{0-6}$ alkylaryl, OC $_{0-6}$ alkylheteroaryl, NC $_{0-6}$ alkylaryl, NC $_{0-6}$ alkylheteroaryl, C_{0-6} alkylOaryl, C_{0-6} alkylOheteroaryl, C_{0-6} alkylNaryl, C_{0-6} alkylNheteroaryl, OC $_{0-6}$ alkylOaryl, OC $_{0-6}$ alkylOheteroaryl, OC $_{0-6}$ alkylNaryl, OC $_{0-6}$ alkylNheteroaryl, NC $_{0-6}$ alkylOaryl, NC $_{0-6}$ alkylOheteroaryl, NC $_{0-6}$ alkylNaryl, NC $_{0-6}$ alkylNheteroaryl, O(CO)C $_{1-4}$ alkyl, C_{0-4} alkyl(CO)OC $_{1-4}$ alkyl, C_{1-4} alkyl(S)C $_{0-4}$ alkyl, C_{1-4} alkyl(SO)C $_{0-4}$ alkyl, C_{1-4} alkyl(SO $_2$)C $_{0-4}$ alkyl, (SO)C $_{0-4}$ alkyl, (SO $_2$)C $_{0-4}$ alkyl, C_{1-4} alkylOR 5 , C_{0-4} alkylN(C $_{1-4}$ alkyl) $_2$ and a 3- or 6-membered non-aromatic ring

containing one or more atoms independently selected from C, N, O and S, which ring may optionally be fused with a 5-membered ring containing one or more atoms independently selected from the group consisting of C, N and O and wherein said ring and said fused ring may be substituted by one or two A; or

ii) selected from the group consisting of benzoimidazolyl, benzooxazolyl, tetrahydrotriazolopyridyl, tetrahydrotriazolopyrimidinyl, pyridonyl, pyridazinyl, imidazopyridyl, oxazolopyridyl, thiazolopyridyl, imidazopyridazinyl, oxazolopyridazinyl, thiazolopyridazinyl and purinyl; and

R 4 is selected from the group consisting of hydrogen, hydroxy, C_{0-6} alkylcyano, =NR 5 , =NOR 5 , C_{1-4} alkylhalo, halo, C_{1-6} alkyl, OC $_{1-4}$ alkyl, OC $_{0-6}$ alkylaryl, O(CO)C $_{1-4}$ alkyl, C_{0-4} alkyl(S)C $_{0-4}$ alkyl, C_{1-4} alkyl(SO)C $_{0-4}$ alkyl, C_{1-4} alkyl(SO $_2$)C $_{0-4}$ alkyl, (SO)C $_{0-4}$ alkyl, (SO $_2$)C $_{0-4}$ alkyl, C_{1-4} alkylOR 5 , C_{0-4} alkylNR 5 R 6 and a 5- or 6-membered ring containing one or more atoms independently selected from C, N, O and S, which ring may optionally be fused with a 5- or 6-membered ring containing one or more atoms

independently selected from the group consisting of C, N and O and wherein said ring and said fused ring may be substituted by one or two A;

R⁵ and R⁶ are independently selected from the group consisting of hydrogen and C₁₋₆alkyl;

wherein any C₁₋₆alkyl defined under R¹, R² and R⁴ may be substituted by one or more A;

A is selected from the group consisting of hydrogen, hydroxy, halo, nitro, oxo, C₀₋₆alkylcyano, C₀₋₄alkylC₃₋₆cycloalkyl, C₁₋₆alkyl, C₁₋₆alkylhalo, OC₁₋₆alkylhalo, C₂₋₆alkenyl, C₀₋₃alkylaryl, C₀₋₆alkylOR⁵, OC₂₋₆alkylOR⁵, C₁₋₆alkylSR⁵, OC₂₋₆alkylSR⁵, (CO)R⁵, O(CO)R⁵, OC₂₋₆alkylcyano, OC₁₋₆alkylCO₂R⁵, O(CO)OR⁵, OC₁₋₆alkyl(CO)R⁵, C₁₋₆alkyl(CO)R⁵, NR⁵OR⁶, OC₂₋₆alkylNR⁵R⁶, C₀₋₆alkyl(CO)NR⁵R⁶, OC₁₋₆alkyl(CO)NR⁵R⁶, OC₂₋₆alkylNR⁵(CO)R⁶, C₀₋₆alkylNR⁵(CO)R⁶, C₀₋₆alkylNR⁵(CO)NR⁵R⁶, O(CO)NR⁵R⁶, C₀₋₆alkyl(SO₂)NR⁵R⁶, OC₂₋₆alkyl(SO₂)NR⁵R⁶, C₀₋₆alkylNR⁵(SO₂)R⁶, OC₂₋₆alkylNR⁵(SO₂)R⁶, SO₃R⁵, C₁₋₆alkylNR⁵(SO₂)NR⁵R⁶, OC₂₋₆alkyl(SO₂)R⁵, C₀₋₆alkyl(SO₂)R⁵, C₀₋₆alkyl(SO)R⁵, OC₂₋₆alkyl(SO)R⁵ and a 5-membered ring containing one or more atoms independently selected from the group consisting of C, N, O and S;

m₁ is selected from 0, 1, 2, 3 and 4;

m₂ is selected from 0, 1, 2 and 3;

n is selected from 0, 1 and 2; and

t is 0 or 1, or a pharmaceutically acceptable salt or an optical isomer thereof, with the proviso that the compound is not 5-(4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-3-thiophen-3-yl-[1,2,4]oxadiazole, 1,2-di{2-(3-amino-phenyl)-[1,3,4]oxadiazole-yl}ethane, 1,2-di{5-[5-(4-nitro-phenyl)furan-2-yl]-[1,3,4]oxadiazol-yl}ethane, 1,2-di{5-[5-(4-bromo-phenyl)furan-2-yl]-[1,3,4]oxadiazol-yl}ethane, 1,2-di{5-[5-(4-chloro-phenyl)furan-2-yl]-[1,3,4]oxadiazol-yl}ethane and 1,2-di{5-[5-(2,4-dibromo-phenyl)furan-2-yl]-[1,3,4]oxadiazol-yl}ethane;

is administered to a subject in need of such inhibition.

22. A method for the treatment of gastro-esophageal reflux disease (GERD), whereby a pharmaceutically and pharmacologically effective amount of a compound of formula Ia as defined in claim 20, or a pharmaceutically acceptable salt or an optical isomer thereof, is administered to a subject in need of such treatment.

23. A method for the prevention of reflux, whereby a pharmaceutically and pharmacologically effective amount of a compound of formula Ia as defined in claim 20,

or a pharmaceutically acceptable salt or an optical isomer thereof, is administered to a subject in need of such prevention.

24. A method for the treatment of, or prevention of, regurgitation, whereby a
5 pharmaceutically and pharmacologically effective amount of a compound of formula Ia as defined in claim 20, or a pharmaceutically acceptable salt or an optical isomer thereof, is administered to a subject in need of such treatment or prevention.

25. A method for the prevention of, or treatment of, lung disease, whereby a
10 pharmaceutically and pharmacologically effective amount of a compound of formula Ia as defined in claim 20, or a pharmaceutically acceptable salt or an optical isomer thereof, is administered to a subject in need of such treatment or prevention.

26. A method for managing failure to thrive, whereby a pharmaceutically and
15 pharmacologically effective amount of a compound of formula Ia as defined in claim 20, or a pharmaceutically acceptable salt or an optical isomer thereof, is administered to a subject in need of such management.

27. A method for treatment or prevention of asthma, whereby a pharmaceutically and
20 pharmacologically effective amount of a compound of formula Ia as defined in claim 20, or a pharmaceutically acceptable salt or an optical isomer thereof, is administered to a subject in need of such treatment or prevention.

28. A method according to claim 27, wherein the asthma is reflux-related asthma.

29. A method for treatment or prevention of laryngitis, whereby a pharmaceutically and
25 pharmacologically effective amount of a compound of formula Ia as defined in claim 20, or a pharmaceutically acceptable salt or an optical isomer thereof, is administered to a subject in need of such treatment or prevention.

30. A method for the treatment of gastro-esophageal reflux disease (GERD), whereby a
30 pharmaceutically and pharmacologically effective amount of a compound of formula I as defined in claim 21, or a pharmaceutically acceptable salt or an optical isomer thereof, is administered to a subject in need of such treatment.

31. A method for the prevention of reflux, whereby a pharmaceutically and pharmacologically effective amount of a compound of formula I as defined in claim 21, or a pharmaceutically acceptable salt or an optical isomer thereof, is administered to a subject in need of such prevention.
32. A method for the treatment of, or prevention of, regurgitation, whereby a pharmaceutically and pharmacologically effective amount of a compound of formula I as defined in claim 21, or a pharmaceutically acceptable salt or an optical isomer thereof, is administered to a subject in need of such treatment or prevention.
33. A method for the prevention of, or treatment of, lung disease, whereby a pharmaceutically and pharmacologically effective amount of a compound of formula I as defined in claim 21, or a pharmaceutically acceptable salt or an optical isomer thereof, is administered to a subject in need of such treatment or prevention.
34. A method for managing failure to thrive, whereby a pharmaceutically and pharmacologically effective amount of a compound of formula I as defined in claim 21, or a pharmaceutically acceptable salt or an optical isomer thereof, is administered to a subject in need of such management.
35. A method for treatment or prevention of asthma, whereby a pharmaceutically and pharmacologically effective amount of a compound of formula I as defined in claim 21, or a pharmaceutically acceptable salt or an optical isomer thereof, is administered to a subject in need of such treatment or prevention.
36. A method according to claim 35, wherein the asthma is reflux-related asthma.
37. A method for treatment or prevention of laryngitis, whereby a pharmaceutically and pharmacologically effective amount of a compound of formula I as defined in claim 21, or a pharmaceutically acceptable salt or an optical isomer thereof, is administered to a subject in need of such treatment or prevention.
38. A method according to any one of claims 20-37, wherein the compound of formula I or Ia is selected from the group of compounds consisting of 2-[5-(3-Methoxy-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-1*H*-benzoimidazole,

5-(3-Methoxy-phenyl)-3-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

3-[5-(1-Methyl-5-thiophen-2-yl-1*H*-imidazol-2-ylsulfanylmethyl)-[1,2,4]oxadiazol-3-yl]-benzonitrile,

3-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-phenyl-[1,2,4]oxadiazole,

2-[5-(3-Methoxy-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-5-methyl-1*H*-benzoimidazole,

3-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-*m*-tolyl-[1,2,4]oxadiazole,

3-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(3-trifluoromethyl-phenyl)-[1,2,4]oxadiazole,

3-(3-Methoxy-phenyl)-5-(4-methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-3-phenyl-[1,2,4]oxadiazole,

5-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-3-*m*-tolyl-[1,2,4]oxadiazole,

3-[3-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-benzonitrile,

3-[4-Methyl-5-(2-methyl-thiazol-4-yl)-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl]-5-*m*-tolyl-[1,2,4]oxadiazole,

3-[5-(2-Methyl-thiazol-4-yl)-[1,3,4]oxadiazol-2-ylsulfanylmethyl]-5-*m*-tolyl-[1,2,4]oxadiazole,

3-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-thiophen-2-yl-[1,2,4]oxadiazole,

3-[5-(2,4-Dimethyl-thiazol-5-yl)-4-methyl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl]-5-*m*-tolyl-[1,2,4]oxadiazole,

3-[4-Methyl-5-(5-nitro-furan-2-yl)-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl]-5-*m*-tolyl-[1,2,4]oxadiazole,

4-[4-Methyl-5-(5-*m*-tolyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4*H*-[1,2,4]triazol-3-yl]-pyridine,

3-[5-(4-*tert*-Butyl-phenyl)-4-methyl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl]-5-*m*-tolyl-[1,2,4]-oxadiazole,

2-Chloro-5-[4-methyl-5-(5-*m*-tolyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4*H*-

[1,2,4]triazol-3-yl]-pyridine,
2-[5-(3-Methoxy-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-benzooxazole,
3-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-thiophen-3-yl-
[1,2,4]oxadiazole,
5 3-(5-Furan-2-yl-4-methyl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-m-tolyl-
[1,2,4]oxadiazole,
5-(3-Fluoro-phenyl)-3-(4-methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,
2-(5-m-Tolyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-pyridine,
10 2-[5-(3-Methoxy-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-1*H*-imidazo[4,5-
b]pyridine,
5-(3-Fluoro-5-methyl-phenyl)-3-(4-methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-
ylsulfanylmethyl)-[1,2,4]oxadiazole,
3-Methyl-5-[3-(4-methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-
15 [1,2,4]oxadiazol-5-yl]-pyridine,
3-(4-Methyl-5-phenyl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-m-tolyl-[1,2,4]oxadiazole,
2-[4-Methyl-5-(5-m-tolyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4*H*-[1,2,4]triazol-3-yl]-
pyridine,
4-Benzyl-2-[4-methyl-5-(5-m-tolyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4*H*-
20 [1,2,4]triazol-3-yl]-morpholine,
4-[4-Methyl-5-(5-thiophen-3-yl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4*H*-[1,2,4]triazol-
3-yl]-pyridine,
3-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-thiazol-4-yl-
[1,2,4]oxadiazole,
25 3-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(3-nitro-phenyl)-
[1,2,4]oxadiazole,
2-Methyl-4-[3-(4-methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazol-5-yl]-pyridine,
3-[4-Methyl-5-(5-m-tolyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4*H*-[1,2,4]triazol-3-yl]-
30 pyridine,
3-(4-Methyl-5-thiophene-3-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-m-tolyl-
[1,2,4]oxadiazole,
3-(4-Methyl-5-thiazol-4-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-m-tolyl-
[1,2,4]oxadiazole,
35 5-(3-Iodo-phenyl)-3-(4-methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-

[1,2,4]oxadiazole,
5-(3-Ethyl-phenyl)-3-(4-methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,
2-[5-(2-Methyl-pyridin-4-yl)-[1,2,4]oxadiazol-3-ylmethysulfanyl]-1*H*-benzoimidazole,
2-[5-(3-Iodo-phenyl)-[1,2,4]oxadiazol-3-ylmethysulfanyl]-1*H*-benzoimidazole,
3-(4-Methyl-5-trifluoromethyl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-*m*-tolyl-
[1,2,4]oxadiazole,
2,6-Dichloro-4-[4-methyl-5-(5-*m*-tolyl-[1,2,4]oxadiazol-3-ylmethysulfanyl)-4*H*-
[1,2,4]triazol-3-yl]-pyridine,
3-(4-Methyl-5-*p*-tolyl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-*m*-tolyl-[1,2,4]oxadiazole,
Dimethyl-{3-[3-(4-methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazol-5-yl]phenyl}-amine,
5-(3-Chloro-phenyl)-3-(4-methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,
3-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(3-
trifluoromethoxy-phenyl)[1,2,4]oxadiazole,
3-(5-Cyclohexyl-4-methyl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-*m*-tolyl-
[1,2,4]oxadiazole,
3-(5-*tert*-Butyl-4-methyl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-*m*-tolyl-
[1,2,4]oxadiazole,
5-(3-Bromo-phenyl)-3-(4-methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,
2-[5-(3-Bromo-phenyl)-[1,2,4]oxadiazol-3-ylmethysulfanyl]-1*H*-benzoimidazole,
5-(3-Methoxymethyl-phenyl)-3-(4-methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-
lsulfanylmethyl)-[1,2,4]oxadiazole,
2-[5-(3-Methoxymethyl-phenyl)-[1,2,4]oxadiazol-3-ylmethysulfanyl]-1*H*-
benzoimidazole,
4-[5-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-
3-yl]-pyridine,
2-{1-[5-(3-Methoxy-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-1-methyl-1*H*-
imidazo[4,5-*b*]pyridine,
2-[5-(3-Methoxy-phenyl)-[1,2,4]oxadiazol-3-ylmethysulfanyl]-1-methyl-1*H*-
imidazo[4,5-*b*],
3-[1-Methyl-1-(4-methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanyl)-ethyl]-5-*m*-
tolyl-[1,2,4]oxadiazole,

3-[1-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanyl)-ethyl]-5-*m*-tolyl-
[1,2,4]oxadiazole,

3-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazole-3-sulfonylmethyl)-5-*m*-tolyl-
[1,2,4]oxadiazole,

5 3-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazole-3-sulfinylmethyl)-5-*m*-tolyl-
[1,2,4]oxadiazole, or

5-(3-Furan-3-yl-phenyl)-3-(4-methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-
ylsulfanylmethyl)-[1,2,4]oxadiazole,

4-(4-Cyclopropyl-5-{1-[5-(2,5-difluoro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-

10 4*H*-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{1-[5-(3-Methoxy-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-methyl-4*H*-
[1,2,4]triazol-3-yl)-pyridine,

4-{4-Methyl-5-[1-(5-*m*-tolyl-[1,2,4]oxadiazol-3-yl)-ethylsulfanyl]-4*H*-[1,2,4]triazol-3-
yl}-pyridine,

15 5-(4-Methyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-3-*o*-tolyl-
[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-(4-cyclopropyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-3-
ylsulfanylmethyl)-[1,2,4]oxadiazole,

20 2-{3-[5-(2-Fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-5-thiophen-2-
yl-[1,2,4]triazol-4-yl}-ethanol,

4-{4-Ethyl-5-[5-(2-fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4*H*-
[1,2,4]triazol-3-yl}-pyrimidine,

3-(4-Ethyl-5-furan-3-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(2-fluoro-5-methyl-
phenyl)-[1,2,4]oxadiazole,

25 {3-[5-(2-Fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-5-thiophen-2-yl-
[1,2,4]triazol-4-yl}-acetic acid methyl ester,

5-(2-Fluoro-5-methyl-phenyl)-3-[5-furan-2-yl-4-(2-methoxy-ethyl)-4*H*-[1,2,4]triazol-3-
ylsulfanylmethyl]-[1,2,4]oxadiazole,

3-(4-Cyclopropyl-5-furan-2-yl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(2-fluoro-5-
30 methyl-phenyl)-[1,2,4]oxadiazole,

3-(5-Chloro-2-fluoro-phenyl)-5-(4-cyclopropylmethyl-5-thiophen-2-yl-4*H*-[1,2,4]triazol-
3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

4-{5-[3-(5-Chloro-2-fluoro-phenyl)-[1,2,4]oxadiazol-5-ylmethylsulfanyl]-4-ethyl-4*H*-
[1,2,4]triazol-3-yl}-pyrimidine,

35 3-(5-Cyclopentyl-4-ethyl-4*H*-[1,2,4]triazol-3-ylsulfanylmethyl)-5-*m*-tolyl-

[1,2,4]oxadiazole,
3-(3-Chloro-phenyl)-5-{4-ethyl-5-[2-(4-methoxy-phenyl)-ethyl]-4H-[1,2,4]triazol-3-
ylsulfanylmethyl}-[1,2,4]oxadiazole,
5 5-(3-Chloro-phenyl)-3-(4-ethyl-5-p-tolyloxymethyl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl)-[1,2,4]oxadiazole,
5-(3-Chloro-phenyl)-3-[4-(2-methoxy-ethyl)-5-thiophen-2-yl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl]-[1,2,4]oxadiazole,
3-(5-Chloro-2-fluoro-phenyl)-5-(4-ethyl-5-methoxymethyl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl)-[1,2,4]oxadiazole,
10 5-(5-Chloro-2-fluoro-phenyl)-3-(4-ethyl-5-methoxymethyl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl)-[1,2,4]oxadiazole,
5-(3-Chloro-phenyl)-3-(4-ethyl-5-methoxymethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,
3-(3-Chloro-phenyl)-5-(4-ethyl-5-methoxymethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
15 [1,2,4]oxadiazole,
4-(5-{1-[3-(3-Chloro-phenyl)-isoxazol-5-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-
yl)-pyridine,
3-(4-Allyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(3-chloro-phenyl)-
[1,2,4]oxadiazole,
20 3-(4-Allyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-thiophen-3-yl-
[1,2,4]oxadiazole,
5-(4-Allyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-3-furan-2-yl-
[1,2,4]oxadiazole,
5-(3-Chloro-phenyl)-3-[4-ethyl-5-(4-methoxy-phenoxy-methyl)-4H-[1,2,4]triazol-3-
25 ylsulfanylmethyl]-[1,2,4]oxadiazole,
3-(3-Chloro-phenyl)-5-[4-ethyl-5-(4-methoxy-phenoxy-methyl)-4H-[1,2,4]triazol-3-
ylsulfanylmethyl]-[1,2,4]oxadiazole,
{5-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-
3-yl}-methanol,
30 3-(3-Chloro-phenyl)-5-[4-ethyl-5-(2-methoxy-ethyl)-4H-[1,2,4]triazol-3-
ylsulfanylmethyl]-[1,2,4]oxadiazole,
3-(3-Chloro-phenyl)-5-(4-ethyl-5-methylsulfanylmethyl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl)-[1,2,4]oxadiazole,
3-(3-Chloro-phenyl)-5-(5-ethoxymethyl-4-ethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
35 [1,2,4]oxadiazole,

5-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazole-3-carboxylic acid methyl ester,
2-(5-Chloro-2-fluoro-phenyl)-5-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,3,4]oxadiazole,
5 2-(3-Chloro-phenyl)-5-(4-cyclopropyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,3,4]oxadiazole,
5-(3-Chloro-phenyl)-3-{1-[4-ethyl-5-(tetrahydro-furan-2-yl)-4H-[1,2,4]triazol-3-ylsulfanyl]-ethyl}-[1,2,4]oxadiazole,
4-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-pyridazine,
10 4-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-ylmethyl)-pyridine,
5-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-pyridin-2-ol,
15 4-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-phenol,
5-(3-Chloro-phenyl)-3-[5-(4-methoxy-phenoxy-methyl)-4-(tetrahydro-furan-2-ylmethyl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,
5-(3-Chloro-phenyl)-3-[4-cyclopropyl-5-(4-methoxy-phenoxy-methyl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,
20 5-(5-Chloro-2-fluoro-phenyl)-3-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,
3-(4-Ethyl-5-methoxymethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-m-tolyl-[1,2,4]oxadiazole,
25 3-[4-Ethyl-5-(tetrahydro-furan-2-yl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-5-m-tolyl-[1,2,4]oxadiazole,
2-(3-Chloro-phenyl)-5-{1-[4-ethyl-5-(4-methoxy-phenyl)-4H-[1,2,4]triazol-3-ylsulfanyl]-ethyl}-[1,3,4]oxadiazole,
4-{5-[3-(2,5-Difluoro-phenyl)-[1,2,4]oxadiazol-5-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-pyrimidine,
30 4-{5-[5-(5-Chloro-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyrimidine,
3-(3-Chloro-phenyl)-5-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,
35 5-(3-Methylsulfanyl-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-

ylsulfanylmethyl)-[1,2,4]oxadiazole,

2-[5-(3-Methylsulfanyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-1H-benzoimidazole,

5-(2,5-Dimethyl-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(2-Fluoro-5-methyl-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(3-Cyclopropyl-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

4-{5-[2-(3-Chloro-phenyl)-oxazol-4-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

4-[4-Methyl-5-(5-thiophen-2-yl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4H-[1,2,4]triazol-3-yl]-pyridine,

4-{4-Methyl-5-[5-(3-methylsulfanyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4H-[1,2,4]triazol-3-yl}-pyridine,

4-{5-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

2-Methyl-4-[3-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-pyridine,

1-{3-[3-(4-Methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-phenyl}-ethanone,

4-{5-[5-(2-Fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

2-Methyl-4-[4-methyl-5-(5-m-tolyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4H-[1,2,4]triazol-3-yl]-pyridine,

3-[5-(3-Chloro-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazole,

4-{5-[5-(3-Chloro-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

3-(4-Butyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(3-chloro-phenyl)-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[4-(3-methoxy-propyl)-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

3-(4-Benzyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(3-chloro-phenyl)-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-(4-furan-2-ylmethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

3-{5-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

5-(3-Chloro-phenyl)-3-(4-methyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

4-{5-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-2-methyl-pyridine,

5-(5-Chloro-2-fluoro-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

4-{5-[5-(5-Chloro-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

3-{5-[5-(2-Fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

5-(3-Chloro-phenyl)-3-(5-thiophen-2-yl-4-thiophen-2-ylmethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

3-{5-[3-(2-Fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-5-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

4-{5-[3-(2-Fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-5-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

4-{5-[5-(5-Bromo-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

3-{5-[5-(5-Bromo-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

5-(5-Bromo-2-fluoro-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(4-Methyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-3-phenyl-[1,2,4]oxadiazole,

3-{5-[5-(3-Fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

4-{5-[5-(3-Fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

5-(3-Fluoro-phenyl)-3-(4-methyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-

[1,2,4]oxadiazole,

3-[4-Methyl-5-(5-thiophen-3-yl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4H-[1,2,4]triazol-3-yl]-pyridine,

3-(4-Methyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-thiophen-3-yl-[1,2,4]oxadiazole,

2-Chloro-4-[3-(4-methyl-5-pyridin-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-pyridine,

2-Chloro-4-[3-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-pyridine,

2-Chloro-4-[3-(4-methyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-pyridine,

4-[4-Methyl-5-(5-phenyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4H-[1,2,4]triazol-3-yl]-pyridine,

3-(4-Methyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-phenyl-[1,2,4]oxadiazole,

5-(5-Bromo-2-fluoro-phenyl)-3-(4-methyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

3-[5-(3-Chloro-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazole,

2-Chloro-4-[3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-pyridine,

4-{5-[3-(3-Fluoro-phenyl)-[1,2,4]oxadiazol-5-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

3-(3-Fluoro-phenyl)-5-(4-methyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-m-tolyl-[1,2,4]oxadiazole,

3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(2-fluoro-5-methyl-phenyl)-[1,2,4]oxadiazole,

4-{5-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-furan-2-ylmethyl-4H-[1,2,4]triazol-3-yl}-pyridine,

4-{5-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-pyridine,

3-{5-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-pyridine,

5-(3-Chloro-phenyl)-3-(4-ethyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,
3-{5-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-furan-2-ylmethyl-4H-
[1,2,4]triazol-3-yl}-pyridine,
5 3-(4-Furan-2-ylmethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-m-tolyl-
[1,2,4]oxadiazole,
5-(5-Fluoro-2-methyl-phenyl)-3-(4-furan-2-ylmethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-
3-ylsulfanylmethyl)-[1,2,4]oxadiazole,
5-(3-Chloro-phenyl)-3-(4-furan-2-ylmethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
10 [1,2,4]oxadiazole,
3-[3-(4-Methyl-5-pyridin-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-
yl]-benzonitrile,
3-[3-(4-Methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-
yl]-benzonitrile,
15 3-[3-(4-Methyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-
5-yl]-benzonitrile,
5-(5-Chloro-2-fluoro-phenyl)-3-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl)-[1,2,4]oxadiazole,
2-Chloro-4-[3-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
20 [1,2,4]oxadiazol-5-yl]-pyridine,
3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-thiophen-3-yl-
[1,2,4]oxadiazole,
3-(4-Ethyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-m-tolyl-
[1,2,4]oxadiazole,
25 4-[4-Ethyl-5-(5-m-tolyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4H-[1,2,4]triazol-3-yl]-
pyridine,
3-[4-Ethyl-5-(5-m-tolyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4H-[1,2,4]triazol-3-yl]-
pyridine,
3-(4-Ethyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(2-fluoro-5-methyl-
30 phenyl)-[1,2,4]oxadiazole,
4-{4-Ethyl-5-[5-(2-fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4H-
[1,2,4]triazol-3-yl}-pyridine,
3-{4-Ethyl-5-[5-(2-fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4H-
[1,2,4]triazol-3-yl}-pyridine,
35 3-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-5-pyridin-4-yl-

[1,2,4]triazol-4-ylamine,
4-{5-[5-(5-Bromo-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-ethyl-4H-
[1,2,4]triazol-3-yl}-pyridine,
5-(4-Methyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-3-thiophen-2-yl-
5 [1,2,4]oxadiazole,
3-[3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-
yl]-benzonitrile,
3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-phenyl-
[1,2,4]oxadiazole,
10 4-[3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-
yl]-2-methoxy-pyridine,
3-(3-Chloro-phenyl)-5-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,
4-{5-[5-(3-Chloro-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-
15 pyridine,
2-Methyl-4-[3-(4-methyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazol-5-yl]-pyridine,
4-[3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-
yl]-2-methyl-pyridine,
20 5-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-3-thiophen-2-yl-
[1,2,4]oxadiazole,
4-{5-[5-(5-Chloro-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-ethyl-4H-
[1,2,4]triazol-3-yl}-pyridine,
4-[3-(4-Ethyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-
25 yl]-2-methyl-pyridine,
3-{5-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-methyl-4H-
[1,2,4]triazol-3-yl}-benzonitrile,
5-(3-Chloro-phenyl)-3-[5-(3-chloro-phenyl)-4-methyl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl]-[1,2,4]oxadiazole,
30 5-(3-Chloro-phenyl)-3-[5-(4-chloro-phenyl)-4-methyl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl]-[1,2,4]oxadiazole,
4-{5-[5-(2,5-Dichloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-ethyl-4H-
[1,2,4]triazol-3-yl}-pyridine,
5-(2,5-Dichloro-phenyl)-3-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-
35 ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(2,5-Difluoro-phenyl)-3-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,
4-{5-[5-(2,5-Difluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-pyridine,
5 5-(2,5-Dichloro-phenyl)-3-(4-ethyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,
5-(2,5-Difluoro-phenyl)-3-(4-ethyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,
4-{5-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-propyl-4H-[1,2,4]triazol-3-yl}-pyridine,
10 4-{5-[5-(2-Fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-propyl-4H-[1,2,4]triazol-3-yl}-pyridine,
3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-thiophen-2-yl-[1,2,4]oxadiazole,
15 3-(4-Methyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-thiophen-2-yl-[1,2,4]oxadiazole,
4-[4-Methyl-5-(3-thiophen-3-yl-[1,2,4]oxadiazol-5-ylmethylsulfanyl)-4H-[1,2,4]triazol-3-yl]-pyridine,
5-(4-Methyl-5-thiophen-3-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-3-thiophen-3-yl-[1,2,4]oxadiazole,
20 5-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-3-thiophen-3-yl-[1,2,4]oxadiazole,
5-[3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-thiophene-3-carbonitrile,
25 5-(3-Chloro-phenyl)-3-[5-(2-fluoro-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,
5-(3-Chloro-phenyl)-3-[5-(3-fluoro-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,
5-(3-Chloro-phenyl)-3-[5-(4-fluoro-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,
30 3-(5-Benzo[b]thiophen-2-yl-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(3-chloro-phenyl)-[1,2,4]oxadiazole,
5-(3-Chloro-phenyl)-3-[5-(3-methoxy-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,
35 5-(3-Chloro-phenyl)-3-[5-(4-methoxy-phenyl)-4-methyl-4H-[1,2,4]triazol-3-

ylsulfanylmethyl]-[1,2,4]oxadiazole,

3-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(2-fluoro-5-methyl-phenyl)-[1,2,4]oxadiazole,

3-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-m-tolyl-
[1,2,4]oxadiazole,

3-(4-Ethyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(2-fluoro-5-methyl-phenyl)-[1,2,4]oxadiazole,

3-[5-(2-Fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-5-pyridin-4-yl-
[1,2,4]triazol-4-ylamine,

3-[5-(2-Fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-5-thiophen-2-yl-
[1,2,4]triazol-4-ylamine,

3-Pyridin-4-yl-5-(5-m-tolyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-[1,2,4]triazol-4-
ylamine,

3-Thiophen-2-yl-5-(5-m-tolyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-[1,2,4]triazol-4-
ylamine,

3-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-thiophen-3-yl-
[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,

4-[3-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-
2-methyl-pyridine,

5-(2,5-Difluoro-phenyl)-3-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,

4-[4-Ethyl-5-(5-thiophen-3-yl-isoxazol-3-ylmethylsulfanyl)-4H-[1,2,4]triazol-3-yl]-
pyridine,

4-Ethyl-3-furan-2-yl-5-(5-thiophen-3-yl-isoxazol-3-ylmethylsulfanyl)-4H-[1,2,4]triazole,

5-(3-Chloro-phenyl)-3-[5-(3,5-dichloro-phenyl)-4-ethyl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl]-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-(4-ethyl-5-p-tolyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-(4-ethyl-5-m-tolyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[4-ethyl-5-(3-nitro-phenyl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-
[1,2,4]oxadiazole,

4-{5-[3-(3-Chloro-phenyl)-isoxazol-5-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-

yl}-pyridine,

5-(3-Chloro-phenyl)-3-[5-(2,5-difluoro-phenyl)-4-ethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[5-(3-chloro-phenyl)-4-ethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[5-(4-chloro-phenyl)-4-ethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

4-{5-[5-(3-Chloro-phenyl)-oxazol-2-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-pyridine,

3-[5-(3-Chloro-phenyl)-oxazol-2-ylmethylsulfanyl]-4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazole,

3-[5-(3-Chloro-phenyl)-oxazol-2-ylmethylsulfanyl]-4-ethyl-5-furan-2-yl-4H-[1,2,4]triazole,

5-(2-Chloro-5-methyl-phenyl)-3-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

4-{5-[3-(3-Chloro-phenyl)-isoxazol-5-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-pyridine,

3-[3-(3-Chloro-phenyl)-isoxazol-5-ylmethylsulfanyl]-4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazole,

3-[3-(3-Chloro-phenyl)-isoxazol-5-ylmethylsulfanyl]-4-ethyl-5-furan-2-yl-4H-[1,2,4]triazole,

4-{5-[5-(2-Fluoro-5-methyl-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

5-(2,5-Dichloro-thiophen-3-yl)-3-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

4-{5-[5-(2,5-Dichloro-thiophen-3-yl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-pyridine,

4-{4-Ethyl-5-[5-(2-fluoro-5-methyl-phenyl)-isoxazol-3-ylmethylsulfanyl]-4H-[1,2,4]triazol-3-yl}-pyridine,

4-Ethyl-3-[5-(2-fluoro-5-methyl-phenyl)-isoxazol-3-ylmethylsulfanyl]-5-thiophen-2-yl-4H-[1,2,4]triazole,

4-Ethyl-3-[5-(2-fluoro-5-methyl-phenyl)-isoxazol-3-ylmethylsulfanyl]-5-furan-2-yl-4H-[1,2,4]triazole,

5-(3-Chloro-phenyl)-3-(4-ethyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

3-(3-Chloro-phenyl)-5-(4-ethyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,
3-(4-Ethyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-thiophen-3-yl-
[1,2,4]oxadiazole,
5 5-(4-Ethyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-3-thiophen-3-yl-
[1,2,4]oxadiazole,
5-(3-Chloro-phenyl)-3-[4-ethyl-5-(3-fluoro-phenyl)-4H-[1,2,4]triazol-3-
ylsulfanylmethyl]-[1,2,4]oxadiazole,
5-(3-Chloro-phenyl)-3-[4-ethyl-5-(4-fluoro-phenyl)-4H-[1,2,4]triazol-3-
10 ylsulfanylmethyl]-[1,2,4]oxadiazole,
3-(4-Ethyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-thiophen-2-yl-
[1,2,4]oxadiazole,
3-{3-[5-(3-Chloro-thiophen-2-yl)-4-ethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-
[1,2,4]oxadiazol-5-yl}-benzonitrile,
15 4-{5-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-ylmethylsulfanyl]-4-ethyl-4H-
[1,2,4]triazol-3-yl}-pyridine,
2-(3-Chloro-phenyl)-5-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,3,4]oxadiazole,
5-(3-Chloro-phenyl)-3-[4-ethyl-5-(4-methoxy-phenyl)-4H-[1,2,4]triazol-3-
20 ylsulfanylmethyl]-[1,2,4]oxadiazole,
5-(3-Chloro-phenyl)-3-[5-(2-fluoro-5-methyl-phenyl)-4-furan-2-ylmethyl-4H-
[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,
4-[3-(4-Ethyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-
5-yl]-2-methyl-pyridine,
25 3-(4-Ethyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(3-methoxy-
phenyl)-[1,2,4]oxadiazole,
5-(4-Ethyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-3-(3-methoxy-
phenyl)-[1,2,4]oxadiazole,
5-(4-Ethyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-3-thiophen-2-yl-
30 [1,2,4]oxadiazole,
5-(5-Chloro-2-fluoro-phenyl)-3-(4-ethyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl)-[1,2,4]oxadiazole,
3-[3-(4-Ethyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-
5-yl]-benzonitrile,
35 3-[5-(3-Chloro-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-ethyl-5-trifluoromethyl-4H-

[1,2,4]triazole,

3-[5-(3-Chloro-phenyl)-oxazol-2-ylmethylsulfanyl]-4-ethyl-5-trifluoromethyl-4H-

[1,2,4]triazole,

4-Ethyl-3-(5-thiophen-3-yl-isoxazol-3-ylmethylsulfanyl)-5-trifluoromethyl-4H-

[1,2,4]triazole,

4-{3-[5-(3-Fluoro-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-

[1,2,4]oxadiazol-5-yl}-2-methyl-pyridine,

4-{3-[5-(3-Chloro-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-

[1,2,4]oxadiazol-5-yl}-2-methyl-pyridine,

4-{3-[5-(4-Chloro-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-

[1,2,4]oxadiazol-5-yl}-2-methyl-pyridine,

4-{3-[5-(4-Methoxy-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-

[1,2,4]oxadiazol-5-yl}-2-methyl-pyridine,

4-[3-(4-Ethyl-5-p-tolyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-2-

methyl-pyridine,

3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(3-fluoro-phenyl)-

[1,2,4]oxadiazole,

4-{4-Ethyl-5-[5-(3-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4H-

[1,2,4]triazol-3-yl}-pyridine,

5-(3-Chloro-phenyl)-3-[5-(3,5-difluoro-phenyl)-4-ethyl-4H-[1,2,4]triazol-3-

ylsulfanylmethyl]-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[5-(2,6-difluoro-phenyl)-4-ethyl-4H-[1,2,4]triazol-3-

ylsulfanylmethyl]-[1,2,4]oxadiazole,

2-[3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-

yl]-4-methyl-phenol,

3-{1-[5-(3-Chloro-phenyl)-isoxazol-3-yl]-ethylsulfanyl}-4-ethyl-5-furan-2-yl-4H-

[1,2,4]triazole,

4-(5-{1-[5-(3-Chloro-phenyl)-isoxazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-

yl)-pyridine,

3-[5-(4-Butoxy-phenyl)-4-ethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-5-(3-chloro-

phenyl)-[1,2,4]oxadiazole,

3-(5-Benzo[1,3]dioxol-5-yl-4-ethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(3-chloro-

phenyl)-[1,2,4]oxadiazole,

3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(2-methyl-thiazol-4-

yl)-[1,2,4]oxadiazole,

3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(4-fluoro-phenyl)-
[1,2,4]oxadiazole,
4-Ethyl-3-{1-[5-(2-fluoro-5-methyl-phenyl)-isoxazol-3-yl]-ethylsulfanyl}-5-furan-2-yl-
4H-[1,2,4]triazole,
5 4-(4-Ethyl-5-{1-[5-(2-fluoro-5-methyl-phenyl)-isoxazol-3-yl]-ethylsulfanyl}-4H-
[1,2,4]triazol-3-yl)-pyridine,
5-(3-Chloro-phenyl)-3-[4-ethyl-5-(3-methyl-3H-imidazol-4-yl)-4H-[1,2,4]triazol-3-
ylsulfanylmethyl]-[1,2,4]oxadiazole,
5-(3-Chloro-phenyl)-3-[4-ethyl-5-(1-methyl-1H-imidazol-2-yl)-4H-[1,2,4]triazol-3-
10 ylsulfanylmethyl]-[1,2,4]oxadiazole,
5-(3-Chloro-phenyl)-3-[4-ethyl-5-(1-methyl-1H-imidazol-4-yl)-4H-[1,2,4]triazol-3-
ylsulfanylmethyl]-[1,2,4]oxadiazole,
4-{5-[5-(3-Chloro-phenyl)-4-methyl-isoxazol-3-ylmethylsulfanyl]-4-ethyl-4H-
[1,2,4]triazol-3-yl}-pyridine,
15 3-[5-(3-Chloro-phenyl)-4-methyl-isoxazol-3-ylmethylsulfanyl]-4-ethyl-5-furan-2-yl-4H-
[1,2,4]triazole,
3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(4-methyl-thiophen-
2-yl)-[1,2,4]oxadiazole,
5-(3-Chloro-phenyl)-3-[4-ethyl-5-(3-methyl-thiophen-2-yl)-4H-[1,2,4]triazol-3-
20 ylsulfanylmethyl]-[1,2,4]oxadiazole,
5-(3-Chloro-phenyl)-3-[4-ethyl-5-(5-methyl-thiophen-2-yl)-4H-[1,2,4]triazol-3-
ylsulfanylmethyl]-[1,2,4]oxadiazole,
4-{5-[4-Chloro-5-(3-chloro-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-ethyl-4H-
[1,2,4]triazol-3-yl}-pyridine,
25 3-[4-Chloro-5-(3-chloro-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-ethyl-5-furan-2-yl-4H-
[1,2,4]triazole,
2-Chloro-4-{5-[5-(3-chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-ethyl-4H-
[1,2,4]triazol-3-yl}-6-methyl-pyridine,
3-[5-(5-Bromo-furan-2-yl)-4-ethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-5-(3-chloro-
30 phenyl)-[1,2,4]oxadiazole,
2-Chloro-4-{5-[5-(3-chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-ethyl-4H-
[1,2,4]triazol-3-yl}-pyridine,
2-Chloro-4-{5-[5-(3-chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-ethyl-4H-
[1,2,4]triazol-3-yl}-6-methoxy-pyridine,
35 2-[3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-

yl]-4-methyl-benzonitrile,
5-(3-Chloro-phenyl)-3-[4-ethyl-5-(3-methoxy-thiophen-2-yl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,
3-[5-(5-Chloro-thiophen-3-yl)-isoxazol-3-ylmethylsulfanyl]-4-ethyl-5-furan-2-yl-4H-[1,2,4]triazole,
3-[3-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-5-fluoro-benzonitrile,
4-Ethyl-3-(5-phenyl-isoxazol-3-ylmethylsulfanyl)-5-thiophen-2-yl-4H-[1,2,4]triazole,
4-Methyl-3-(5-phenyl-isoxazol-3-ylmethylsulfanyl)-5-thiophen-3-yl-4H-[1,2,4]triazole,
4-Ethyl-3-furan-2-yl-5-(5-phenyl-isoxazol-3-ylmethylsulfanyl)-4H-[1,2,4]triazole,
4-[4-Ethyl-5-(5-phenyl-isoxazol-3-ylmethylsulfanyl)-4H-[1,2,4]triazol-3-yl]-pyridine,
4-[4-Methyl-5-(5-phenyl-isoxazol-3-ylmethylsulfanyl)-4H-[1,2,4]triazol-3-yl]-pyridine,
2-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-m-tolyl-[1,3,4]oxadiazole,
4-[4-Methyl-5-(5-m-tolyl-[1,3,4]oxadiazol-2-ylmethylsulfanyl)-4H-[1,2,4]triazol-3-yl]-pyridine,
4-[4-Ethyl-5-(5-m-tolyl-[1,3,4]oxadiazol-2-ylmethylsulfanyl)-4H-[1,2,4]triazol-3-yl]-pyridine,
4-{5-[5-(5-Chloro-thiophen-3-yl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-pyridine,
3-[3-(4-Ethyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-4-fluoro-benzonitrile,
3-[3-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-4-fluoro-benzonitrile,
3-[3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-4-fluoro-benzonitrile,
3-[3-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-benzonitrile,
3-[5-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-3-yl]-benzonitrile,
3-[3-(4-Methyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-benzonitrile,
5-(5-Chloro-2-fluoro-phenyl)-3-(4-methyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,
2-Chloro-4-[3-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-

[1,2,4]oxadiazol-5-yl]-pyridine,
2-Chloro-4-[3-(5-furan-2-yl-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazol-5-yl]-pyridine,
2-(3-Chloro-phenyl)-5-[4-methyl-5-(2-methyl-thiazol-4-yl)-4H-[1,2,4]triazol-3-
5 ylsulfanylmethyl]-[1,3,4]oxadiazole,
2-(3-Chloro-phenyl)-5-(4-methyl-5-thiazol-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,3,4]oxadiazole,
2-(3-Chloro-phenyl)-5-(5-furan-2-yl-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,3,4]oxadiazole,
10 2-(3-Chloro-phenyl)-5-(4-ethyl-5-trifluoromethyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,3,4]oxadiazole,
4-{4-Ethyl-5-[5-(4-methyl-thiophen-2-yl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4H-
[1,2,4]triazol-3-yl}-pyridine,
3-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(4-methyl-thiophen-2-
15 yl)-[1,2,4]oxadiazole,
3-(3-Chloro-phenyl)-5-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,
4-{5-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-ylmethylsulfanyl]-4-ethyl-4H-
[1,2,4]triazol-3-yl}-pyridine,
20 4-{4-Ethyl-5-[5-(3-nitro-phenyl)-[1,3,4]oxadiazol-2-ylmethylsulfanyl]-4H-[1,2,4]triazol-
3-yl}-pyridine,
2-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(3-nitro-phenyl)-
[1,3,4]oxadiazole,
4-{5-[5-(3-Chloro-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-cyclopropyl-4H-[1,2,4]triazol-
25 3-yl}-pyridine,
3-[5-(3-Chloro-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-ethyl-5-(4-methoxy-phenyl)-4H-
[1,2,4]triazole,
5-(3-Chloro-phenyl)-3-[1-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanyl)-
ethyl]-[1,2,4]oxadiazole,
30 5-(3-Chloro-phenyl)-3-[1-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanyl)-ethyl]-
[1,2,4]oxadiazole,
4-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-methyl-4H-
[1,2,4]triazol-3-yl)-pyridine,
4-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-
35 [1,2,4]triazol-3-yl)-pyridine,

3-[5-(4-Ethyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,3,4]oxadiazol-2-yl]-benzonitrile,
3-[5-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,3,4]oxadiazol-2-yl]-benzonitrile,
5 3-[5-(4-Methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,3,4]oxadiazol-2-yl]-benzonitrile,
3-[5-(4-Cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,3,4]oxadiazol-2-yl]-benzonitrile,
4-{5-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,
10 4-{5-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-ylmethylsulfanyl]-4-cyclopropyl-4H-[1,2,4]triazol-3-yl}-pyridine,
4-{5-[5-(5-Chloro-2-fluoro-phenyl)-[1,3,4]oxadiazol-2-ylmethylsulfanyl]-4-cyclopropyl-4H-[1,2,4]triazol-3-yl}-pyridine,
15 2-(5-Chloro-2-fluoro-phenyl)-5-[4-ethyl-5-(4-methoxy-phenyl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,3,4]oxadiazole,
4-{5-[5-(5-Chloro-2-fluoro-phenyl)-[1,3,4]oxadiazol-2-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,
4-{5-[5-(5-Chloro-2-fluoro-phenyl)-[1,3,4]oxadiazol-2-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-yl}-pyridine,
20 2-(3-Chloro-phenyl)-5-[4-ethyl-5-(4-methoxy-phenyl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,3,4]oxadiazole,
2-(3-Chloro-phenyl)-5-[1-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanyl)-ethyl]-[1,3,4]oxadiazole,
25 5-(5-Chloro-2-fluoro-phenyl)-3-[1-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanyl)-ethyl]-[1,2,4]oxadiazole,
4-(5-{1-[5-(5-Chloro-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,
4-(5-{1-[5-(5-Chloro-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-pyridine,
30 2-Chloro-4-[3-(4-cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-pyridine,
4-{5-[5-(2-Fluoro-5-methyl-phenyl)-[1,3,4]oxadiazol-2-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,
35 4-{4-Ethyl-5-[5-(2-fluoro-5-methyl-phenyl)-[1,3,4]oxadiazol-2-ylmethylsulfanyl]-4H-

[1,2,4]triazol-3-yl}-pyridine,
4-{4-Cyclopropyl-5-[5-(2-fluoro-5-methyl-phenyl)-[1,3,4]oxadiazol-2-ylmethylsulfanyl]-
4H-[1,2,4]triazol-3-yl}-pyridine,
2-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(2-fluoro-5-methyl-
phenyl)-[1,3,4]oxadiazole,
2-[4-Ethyl-5-(4-methoxy-phenyl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-5-(2-fluoro-5-
methyl-phenyl)-[1,3,4]oxadiazole,
4-{5-[5-(5-Chloro-2-fluoro-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-ethyl-4H-
[1,2,4]triazol-3-yl}-pyridine,
4-(5-{1-[5-(5-Chloro-2-fluoro-phenyl)-isoxazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-
[1,2,4]triazol-3-yl)-pyridine,
4-{5-[5-(5-Chloro-2-fluoro-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-methyl-4H-
[1,2,4]triazol-3-yl}-pyridine,
4-(5-{1-[5-(5-Chloro-2-fluoro-phenyl)-isoxazol-3-yl]-ethylsulfanyl}-4-methyl-4H-
[1,2,4]triazol-3-yl)-pyridine,
4-{5-[5-(5-Chloro-2-fluoro-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-cyclopropyl-4H-
[1,2,4]triazol-3-yl}-pyridine,
4-(5-{1-[5-(5-Chloro-2-fluoro-phenyl)-isoxazol-3-yl]-ethylsulfanyl}-4-cyclopropyl-4H-
[1,2,4]triazol-3-yl)-pyridine,
3-[5-(5-Chloro-2-fluoro-phenyl)-isoxazol-3-ylmethylsulfanyl]-4-ethyl-5-furan-2-yl-4H-
[1,2,4]triazole,
3-{1-[5-(5-Chloro-2-fluoro-phenyl)-isoxazol-3-yl]-ethylsulfanyl}-4-ethyl-5-furan-2-yl-
4H-[1,2,4]triazole,
4-(5-{1-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-4-methyl-4H-
[1,2,4]triazol-3-yl)-pyridine,
4-(5-{1-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-4-ethyl-4H-
[1,2,4]triazol-3-yl)-pyridine,
4-(5-{1-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-4-cyclopropyl-4H-
[1,2,4]triazol-3-yl)-pyridine,
5-(5-Chloro-2-fluoro-phenyl)-3-(5-furan-2-yl-4-methyl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl)-[1,2,4]oxadiazole,
5-(5-Chloro-2-fluoro-phenyl)-3-(5-furan-3-yl-4-methyl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl)-[1,2,4]oxadiazole,
4-Chloro-2-[3-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazol-5-yl]-phenol,

2-Chloro-4-[5-(4-methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,3,4]oxadiazol-2-yl]-pyridine,

2-Chloro-4-[5-(4-ethyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,3,4]oxadiazol-2-yl]-pyridine,

2-Chloro-4-[5-(4-cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,3,4]oxadiazol-2-yl]-pyridine,

2-Chloro-4-[5-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,3,4]oxadiazol-2-yl]-pyridine,

2-Chloro-4-{5-[4-ethyl-5-(4-methoxy-phenyl)-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-
[1,3,4]oxadiazol-2-yl}-pyridine,

2-(3-Chloro-phenyl)-5-{1-[5-(4-methoxy-phenyl)-4-methyl-4H-[1,2,4]triazol-3-
ylsulfanyl]-ethyl}-[1,3,4]oxadiazole,

4-(5-{1-[5-(5-Chloro-2-fluoro-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-4-methyl-
4H-[1,2,4]triazol-3-yl)-pyridine,

5-(5-Bromo-2-fluoro-phenyl)-3-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl)-[1,2,4]oxadiazole,

2-(3-Chloro-phenyl)-5-[5-(4-methoxy-phenyl)-4-methyl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl]-[1,3,4]oxadiazole,

4-{5-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-ylmethylsulfanyl]-4-cyclopropyl-4H-
[1,2,4]triazol-3-yl}-pyridine,

4-{5-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-cyclopropyl-4H-
[1,2,4]triazol-3-yl}-pyridine,

4-(5-{1-[5-(2-Fluoro-5-methyl-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-4-methyl-
4H-[1,2,4]triazol-3-yl)-pyridine,

4-(4-Ethyl-5-{1-[5-(2-fluoro-5-methyl-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-4H-
[1,2,4]triazol-3-yl)-pyridine,

4-(4-Cyclopropyl-5-{1-[5-(2-fluoro-5-methyl-phenyl)-[1,3,4]oxadiazol-2-yl]-
ethylsulfanyl}-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(4-Cyclopropylmethyl-5-{1-[5-(2-fluoro-5-methyl-phenyl)-[1,3,4]oxadiazol-2-yl]-
ethylsulfanyl}-4H-[1,2,4]triazol-3-yl)-pyridine,

2-(2-Fluoro-5-methyl-phenyl)-5-{1-[4-methyl-5-(2-methyl-thiazol-4-yl)-4H-
[1,2,4]triazol-3-ylsulfanyl]-ethyl}-[1,3,4]oxadiazole,

4-(5-{1-[5-(5-Chloro-2-fluoro-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-4-ethyl-4H-
[1,2,4]triazol-3-yl)-pyridine,

4-(5-{1-[5-(5-Chloro-2-fluoro-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-4-

cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,
2-(5-Chloro-2-fluoro-phenyl)-5-[1-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanyl)-ethyl]-[1,3,4]oxadiazole,
2-(5-Chloro-2-fluoro-phenyl)-5-{1-[4-methyl-5-(2-methyl-thiazol-4-yl)-4H-
5 [1,2,4]triazol-3-ylsulfanyl]-ethyl}-[1,3,4]oxadiazole,
4-(4-Cyclopropylmethyl-5-{1-[5-(2-fluoro-5-methyl-phenyl)-isoxazol-3-yl]-ethylsulfanyl}-4H-[1,2,4]triazol-3-yl)-pyridine,
4-(5-{1-[5-(3-Fluoro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,
10 4-(4-Cyclopropyl-5-{1-[5-(3-fluoro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4H-[1,2,4]triazol-3-yl)-pyridine,
4-(5-{1-[5-(4-Methoxy-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanyl]-ethyl}-[1,3,4]oxadiazol-2-yl)-2-methyl-pyridine,
4-(5-{1-[4-Ethyl-5-(4-methoxy-phenyl)-4H-[1,2,4]triazol-3-ylsulfanyl]-ethyl}-[1,3,4]oxadiazol-2-yl)-2-methyl-pyridine,
15 4-{5-[1-(4-Ethyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanyl)-ethyl]-[1,3,4]oxadiazol-2-yl}-2-methyl-pyridine,
4-{5-[1-(4-Cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanyl)-ethyl]-[1,3,4]oxadiazol-2-yl}-2-methyl-pyridine,
20 4-{5-[1-(5-Furan-2-yl-4-methyl-4H-[1,2,4]triazol-3-ylsulfanyl)-ethyl]-[1,3,4]oxadiazol-2-yl}-2-methyl-pyridine,
2-(3-Chloro-phenyl)-5-{1-[4-methyl-5-(2-methyl-thiazol-4-yl)-4H-[1,2,4]triazol-3-ylsulfanyl]-ethyl}-[1,3,4]oxadiazole,
3-(5-{1-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,
25 4-(5-{1-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-2-methyl-pyridine,
4-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,
30 5-(3-Chloro-phenyl)-3-{1-[5-(4-methoxy-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanyl]-ethyl}-[1,2,4]oxadiazole,
4-(5-{1-[5-(5-Chloro-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,
5-(5-Chloro-2-fluoro-phenyl)-3-{1-[5-(4-methoxy-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanyl]-ethyl}-[1,2,4]oxadiazole,
35

4-[5-(4-Ethyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,3,4]oxadiazol-2-yl]-2-methyl-pyridine,

4-[5-(4-Cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,3,4]oxadiazol-2-yl]-2-methyl-pyridine,

4-{5-[5-(5-Chloro-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-cyclopropyl-4H-[1,2,4]triazol-3-yl}-pyridine,

4-[5-(5-Furan-2-yl-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,3,4]oxadiazol-2-yl]-2-methyl-pyridine,

4-(5-{1-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-4-cyclopropylmethyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{1-[5-(4-Fluoro-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanyl]-ethyl}-[1,3,4]oxadiazol-2-yl)-2-methyl-pyridine,

4-(5-{1-[5-(3-Fluoro-phenyl)-4-methyl-4H-[1,2,4]triazol-3-ylsulfanyl]-ethyl}-[1,3,4]oxadiazol-2-yl)-2-methyl-pyridine,

3-[3-(4-Cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-4-fluoro-benzonitrile,

4-Chloro-2-[3-(4-cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-phenol,

4-{4-Cyclopropyl-5-[5-(3-methoxy-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4H-[1,2,4]triazol-3-yl}-pyridine,

4-{4-Cyclopropyl-5-[5-(2-fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4H-[1,2,4]triazol-3-yl}-pyridine,

4-{4-Cyclopropyl-5-[5-(3-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4H-[1,2,4]triazol-3-yl}-pyridine,

4-[4-Cyclopropyl-5-(5-m-tolyl-[1,2,4]oxadiazol-3-ylmethylsulfanyl)-4H-[1,2,4]triazol-3-yl]-pyridine,

3-[3-(4-Cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-benzonitrile,

4-{4-Cyclopropyl-5-[5-(2,5-difluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4H-[1,2,4]triazol-3-yl}-pyridine,

4-{4-Cyclopropyl-5-[1-(5-m-tolyl-[1,2,4]oxadiazol-3-yl)-ethylsulfanyl]-4H-[1,2,4]triazol-3-yl}-pyridine,

4-(4-Cyclopropyl-5-{1-[5-(3-methoxy-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4H-[1,2,4]triazol-3-yl)-pyridine,

4-{5-[5-(2-Chloro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-cyclopropyl-

4H-[1,2,4]triazol-3-yl}-pyridine,

2-[3-(4-Cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazol-5-yl]-4-methyl-phenol,

4-(5-{1-[5-(2-Chloro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-
cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,

{3-[3-(4-Methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-
5-yl]-phenyl}-methanol,

3-[5-(4-Methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-
3-yl]-phenol,

5-(3-Chloro-phenyl)-3-[4-(tetrahydro-furan-2-ylmethyl)-5-thiophen-2-yl-4H-
[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

(2-Chloro-phenyl)-{5-[5-(3-chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-
isobutyl-4H-[1,2,4]triazol-3-yl}-methanol,

5-(2-Fluoro-5-methyl-phenyl)-3-[5-thiophen-2-yl-4-(2,2,2-trifluoro-ethyl)-4H-
[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

3-(2,5-Difluoro-phenyl)-5-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-Furan-3-yl-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,

3-(3-Chloro-phenyl)-5-(5-furan-2-yl-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,

3-(3-Chloro-phenyl)-5-(5-furan-3-yl-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-(5-furan-2-yl-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-(5-furan-3-yl-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,

4-{5-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-methyl-4H-
[1,2,4]triazol-3-yl}-pyrimidine,

4-{5-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-ylmethylsulfanyl]-4-methyl-4H-
[1,2,4]triazol-3-yl}-pyrimidine,

3-(5-Chloro-2-fluoro-phenyl)-5-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl)-[1,2,4]oxadiazole,

3-(5-Chloro-2-fluoro-phenyl)-5-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(5-Chloro-thiophen-2-yl)-3-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,
5-(5-Chloro-thiophen-2-yl)-3-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,
5-(5-Chloro-thiophen-3-yl)-3-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,
4-{5-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-ylmethoxy}-phenol,
4-{5-[5-(5-Chloro-2-fluoro-phenyl)-[1,3,4]oxadiazol-2-ylmethylsulfanyl]-4-ethyl-4H-[1,2,4]triazol-3-ylmethoxy}-phenol,
3-(2,5-Difluoro-phenyl)-5-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,
3-(2,5-Difluoro-phenyl)-5-(5-furan-2-yl-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,
4-(5-{1-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,
4-{5-[5-(5-Chloro-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-cyclopropyl-4H-[1,2,4]triazol-3-yl}-pyrimidine,
2-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-5-methoxy-pyrimidine,
2-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-pyrimidine,
4-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-2-methoxy-pyridine,
5-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-2-methoxy-pyridine,
2-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-5-methoxy-pyridine,
3-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-[1,2,4]triazol-3-yl)-6-methoxy-pyridazine,
3-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,
4-{5-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,
5-(3-Chloro-phenyl)-3-(5-furan-2-yl-4-isobutyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-

[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[4-(3-methylsulfanyl-propyl)-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-(4-hexyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-(4-cyclopropylmethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[4-(3-fluoro-benzyl)-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[4-(3-methyl-benzyl)-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[4-(2-methyl-butyl)-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[4-(3-methyl-butyl)-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-[4-(2-fluoro-benzyl)-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-yloxymethyl)-[1,2,4]oxadiazole,

4-{5-[5-(5-Chloro-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethoxy]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine,

4-(5-{1-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-yl]-ethoxy}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{1-[3-(3-Chloro-phenyl)-isoxazol-5-yl]-ethoxy}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

5-(2-Methoxy-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-Furan-2-yl-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

3-[3-(4-Methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-benzoic acid methyl ester,

5-(2-Fluoro-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(2,5-Difluoro-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

3-(4-Methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(3-vinyl-phenyl)-
[1,2,4]oxadiazole,

5-(3-Difluoromethoxy-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(4-Methoxy-thiophen-3-yl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-
ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(2-Chloro-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,

5-(4-Fluoro-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazole,

3-(3-Chloro-phenyl)-5-[1-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanyl)-
ethyl]-[1,2,4]oxadiazole,

-(5-{1-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-ethylsulfanyl}-4-methyl-4H-
[1,2,4]triazol-3-yl)-pyridine,

3-(3-Chloro-phenyl)-5-[2-(4-ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-yl)-ethyl]-
[1,2,4]oxadiazole,

5-(3-Chloro-phenyl)-3-(5-furan-2-yl-4-methyl-4H-[1,2,4]triazol-3-ylmethyl)-
[1,2,4]oxadiazole,

2-(3-Chloro-phenyl)-5-[2-(5-furan-2-yl-4-methyl-4H-[1,2,4]triazol-3-yl)-ethyl]-
[1,3,4]oxadiazole,

2-(3-Chloro-phenyl)-5-[2-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-yl)-ethyl]-
[1,3,4]oxadiazole,

2-(3-Chloro-phenyl)-5-[2-(4-cyclopropyl-5-furan-2-yl-4H-[1,2,4]triazol-3-yl)-ethyl]-
[1,3,4]oxadiazole,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-ethyl}-4-methyl-4H-[1,2,4]triazol-3-
yl)-pyridine,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-ethyl}-4-ethyl-4H-[1,2,4]triazol-3-
yl)-pyridine,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-ethyl}-4-cyclopropyl-4H-
[1,2,4]triazol-3-yl)-pyridine,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-propyl}-4-cyclopropyl-4H-
[1,2,4]triazol-3-yl)-pyridine,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-2-methyl-propyl}-4-cyclopropyl-
4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{2-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-yl]-propyl}-4-cyclopropyl-4H-

[1,2,4]triazol-3-yl)-pyridine,
8-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethyl]-3-pyridin-4-yl-5,6,7,8-tetrahydro-
[1,2,4]triazolo[4,3-a]pyridine,
8-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethyl]-3-thiophen-2-yl-5,6,7,8-tetrahydro-
5 [1,2,4]triazolo[4,3-a]pyridine,
8-[5-(5-Chloro-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethyl]-3-pyridin-4-yl-5,6,7,8-
tetrahydro-[1,2,4]triazolo[4,3-a]pyridine,
5-(5-Bromo-4-methyl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-3-(3-chloro-phenyl)-
[1,2,4]oxadiazole,
10 3-[3-(4-Methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-
5-yl]-phenylamine,
5-(3-Chloro-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazole-3-sulfonylmethyl)-
[1,2,4]oxadiazole,
5-(3-Chloro-phenyl)-3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazole-3-sulfinylmethyl)-
15 [1,2,4]oxadiazole,
2-Methyl-6-[3-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-
[1,2,4]oxadiazol-5-yl]-pyridine,
4-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-ethyl-4H-
[1,2,4]triazol-3-yl)-pyridin-2-ol,
20 4-(5-{2-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-propyl}-4-methyl-4H-[1,2,4]triazol-
3-yl)-pyridine,
[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethyl]-methyl-(4-methyl-5-pyridin-4-yl-4H-
[1,2,4]triazol-3-yl)-amine,
8-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethyl]-3-pyridin-4-yl-5,6,7,8-tetrahydro-
25 [1,2,4]triazolo[4,3-a]pyrimidine,
8-[5-(5-Chloro-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethyl]-3-pyridin-4-yl-5,6,7,8-
tetrahydro-[1,2,4]triazolo[4,3-a]pyrimidine,
8-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-ylmethyl]-3-pyridin-4-yl-5,6,7,8-tetrahydro-
[1,2,4]triazolo[4,3-a]pyrimidine,
30 8-{1-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-yl]-ethyl}-3-pyridin-4-yl-5,6,7,8-
tetrahydro-[1,2,4]triazolo[4,3-a]pyrimidine,
8-[5-(5-Chloro-2-fluoro-phenyl)-[1,2,4]oxadiazol-3-ylmethyl]-3-furan-2-yl-5,6,7,8-
tetrahydro-[1,2,4]triazolo[4,3-a]pyrimidine,
8-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethyl}-3-pyridin-4-yl-5,6,7,8-
35 tetrahydro-[1,2,4]triazolo[4,3-a]pyrimidine,

3-(4-Ethyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-5-(1H-pyrrol-3-yl)-[1,2,4]oxadiazole,

4-{5-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-ylmethylsulfanyl]-4-methyl-4H-[1,2,4]triazol-3-yl}-pyridine 1-oxide,

5-(3-Chloro-phenyl)-3-(2-furan-2-yl-3-methyl-3H-imidazol-4-ylsulfanylmethyl)-[1,2,4]oxadiazole,

5-(5-Chloro-2-fluoro-phenyl)-3-[4-(2-fluoro-ethyl)-5-thiophen-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl]-[1,2,4]oxadiazole,

5-(5-Chloro-thiophen-3-yl)-3-(4-ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazole,

3-[3-(4-Ethyl-5-furan-2-yl-4H-[1,2,4]triazol-3-ylsulfanylmethyl)-[1,2,4]oxadiazol-5-yl]-4-hydroxy-benzonitrile,

3-(3-Chloro-phenyl)-5-[2-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-yl)-ethyl]-[1,2,4]oxadiazole,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-propyl}-[1,3,4]oxadiazol-2-yl)-pyridine,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-1-methyl-ethyl}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-cyclopropyl}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine, or

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-1,1-dimethyl-ethyl}-[1,3,4]oxadiazol-2-yl)-pyridine,

3-(5-{1-[5-(3-Chloro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethoxy}-4-cyclopropyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{1-[5-(2-Chloro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{1-[5-(2,5-Difluoro-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(5-{1-[5-(2-Fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4-methyl-4H-[1,2,4]triazol-3-yl)-pyridine,

4-(4-Cyclopropyl-5-{1-[5-(2-fluoro-5-methyl-phenyl)-[1,2,4]oxadiazol-3-yl]-ethylsulfanyl}-4H-[1,2,4]triazol-3-yl)-pyridine,

3-{3-[1-(4-Methyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanyl)-ethyl]-[1,2,4]oxadiazol-5-yl}-benzonitrile,

3-{3-[1-(4-Cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-ylsulfanyl)-ethyl]-
[1,2,4]oxadiazol-5-yl}-benzonitrile,

3-{1-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-yl]-ethylsulfanyl}-5-pyridin-4-yl-
[1,2,4]triazol-4-ylamine,

3-(3-Chloro-phenyl)-5-[2-(4-methyl-5-thiophen-2-yl-4H-[1,2,4]triazol-3-yl)-ethyl]-
[1,2,4]oxadiazole,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-1-methyl-ethyl}-4-cyclopropyl-4H-
[1,2,4]triazol-3-yl)-pyridine,

cis-4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-cyclopropyl}-4-cyclopropyl-4H-
[1,2,4]triazol-3-yl)-pyridine,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-1,1-dimethyl-ethyl}-
[1,3,4]oxadiazol-2-yl)-pyridine,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-2-methyl-propyl}-[1,3,4]oxadiazol-
2-yl)-pyridine,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-1-methyl-ethyl}-[1,3,4]oxadiazol-2-
yl)-pyridine,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-cyclopropyl}-[1,3,4]oxadiazol-2-
yl)-pyridine,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-cyclopropyl}-4-methyl-4H-
[1,2,4]triazol-3-yl)-pyridine,

4-(5-{2-[5-(3-Chloro-phenyl)-[1,3,4]oxadiazol-2-yl]-propyl}-4-methyl-4H-[1,2,4]triazol-
3-yl)-pyridine,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-propyl}-[1,3,4]oxadiazol-2-yl)-
pyridine,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-propyl}-4-methyl-4H-[1,2,4]triazol-
3-yl)-pyridine,

4-(5-{2-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-propyl}-4-cyclopropyl-4H-
[1,2,4]triazol-3-yl)-pyridine,

(S)-[1-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-2-(4-cyclopropyl-5-pyridin-4-yl-4H-
[1,2,4]triazol-3-yl)-ethyl]-carbamic acid tert-butyl ester,

(S)-1-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-2-(4-cyclopropyl-5-pyridin-4-yl-4H-
[1,2,4]triazol-3-yl)-ethylamine,

(S)-[1-[3-(3-Chloro-phenyl)-[1,2,4]oxadiazol-5-yl]-2-(4-cyclopropyl-5-pyridin-4-yl-4H-[1,2,4]triazol-3-yl)-ethyl]-dimethyl-amine,
or a pharmaceutically acceptable salt or an optical isomer thereof..

INTERNATIONAL SEARCH REPORT

International Application No
/US2005/000336

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 A61K31/00 A61P1/00 A61P1/04 A61P11/00 A61P11/04
A61P11/06 A61P43/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, CHEM ABS Data, MEDLINE, EMBASE, BIOSIS

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 2004/000316 A (ASTRAZENECA AB; NPS PHARMACEUTICALS, INC; LEHMANN, ANDERS; MATTSSON, J) 31 December 2003 (2003-12-31) abstract page 2, line 19 - page 6, line 20 examples 1-3 claims 1-28	1-18, 20-37
Y		1-38
P,Y	WO 2004/014881 A (ASTRA ZENECA AB; NPS PHARMACEUTICALS, INC; WENSBO, DAVID; XIN, TAO; ST) 19 February 2004 (2004-02-19) cited in the application the whole document	1-38
	-/-	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the International filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the International filing date but later than the priority date claimed

- *T* later document published after the International filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *&* document member of the same patent family

Date of the actual completion of the International search

25 April 2005

Date of mailing of the International search report

04/05/2005

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Taylor, G.M.

INTERNATIONAL SEARCH REPORT

International Application No

'US2005/000336

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 2004/000855 A (ASTRAZENECA AB; LEHMANN, ANDERS; WRANGSTADH, MICHAEL) 31 December 2003 (2003-12-31) the whole document	1-38
A	WO 2004/000856 A (ASTRAZENECA AB; LEHMANN, ANDERS; WRANGSTADH, MICHAEL) 31 December 2003 (2003-12-31) the whole document	1-38
A	DE 198 58 193 A1 (AVENTIS CROPS SCIENCE GMBH) 21 June 2000 (2000-06-21) abstract claims 1-12	1-38

INTERNATIONAL SEARCH REPORT

International Application No
US2005/000336

Patent document cited in search report		Publication date		Patent family member(s)	Publication date
WO 2004000316	A	31-12-2003	AU	2003241585 A1	06-01-2004
			BR	0311759 A	08-03-2005
			CA	2489730 A1	31-12-2003
			EP	1513525 A1	16-03-2005
			WO	2004000316 A1	31-12-2003
WO 2004014881	A	19-02-2004	AU	2003259068 A1	25-02-2004
			WO	2004014881 A2	19-02-2004
			US	2004152699 A1	05-08-2004
WO 2004000855	A	31-12-2003	AU	2003239025 A1	06-01-2004
			WO	2004000855 A1	31-12-2003
WO 2004000856	A	31-12-2003	AU	2003237739 A1	06-01-2004
			WO	2004000856 A1	31-12-2003
DE 19858193	A1	21-06-2000	AU	1974100 A	03-07-2000
			WO	0035913 A1	22-06-2000
			EP	1140922 A1	10-10-2001
			JP	2002532497 T	02-10-2002
			US	2003162812 A1	28-08-2003

Abstract

The present invention relates to the use of a compound of formula Ia for the inhibition of transient lower esophageal sphincter relaxations. A further aspect of the invention is directed to the use of compounds of formula Ia for the treatment of gastro-esophageal reflux disease.

